

The T2K Experiment and DownStream Electromagnetic Calorimeter



T2K Lancaster

I. Bertram, A. Chilingarov, <u>G. Davies</u>, A. Finch, A. Hatzikoutelis, L. Kormos, T. Maryon, I. Mercer, S. Peeters, P. Ratoff and J. Statter

T2K Overview

Hadron Experimental Facility




T2K (Tokai to Kamioka) is a long-baseline neutrino-oscillation experiment. A ν_{μ} beam generated in a 50GeV proton accelerator at the J-PARC facility in Tokai is directed 295km toward the 50kton water Cherenkov detector, Super-Kamiokande. T2K will measure ν_{μ} oscillation to ν_{e} , with the aim of obtaining a value for θ_{13} .

Neutrinos change flavour as they travel. The oscillation between different neutrino types is parameterised by the PMNS matrix. Several of its components are not yet well-measured. For example, the mixing angle θ_{13} has limits but no direct measurement.

ND280

The Near Detector at 280m downstream of the ν_{μ} production target has the task of characterising the beam before the neutrinos oscillate by measuring:

- ν_" flux and energy.
- v_a beam background.
- \blacksquare π^0 production.
- v interaction x-sections.



P0D: Narrow layers of lead alloy and plastic scintillator or water dedicated to π^0 ID.

3 TPCs: High-resolution tracking chambers with Micromegas readout.

2 FGDs: Fine-Grained Detectors with high-granularity layers of lead and plastic scintillator or H₂O. ECal: Tracking electro-magnetic calorimeter with PID.

SMRD: Side Muon Range Detector.
Slabs of plastic scintillator inside
iron magnet yoke.

DownStream Electromagnetic Calorimeter

Requirements

- **■** EM shower containment \Rightarrow 10 χ_0 .
- **Space restrictions (50cm)** \Rightarrow thin plastic layers.
- **■** Sampling fraction \Rightarrow thin lead layers.
- Design and construction issues \Rightarrow identical modules for all ECal.
- Structural rigidity and lighttightness ⇒ carbon-fibre casing for each module.
- Lead-plastic scintillator sandwich.
- 33 lead layers, 34 plastic layers.
- **1 module (2m x 2m).**
- Has the highest v flux of all ECal.
- Most events start showering in FGDs.
- Calibration Module as well as DS.
 - Built first .
 - Cosmic ray calibration.
 - To CERN for test beam studies.
- Then straight to Japan.

Efficiency vs bar width jg 0.07 **Optimising ECal Parameters** FGD1 ≒ 0.06⊨ FGD2 0.05 Efficiency vs Pb thickness 을 0.07 는 —FGD1 ਰ 0.06 FGD2 0.05 0.04 - determined by π^0 0.03 reconstruction efficiency 0.02 for events originating in 0.01 FGD 1 or FGD 2. Pb Thickness[mm]



- All 34 layers built first.
- Module bulkhead assembled.
- Layer by layer construction.
- 2D scan with 3 mCi ¹³⁷Cs source as each layer is laid.
- Cooling plates, electronics and light-tight skin attached.
- Cosmic-ray data-taking for 3 months at Lancaster (end 2008).
- Test-beam calibration at CERN spring 2009.
- Shipped to Japan June 2009.
- Commissioning late 2009.

The experience and infrastructure from this effort will be available for the construction and QA of the rest of the ECal modules.



A pulse height analysis with coincidence logic defines the trigger and the signals are digitized in VME/ADCs controlled by a LabView DAQ, to measure absolute light-yield (in pe/MIP). Visual inspections for shape deformations and transportation damage, checks on the physical dimensions and light output will be done.

