



## A literature review on the technologies of bonded hoses for marine applications

Chiemela Victor Amaechi, Facheng Wang, Idris Ahmed Ja'e, Aaron Aboshio, Agbomerie Charles Odijie & Jianqiao Ye

To cite this article: Chiemela Victor Amaechi, Facheng Wang, Idris Ahmed Ja'e, Aaron Aboshio, Agbomerie Charles Odijie & Jianqiao Ye (2022): A literature review on the technologies of bonded hoses for marine applications, Ships and Offshore Structures, DOI: [10.1080/17445302.2022.2027682](https://doi.org/10.1080/17445302.2022.2027682)

To link to this article: <https://doi.org/10.1080/17445302.2022.2027682>



© 2022 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group



Published online: 12 Mar 2022.



Submit your article to this journal [↗](#)



View related articles [↗](#)



View Crossmark data [↗](#)

## A literature review on the technologies of bonded hoses for marine applications

Chiemela Victor Amaechi <sup>a,b</sup>, Facheng Wang <sup>c</sup>, Idris Ahmed Ja'e <sup>d,e</sup>, Aaron Aboshio <sup>f</sup>,  
Agbomerie Charles Odijie <sup>g</sup> and Jianqiao Ye <sup>a</sup>

<sup>a</sup>Department of Engineering, Lancaster University, Lancaster, UK; <sup>b</sup>Standards Organisation of Nigeria (SON), Abuja, Nigeria; <sup>c</sup>Department of Civil Engineering, Tsinghua University, Beijing, People's Republic of China; <sup>d</sup>Department of Civil Engineering, Universiti Teknologi PETRONAS, Seri Iskandar, Malaysia; <sup>e</sup>Department of Civil Engineering, Ahmadu Bello University, Zaria, Nigeria; <sup>f</sup>Department Civil Engineering, Bayero University, Kano, Nigeria; <sup>g</sup>Department of Engineering, MSCM Limited, Oxfordshire, UK

### ABSTRACT

Marine bonded hoses are conduit-tubular structures used for loading, discharging, transferring and transporting fluid products like oil, gas, and water. These marine conduits are applied in the offshore industry by utilising novel marine materials and sustainable technologies. Based on sustainability, there are advances made as solutions for challenging environments. These challenges include scouring gases, deep water regions, changing sea water temperatures, platform loads and vessel motions. These environments also require sustainable materials like marine composites. This paper reviews historical timeline and patent development of hoses in the marine environment. It highlights key developments on marine hoses and their configurations. These configurations include FPSO-FSO with hose attachments in catenary configurations and CALM buoy-PEM in Lazy-S configurations. The review also discusses the evolutions in the hose designs, potentials of the hoses, and recent state-of-the-art developments in the industry. Comprehensive discussions with necessary recommendations are made for fluid applications in the offshore industry.

**Abbreviations:** 3D: Three Dimensional; ABS: American Bureau of Shipping; API: American Petroleum Institution; BSI: British Standards Institution; BV: Bureau Veritas; CALM: Catenary Anchor Leg Mooring; CAPEX: Capital Expenditure; CFD: Computational Fluid Dynamics; CL: Chinese-lantern (hose configuration); COOL<sup>TM</sup>: Cryogenic Offshore Offloading and Loading; DC: Dual Carcass or Double Carcass; DNVGL: Det Norske Veritas & Germanischer Lloyd; DOM: Dunlop Oil & Marine; DOE: Design of Experiment; DP: Dynamic Position; D/t: Diameter/thickness; DWS: Dual Warning System; EN: Europäische Norm ('European Norm') Standards; FAT: factory acceptance test; FEA: Finite Element Analysis; FEM: Finite Element Modelling; FLNG: Floating Liquefied Natural Gas; FMECA: Failure Mode, Effects, and Criticality Analysis; FOS: Floating Offshore Structure; FPSO: Floating, Production, Storage and Offloading; FSO: Floating storage and offloading; FSP: Floating storage and processing; GMPHOM: Guide to Manufacturing and Purchasing Hoses for Offshore Moorings; HAZID: Hazard identification; HEV: Hose End Valve; ID: Inner Diameter; IMO: International Maritime Organisation; IMS: Integrated Monitoring Systems; IOFBS: Inflatable Offshore Fender Barrier Structures; ISO: International Standards Organisation; KGK: Kautschuk und Gummi Kunststoffe; LNG: Liquefied Natural Gas; LPG: Liquid Petroleum Gas; MBR: Minimum Bending Radius; MCI: Metal Composite Interface; NIS: Nigerian Industrial Standards; OCIMF: Oil Companies International Marine Forum; OIL: Offspring International Limited; OLL: Offloading / Loading Lines; OOL: Offshore Offloading Lines; OPEX: Operational Expenditure; PEM- Pipeline End Manifold; PLUTO- Pipeline Across The Ocean; SALM: Single Anchor Leg Mooring; SC: Single Carcass; SCR: Steel Catenary Risers; SLF: Stress Loading Factors; SON: Standards Organisation of Nigeria; SPM: Single Point Mooring; SRS: Special Reinforced Submarine Hose; SS: Seaflex Super stream; STD: Standard Type; SURP: Subsea Umbilical Risers And Pipelines; SWIR: Sea-Water Intake Riser; TWS: Twist Warning System; UK: United Kingdom; US: United States

### ARTICLE HISTORY

Received 2 November 2021  
Accepted 6 January 2022

### KEYWORDS

Bonded marine hose; flexible marine riser; floating offshore structure (FOS); offshore platform; hose development; catenary anchor leg mooring (CALM) buoy

## 1. Introduction

The oil and gas sector requires new flexible methods, designs, and conduits that can be deployed to implement explorations at some well sites. This is conducted using more sustainable and energy efficient methods to reduce carbon emissions (Odijie et al. 2017a,

2017b; Wang et al. 2019; Zhang et al. 2019; Ali et al. 2020), as energy consumption globally is expected to rise by 28% before 2030 (IEA 2017; Doyle and Aggidis 2019). Thus, more sustainable approaches have also been considered in recent times by using marine composites in the development of marine bonded hoses, despite its size,

**CONTACT** Chiemela Victor Amaechi  c.amaechi@lancaster.ac.uk; chiemelavic@gmail.com  Department of Engineering, Lancaster University, Lancaster, Lancashire LA1 4YR, UK; Standards Organisation of Nigeria (SON), 52 Lome Crescent, Wuse Zone 7, Abuja, Nigeria; Facheng Wang  wangfacheng@tsinghua.edu.cn  Department of Civil Engineering, Tsinghua University, Beijing 100084, People's Republic of China; Idris Ahmed Ja'e  idris\_18001528@utp.edu.my  Department of Civil Engineering, Universiti Teknologi PETRONAS, Seri Iskandar, Perak 32610, Malaysia; Department of Civil Engineering, Ahmadu Bello University, Zaria, Kaduna State 810107, Nigeria; Aaron Aboshio  aaboshio.civ@buk.edu.ng  Department Civil Engineering, Bayero University, Kano, Kano State 700006, Nigeria; Agbomerie Charles Odijie  charlesodijie@hotmail.com  Department of Engineering, MSCM Limited, High Wycombe, Oxfordshire HP12 3TA, UK; Jianqiao Ye  jye2@lancaster.ac.uk  Department of Engineering, Lancaster University, Lancaster, Lancashire LA1 4YR, UK

© 2022 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

service functionality, and application in the ocean. The ocean itself covers over 75% of the earth's surface and has the highest source of fossil energy resources, natural gas deposit and crude oil deposits which are been extracted, explored but not effectively harnessed. The exploration of crude oil involves a variety of floating offshore structures (FOS) (Chakrabarti 1994, 2001, 2002, 2005; Wilson 2003; Sarpkaya 2014; Odijie 2016). Figure 1 shows an ocean environment with different offshore platforms and applications of marine bonded hoses. However, hoses have some attributes like bending stiffnesses, vertical bending moments and axial forces (Pinkster and Remery 1975; Quash and Burgess 1979; Young et al. 1980; Tschoepe and Wolfe 1981; O'Donoghue 1987; O'Donoghue and Halliwell 1990; Chakrabarti 1994; Ryu et al. 2006; Antal et al. 2012). Despite the availability of various patents on marine hoses, marine risers, pipelines, there are still limited reports on full-scale developments on marine bonded hoses despite the progress that has been made in industry and its commercialisation.

One method of achieving sustainable fluid transfer is by the use of marine hoses in the offshore industry. By definition, marine bonded hoses are conduit-tubular structures used for loading, discharging, transferring, and transporting fluid products- oil, gas, and water. By rationalisation, it creates a new way of sustainable work delivery and enhances better investment in the supplier/manufacturer relationships. Sustainability creates a growing realisation that leads to engagement in long-term solutions on the issues of fluid transfer. These issues include flexible platform needs and easier configurations. Based on product development, the dichotomy that is conspicuous between academic research and industrial applications. However, it also creates some technical issues, slows down development and limits research outputs. Thus, the streamlined provisions of the industrial standards available -OCIMF GMPHOM (OCIMF 2009) and API 17 K (API 2017), have been helpful for design specifications and structural detailing. By classification, these hoses could be subsea hoses (or submarine hoses),




Figure 1. Offshore application of marine bonded hoses showing different offshore platforms and marine hoses (This figure is available in colour online).



Figure 2. The extreme size of dredging hoses compared to floating hoses (Courtesy: Antal et al. 2012; Adapted with permission of Germa Hornsby of Continental Dunlop Oil & Marine) (This figure is available in colour online).

**Table 1.** Historical timeline on the development of marine bonded hose technologies, with founding years of manufacturers.


Year	Progress Made, Buoy / Hose Manufacturer & Joint Industry Project (JIP)	Reference
1871	Continental AG was founded as Continental-Caoutchouc und Gutta-Percha Compagnie	Continental (2014, 2021)
1898	Dunlop Rubber Company (formerly Pneumatic Tyre and Booth's Cycle Agency Ltd.) was established. In addition, GoodYear Tire & Rubber Company was founded	Dunlop (2015), GoodYear (2021), NationalArchives (2021)
1905	Trelleborgs Gummifabriks AB (the Rubber Factory Corporation of Trelleborg) founded	Trelleborg (2021, 2018)
1917	The Yokohama Rubber Co., Ltd. was established	Yokohama (2016)
1920s	Continental merger started Continental Gummi-Werke AG	Continental (2021)
1925	Eddelbüttel + Schneider was founded to manufacture hoses and sleeves for dredging and mining. It is now part of Continental ContiTech Group.	DSMA (2019), Richardson (2004)
1935	Manuli Rubber Industries was established	ManuliRubber (2021)
1949	Shenyang Rubber Tube Factory was established	VHMarinTech (2021)
1960	Yokohama marketed its first marine hose in 1960. Since then, Yokohama has succeeded in making a number of technological breakthroughs in product development	Yokohama (2016)
1962	Float Sink hose system for SPM – Yokohama's helix free main line hose with air buoyancy.	Yokohama (2016)
1964	The first commercial maritime pipeline, based on marine power cable technology, was built between two Danish islands	Sparks (2018)
1965	Durham Rubber & Belting Corp. was founded	Thomasnet (2021)
1970s	Coflexip used flexible pipe in offshore applications as flowlines, production and export risers	Sparks (2018)
1972	SOFEC Inc. was established & IFP France invented high pressure-resistant plastic pipes	SOFEC (2021), Sparks (2018)
1975	Trelleborg's first OCIMF qualified nippleless hose with dual carcass called KLELINE.	Trelleborg (2018)
1977	Flexible risers were first used as dynamic risers in Garoupa field, offshore Brazil.	Sparks (2018)
1977	Yokohama's NBR leak free tube lining, processed by spiral wrapping, completely solved the problems of lining quality, eliminating blisters, lining separation and nipple leak.	Yokohama (2016)
1978	Yokohama's Polyurethane cover option to the conventional rubber covered hose. The smooth, hard surface of polyurethane eases handling, and its bright colours are its assets.	Yokohama (2016)
1978	Flexomarine and BLUEWATER were established	Flexomarine (2013), Bluewater (2016)
1980s	IFP developed unbonded flexible pipe using cable industry experience. This led to more Joint Industry Projects (JIPs) on flexible pipes around mid 1980s	PSA (2013)
1981	Manuli Rubber Industries acquired Fluiconnecto Network (formerly Sonatra)	Fluiconnecto (2021)
1983	World's stiffest 24" SRS (Special Reinforced Submarine Hose) has 51ton-m <sup>2</sup> bending stiffness.	Yokohama (2016)
1984	Super 300 hose – Yokohama's Super 300 hose was developed from total construction analysis by FEM and improved resistance to surge pressure and kinking- high safety margin	Yokohama (2016)
1986	Fluid-Tec Engineering & Trading Pte Ltd. was established	FluidTec (2015)
1987	High aromatic hose – Yokohama's high aromatic hose, suitable for liquids with up to 60% aromatic hydrocarbon content, such as high octane gasoline, was developed.	Yokohama (2016)
1992	Double Carcass hose with Twist Warning System (TWS) – Yokohama style warning system, featuring twist of straight orange stripes on the hose, & warns on failure at primary carcass.	Yokohama (2016)
1994	'Friends of Flexibles' ad-hoc JIP of industry operators, manufacturers and material suppliers after the first flexible pipe end-fitting failure at Veslefrikk, due to inner sheath layer failure.	PSA (2013, 2018)
1998	EMSTEC GmbH was established	EMSTEC (2016, 2021)
1999	Trelleborg launched REELINE the first large-diameter hose designed for reeling specifically.	Trelleborg (2018)
1999	Yokohama's Flashing floating hose having effective built-in flashing light unit developed to increase visibility of hose line position to boats nearby especially during night time.	Yokohama (2016)
2001	Trelleborg developed and introduced the first hose suitable for arctic conditions	Trelleborg (2018)
2004	Double carcass hose with Dual Warning System (DWS) for primary carcass leak detector.	Yokohama (2016)
2005	Yokohama's 'Super Stream' Offloading Marine Hose for rough offshore application	Yokohama (2016)
2006	TANIQ investigated IGW technology for offloading hoses and aeronautic hoses	Nooij (2006)
2006	Trelleborg launched the first TRELLINE submarine/floating hose that meets API spec 17 K.	Trelleborg (2018), Rampi et al. (2006)
2009	Trelleborg launched CRYOLINE LNG hose for remote offshore gas fields export via FLNG	Trelleborg (2018)
2009	Industry standard- OCIMF GMPHOM 2009 was developed. DOM was first to qualify on it.	OCIMF (2009), ContiTech (2014)
2010	Yokohama Reeling Hose developed for FPSO /FSO reels to resist crush and bending loads.	Yokohama (2016)
2011	SBM Offshore's Cryogenic Offshore Offloading and Loading (COOL™) system certified	SBMOffshore (2011)
2011	Trelleborg's first GMPHOM 2009 compliant nipple hose with double carcass, as it increased manufacturing capacity in Brazil for specially designed floating & submarine hoses.	Trelleborg (2012, 2018)
2012	GMPHOM 2009 Hose – Yokohama's Seaflex series got GMPHOM OCIMF (2009) approval.	Yokohama (2016)
2015	Trelleborg developed first TRELLINE submarine lines with 600 mm ID that are 2 km long.	Trelleborg (2018)
2016	Trelleborg introduced first Seawater Suction hose specified to API 17 K designed for FLNG.	Trelleborg (2018)
2017	Manufacturers supplied suite solutions to world's first floating LNG Ship-to-Shore System	Trelleborg (2018)

floating hoses, catenary hoses, dredging hoses, cryogenic hoses or reeling hoses (Bluewater 2009, 2020a; OCIMF 2009; ContiTech 2017, 2020a). By functionality, marine hoses are either supply hoses or production hoses. By design, each hose type is designed uniquely for specific functionalities, environments and configurations. The configurations can be ship-to-ship, catenary, lazy-S, steep-S, lazy-wave, Chinese-lantern or tandem configuration (Trelleborg 2016, 2020; Yokohama 2016; Bluewater 2020; ContiTech 2020b). These configurations are adaptable on different offshore platforms and floating structures, like CALM (Catenary Anchor Leg Mooring) buoys and FPSO (Floating Production Storage Offloading) units, as depicted in Figure 1. Recently, Trelleborg presented a Pazflor configuration using treeline OLLs and gimbals

(Mayau and Rampi 2006; Rampi et al. 2006; Prischi et al. 2012; Lagarrigue et al. 2014). Generally, hose configurations can be applied on typical different permanent platforms or mobile set ups of dry platforms, moored to a certain location with a network of marine hoses (Stearns 1975; Bai and Bai 2005; Nooij 2006; Sparks 2018; Amaechi et al. 2019a, 2019b, 2021). Additionally, hoses have different sizes, as seen in Antal et al. (2012)'s comparative study, which shows that hoses can also be extremely massive in size, such as the dredging hoses, in comparison to floating hoses, as shown in Figure 2.

This review comprehensively presents the technologies on bonded hoses for marine applications in the offshore industry. Section 1 provides a detailed analysis of the advances in marine bonded hoses





**Figure 3.** Failure and damage incidents on unbonded flexible pipes using 2002, 2010, 2018 data (Sources: Muren 2007; Saunders and O'Sullivan, 2007; Drumond et al. 2018; PSA 2018; Adapted with permission of PSA Norway & Elsevier Publishers) (This figure is available in colour online).

research for these offshore marine applications. Section 2 presents an overview of marine bonded hoses and explores the design of marine hoses. Section 3 presents hose technologies, the application benefits and challenges with explorations on the advances of the useful art (or technology) and patents on marine bonded hoses. Section 4 gives the concluding remarks on hose technologies, sustainable fluid transfer, current gaps and future trends for collaborative synergies.

## 2. Developments on bonded marine hose

In this section, the developments of marine hoses are presented.


### 2.1. Historical development of marine hose

Flexible marine hoses, flexible riser and pipeline technology for offshore oil and gas production still undergo development. Nevertheless, flexible pipes have multi-faceted applicabilities from other sectors before being introduced to the offshore industry. Flexible pipelines were once thought to be maintenance-free and did not need to be inspected on a regular basis. However, recent reports on hose failures, riser failures and flexible pipe failures have shown some reported cases on these facilities and assets offshore. Thus, the need to improve upon the design, manufacture, service delivery processes and production grades. This includes the hoses, pipes, end-terminations, and accessories, which have to be improved however, recent reports also show that significant improvements have been achieved since their initial introduction. The concept of a flexible armoured maritime pipeline was originally introduced and implemented on a large scale in World War II's PLUTO (PipeLine Under The Ocean) project, which transported petroleum from the United Kingdom to Normandy, France, under the English Channel. High-voltage marine power cable technology was used in the design. Today, more progress on marine bonded hose technologies with historical timelines has been recorded, as presented in Table 1. It shows main highlights in marine hose developments, such as Trelleborg launched the first TREL-LINE submarine/floating hose that meets API spec 17 K, developed

jointly by Trelleborg and SBM Offshore for specific applications, such as OOL (oil offloading lines), deep offshore, flow lines, shallow water and CALM buoy to FPSO (Mayau and Rampi 2006; Rampi et al. 2006; Prischi et al. 2012; Trelleborg 2018). Also, earlier in 1983, the world's stiffest 24-inches Special Reinforced Submarine Hose (SRSB) was developed with a bending stiffness of 500 KN-M<sup>2</sup> (51 ton-m<sup>2</sup>). According to Yokohama (2016), this SRSB is three to four times stiffer than conventional 24-inches hose. This outstanding characteristic contributed to the successful installation of a SALM system for FOSCO at a depth of 45 m (150 ft.) in the Japan Sea.

### 2.2. Overview on marine hose development

Current state-of-the-art hose designs include Selflote- the first integrally floated oil hose, Safflote- the first double-carcass anti-pollution floating hose and DEEPFLO, which are API 17K-specified hoses designed for deep water operations (Antal et al. 2003; Katona et al. 2009; ContiTech 2017). Limited hose patents have also been presented to show advances on marine hose innovations in patent publications and scholarly articles. For instance, Antal Sandor's patents (Horvath et al. 1970; Antal et al. 1985, 1988, 2001) were supported by some scholarly articles (Nagy et al. 1999; Antal et al. 2003; 2012). In Antal et al. (2003), a numerical design on 6-inches bonded flexible riser using FEA was presented with experimental validation, and he concluded by discussing the steps taken to validate the hose in line with the API 17 K standard. However, hoses are rubberised structures as was opined, so one safety apparatus that can be recommended to control hose accidents during offloading operations is the use of pneumatic fenders and other offshore fenders, such as the Inflatable Offshore Fender Barrier Structures -IOFBS (Aboshio 2014; Aboshio et al. 2013, 2014a, 2014b, 2016, 2021). These help to reduce the incidents of hose failure as presented in Figure 3, such as during discharge procedure, and it will also protect these hoses from propeller cuts, damage from tug boats or damage from similar heavy equipment offshore. Although hose failure statistics was not reported in this review, it is recommended to undertake sufficient




**Figure 4.** Hose developments by Dunlop ContiTech, showing (a) Preformed production lines (b) Conventional and preformed production jumpers (c) Water uptake line removed from Barracuda Oilfield (Brazil) for inspection, ID > 1000 mm, (d) Schematic drawing of a water intake system, (e) TauroBend preformed 3" (76 mm) 103,4 MPa (15000 psi) bonded Choke and Kill line, capable of 121°C operating temperature and more than 36 MPa collapse pressure, (f) Schematic drawing of the top of subsea blow out preventer (g) API 17 K range of offshoring hoses in challenging arctic sea, (h) pile driving application using a pile harmer and a hose from yoke to articulated tower (Adapted with permission of Germa Hornsby of Continental Dunlop Oil & Marine, Sina Leswal and Diana Boenning, both of Heuthig -parent media house of Kautschuk und Gummi Kunststoffe (KGK) publications, and acknowledgement from Nagy Tibor -the author of the KGK publications; Source: Nagy et al. 1998; Katona et al. 2009; ContiTech 2018, 2020b) (This figure is available in colour online).

hose pressure tests because most hose failures involve delamination and carcass failure. Based on the available data for unbonded flexible pipes as seen in the extrapolated '2018 data' obtained from PSA (2018) in Figure 3; it can be noticed that leaks are the most recently reported issues on flexibles, at 31%. The findings are similar to those


reported in the literature on failure of flexible risers (Muren 2007; Løtveit et al. 2009; Charlesworth et al. 2011; Dahl et al. 2012; O'Brien et al. 2012; PSA 2013, 2018), flexible pipelines (Muren 2007; Saunders and O'Sullivan 2007; Simonsen 2014; Drummond et al. 2018; Li et al. 2018a, 2018b) and subsea hose systems (Katona et al. 2009,

**Table 2.** Typical list of currently-available hose range (Courtesy: ContiTech 2018).

Hose Type	Hose ID	Pressure range (psi)	Maximum Available Length	Applicable Certification
Production Oil/Has Hose	2"-14"	218 (15 bar) – 7500	60 m (2"-8"); 30 m (10"-14")	API 17K
Choke & Kill Hose	2"-4"	5000–15,000	60 m	AP 16C
Cement Hose	2"-4"	5000–15,000	60 m	API 7 K, FSL 0
	3"	20,000		Taurus Design
Rotary Hose	2"-6"	5000–7500	60 m	API 7 K, FSL 1/ FSL 2
	5"	10,000		Taurus Design



**Figure 5.** End fitting designs showing (a1) end fitting with built-in coupling, (a2) end-fitting with swaged couplings, (c) parts of normal DOM end fitting and (d) parts of DOM End fitting with built-in coupling (Courtesy: Dunlop ContiTech; Adapted with permission of Germa Hornsby of Continental Dunlop Oil & Marine) (This figure is available in colour online).



**Figure 6.** Dual carcass reeling hose ends showing (a) reinforced flange/ bolt indent, and (b) nippleless reinforced flange (Adapted with permission of Jonathan Petit of Trelleborg; Courtesy: Trelleborg) (This figure is available in colour online).

**Table 3.** Main components of a typical loading and discharge marine bonded hose.


Component	Material	Function
Lining	Super Nitrile	Chemical resistance to fluids carried, sweet crude with 40% max aromatic content
Main Reinforcement	Patented Hybrid	Internal pressure resistance, tensile strength and other mechanical attributes
Helical Wires	High Tensile Steel	External pressure resistance, tensile strength, kink resistance
Binding Wires	High Tensile Steel	Mechanical locking of main reinforcement to end fittings
Holding Plies	Patented Hybrid	Cover and extra tensile reinforcement
Cover	Rubber/Fabric	Abrasion resistance, ozone resistant, protection for internal bore components
Flange	Patented Compact	Interconnection of individual hose lengths
Rubber / Metal Bonding System	Proprietary Materials	Chemical bond from fitting to lining / main plies / hose cover
Electrical Properties	Continuous or Discontinuous	As specified by client
Steel Corrosion Protection System	Rubber Moulding; Special Coating systems as required	Corrosion protection of flange and exposed external metal parts

\*Specification/Guide: API 17 K. Manufacturing Process: Fully Traceable. Service & Fatigue Analysis: Yes. Hose Product Type: Deepflo Submarine lines. Source: Katona et al. (2009).

Goff and Kay 2015; Serene and Chze 2015). Currently, there are still demands to improve the presently available marine hoses despite applications in deep sea mining (Wang et al. 2009, 2011, 2012;

Yang and Liu 2018; Yoon et al. 2009; Yun et al. 2015; Wang et al. 2018). By design, the marine hose is designed to cope with high external pressure loads, due to the elastomeric properties and steel





**Figure 7.** Schematic representation of Floating hose and Submarine Hose (Courtesy: Yokohama) (This figure is available in colour online).

**Table 4.** Some manufacturers of API standard marine hoses.

Manufacturer / Company	Facility Location	Observation
Coflexip Flexible Products	Duco Inc., UK	Bonded hoses
Contitech Rubber (Former Taurus)	Hungary	Bonded hoses
Contitech Oil & Gas	Grimsby, UK	Bonded hoses
Flexi France	Le Trait, France	Non-bonded hoses
Jingbo Petroleum Machinery Company Ltd	China	Non-bonded hoses
Yokohama Seaflex	Tokyo, Japan	Bonded hoses
Trelleborg	Clermont-Ferrand, France	Bonded hoses

reinforcements inside its layers (Lassen et al. 2010, 2014; Gao et al. 2018, 2021; Zhou et al. 2018). While some researched analytically (Knapp 1979; Zhou et al. 2018; Gao et al. 2021) on hose reinforcements, some progress in replacing the steel reinforcement of marine bonded hoses with composite materials were made by Tonatto et al. (2016a, 2016b, 2017, 2019, 2020), by continuing work on earlier models on the same project (Costa 2007; Gonzalez et al. 2014, 2016). However, the fatigue of the reinforcement strength of marine hoses requires more investigation, as gaps in the research trend exist regarding limited articles on hose fatigue (Rampi et al. 2006; Lassen et al. 2010, 2014; Prischi et al. 2012) and helical reinforcements (Knapp 1979; Charlesworth et al. 2011; Cho et al. 2015; Tonatto et al. 2018). As demonstrated in Figure 4, some procedures for hose fatigue solutions and application for hoses as performed by ContiTech Dunlop Oil & Marine (DOM). In locations where a normal flexible hose has difficulty in reaching, it requires preformed hoses with a smaller radius of curvature, as seen in Figure 4(a,b). Thus, these preformed production lines are useful in such tight corners, tight spaces and challenging connections. According to ContiTech (2018), it can be used for hard pipe replacements, as it does not require hot work, painting and has removable pigging loops. It has a

**Table 5.** Typical hose manufacturing defects with defect rate before 2008 (Courtesy: ContiTech).

Type of defect	Percentage
Defect before FAT test	0.33%
Liner	0.06%
Length	0.004%
Jammed on	0.004%
Esthetical	0.2%

typical reduction of MBR by about 50% and can be customised into an array of varying configurations. A typical list of currently-available hose range is given in Table 2.


### 2.3. Hose end-fitting

The end-fittings of hoses are very essential in the hose line's composition. With respect to the load transfer mechanisms, these end fittings could have different designs with flange ends, as shown in Figures 5 and 6. End-fittings constitute a significant aspect of the marine hose that also acts as the connection between different hose sections of the hose-string (Huang and Leonard 1989; O'Donoghue 1987; O'Donoghue and Halliwell 1990; Roveri et al. 2002; Zhang et al. 2015; Yokohama 2016; Chesterton 2020; ContiTech 2020a). The mechanics of end-fittings can be seen in studies including submarine hoses and other types of flexibles have led to more advances on hose technologies.

### 2.4. Hose layers

Marine hoses are designed to withstand different pressure loads, by using different layers as tabulated in Table 3. In principle, the design capabilities of marine hoses can be customised based on specifications which include inner diameter, outer diameter, length of hose,





**Figure 8.** Hose reinforcement showing (a) hose reinforcement and elastomer materials on a floating hose, and (b) hose layers, ring stiffened reinforcement and armoured layers of dredging hose (Courtesy: (a) Elsevier Publishers & Gao Q. et al. 2018; (b) Shandong HOHN Group) (This figure is available in colour online).

weight of the hose, colour of hose, tube thickness, working pressure, hose bend radius and the end-fittings. Due to the different hose risers configurations such as the Chinese-lantern configuration, in addition to the aspects of lamination and reinforcements needed on pipelines, risers and hoses, there is the need to have a review on the mechanics of offshore hoses and the hose riser systems. With newer developments in layered pipelines and offshore hoses, the effect of the moment-curvature response, the load response, the  $D/t$  ratios of the hoses, the minimum bending radius required, the effect of composite materials and pipeline ovalisation are all important concepts in SURP and have been looked at by different researchers.

Due to the high load requirement of offshore hoses, it is necessary to also carry out numerically investigation. Lassen et al. (2014), presented a finite element model for bonded loading hoses with extreme load capacity assessments and a fatigue life prediction methodology. The bonded loading hoses were subjected to high pressure, tension and bending in a catenary configuration and in repeated reeling under high hose tension. The load effects on the hose during the reeling operations and the fatigue life predictions methodology for both steel components and rubber were emphasised with full scale testing for a 20-inch bonded hose with steel

end fittings. Due to the ability of rubber to withstand high deformations, rubberised hoses have been applied in the offshore industry. Different experimental studies on rubber hoses have been carried out on rubber materials (Poisson et al. 2011; Zine et al. 2011) and rubber hoses (Mars and Fatemi 2005; Lassen et al. 2010; Szabó et al. 2017).

## 2.5. Hose manufacture

There are different types of manufacturing processes that are considered in manufacturing bonded hoses. These are considered based on the choice of the materials of the hose, the best manufacturing practices, manufacturers design concepts, manufacturers patents, industry requirements and market demands (Bluewater 2009b, 2011, 2020; EMSTEC 2016; ContiTech 2017, 2020a; HoseCo 2017). Based on the pressure rating and design requirement, the hoses can have a single carcass (SC) or dual carcass (DC), as shown in Figure 7. Currently, different marine bonded hoses have been identified in the market with different product names like Kleeline, Reeline, etc. Also, there are different hose manufacturers (Technip 2006; SBMO 2012; OIL 2014, 2015; Trelleborg 2014, 2016; Yokohama 2016). Some companies that manufacture flexible

**Table 6.** Commonly used elastomers in bonded hoses with the rubber properties.

Elastomers	General Properties									
	Abrasion	Low Temperature	Weather resistance	Ozone resistance	Heat resistance	Oil resistance	Fuel resistance	Chemical resistance	Petroleum fluid resistance	Aromatic resistance
NBR/ Polyvinyl Chloride			++	+		++				
Ethylene propylene rubber (EPR/ EPDM)			++	++	++	-		+		
Styrene Butadiene Rubber (SBR)	++					-	-			
Isoprene rubber (IR)	++	++				-	-			
Natural Rubber (NR)	++	++				-	-			
Chloroprene Rubber (CR)			++	++	++	+	+	+	+	
Nitrile Butadiene Rubber (NBR)	++				+	++	++		++	+

Note: ++ Excellent property; + Moderate property; - Poor Property.  
Source: High Performance flexible hose brochure, ContiTech (2014).

**Table 7.** Material tests recommended by OCIMF (2009) standard.

Material	Property	Unit	Requirement	Test Method
Lining	Tensile strength	MPa	Only Info	ISO 37
Lining	Elongation at break	%	Only Info	ISO 37
Lining	Hardness	IRHD	Only Info	ISO 48
Lining	Density	gm/mm <sup>3</sup>	Only Info	ISO 2781
Lining	Resistance to liquids	%	Not greater than 60	ISO 1817, Method 1. 48hrs at 40°C, liquid C
Cover	Abrasion resistance	mm <sup>3</sup>	250 max	ISO 4649, Method A
Cover	Resistance to ozone	–	No cracks when magnified at x2 view	ISO 1431-1, 72hrs 50 pphms O <sub>3</sub> , 10% extension at 40°C and 65% relative humidity
Lining	Resistance to temperature	°C	No significant deterioration at –20°C	Gehman test to ISO 1432
Cover	Resistance to temperature	°C	No significant deterioration at –29°C	Gehman test to ISO 1432

kill and choke lines, according to API 7 K and API 16CE, are given in Table 4. It is noteworthy to add that the users must check the hose products, though, despite being tested and qualified by industry standards (OCIMF 2009, 2021; Amaechi 2022). However, the introduction of industry standards helped to reduce the manufacturing defects, such as noted in Table 5. During some tests and numerical investigations conducted, it has been observed that an important issue that has arisen is the reinforcement strength during hose designs (Tonatto et al. 2017, 2018; Gao et al. 2018, 2021; Zhou et al. 2018). The hose reinforcement can be a spring spiral or a helical spring or ring-stiffened reinforcement, as shown in Figure 8. The use of a helical Steel framework embedded throughout the riser section and the addition of a rubberised chord fabric wrapped around the sections, as shown in Figure 8, is an excellent approach for further strengthening the riser construction. This assists the riser in dealing with structural loads imposed on it by either external environmental conditions or internal pipeline pressure.

## 2.6. Hose materials

The design of hoses is always carried out with specific considerations on the elastomeric materials (Mars and Fatemi 2001, 2004,

2005; Selvadurai 2006). Common elastomer materials for bonded hoses obtained from manufacturers can be seen in Table 6, which is an example of rubber properties matrix for marine hoses (Mills 2000; Richardson 2004; ContiTech 2018). As is depicted on Figure 8, the hose can be developed using materials made of rubberised cord fabric. However, the materials used should be fully traceable for prototype hose construction and must comply with the quality control procedures of the Hose Manufacturer (Flexomarine 2013; FluidTec 2015; EMSTEC 2016; Yokohama 2016; VHMartech 2021). Samples of the materials can be tested in the laboratory, using recommended tests in Table 7, specified in OCIMF (2009).


## 2.7. Hose ancillaries

Hose ancillaries are components that are connected to the hose-string. Among these ancillaries are two important components – the marine breakaway coupling (MBC) and hose end valve (HEV), as shown in Figure 9. The MBC is a device that is installed typically to control flow and discharge under high pressures. It is usually installed onto the hose transfer system at the loading or offshore discharge terminals. The design of MBC helps to prevent oil spills during oil product transfer by parting at pressures lower




**Figure 9.** Two hose systems showing reels, reeling hoses, marine breakaway coupling (MBC) and Hose End Valve (HEV) (This figure is available in colour online).





**Figure 10.** Marine hose showing hose coupling (MBC) on floating and reeling hose (Courtesy: Kenwell & Yokohama) (This figure is available in colour online).



**Figure 11.** Pipe-laying technique called reel-lay using FPSO-mounted reeling drum and reeling hoses (Courtesy: Subsea7) (This figure is available in colour online).

than the burst capacity of the marine hose, which closes gradually in preventing surges due to critical pressures. In a recent report, K LAW (2021) presented the methods of stress reduction on hose reel transfer systems when wound unto hose reels. Another issue identified is that the hose load also could lead to crushing damage on the marine hose when reeled. One approach considered is to optimise the offloading reel drums (Wilde 2016), tensioner reel (Fantuzzi et al. 2019; Chesterton 2020) or to optimise the hose model (Cao et al. 2017; Gao et al. 2018, 2021; Zhou et al. 2018).

Certain considerations are factored in during the design of marine bonded hoses. These include: the type of marine hose, usage, operating environment, the transportation, handling, storage, etc. (OCIMF 2021; Amaechi 2022). Recent designs of hoses, such as the Yokohama's Seaflex Super stream (SS) hose shown in Figure 8, has a special carcass designed with tube lining constructed within the hose by combining specially designed float system. Thus, it makes the hose design to be advantageous in optimised reserve buoyancy, extended durability, better performance, less fatigue on both the hose-manifold and the hoses, and makes it an ideal

application for reel-winding systems (Lipski 2011; Abelanet 2012; Kenwell 2021). Generally, most marine bonded hoses are flexible, and can be spools around a reeling system or spooled through to systems, such as during reel-laying, as shown in Figure 10. Due to the application of reeling hoses, such as the pipe-laying vessel depicted in Figure 11, it is crucial to control the flow on the hose. Reeling usually involves some torsion and tensions, which induces some strains on the hoses, as depicted in Figure 12.

### 3. Hose technologies, application benefits and challenges

In this section, the application benefits and challenges were presented.

#### 3.1. Configuration of marine bonded hoses

There are different configurations of marine hoses, as depicted in Figure 13. These configurations are based on different application requirements, environmental conditions, space utilisation and




Figure 12. Bending moment vs curvature for a reeling hose system (This figure is available in colour online).

design requirement. By design generally, marine hose structures comprise of different sections, as presented in Figures 5–8. However, the pitfall is that some of these hoses have limited usage due to the short service life of the marine hoses of about 25 years (Amaechi et al., 2019a, 2019b, 2021d, 2021e, 2021f), compared to steel marine risers which have vast applications, as reported in various literature on marine risers (Young et al. 1980; Sagrilo et al. 2000; Aranha and Pinto 2001; Bai and Bai 2005; Ali et al. 2020) or much higher service life. A comprehensive review of these systems have been conducted in various studies but did not detail the configuration requirements (Pham et al. 2015; Drumond et al. 2018; Amaechi et al. 2019a, 2019b, 2021b, 2021c, 2021d, 2021e, 2021f). Hence, a review of hose statics and dynamics can be useful in understanding theoretical solutions to the equations of motion of typical marine hose-risers. Amaechi (2022) provided a comprehensive overview of static and dynamic analysis methodologies. Proper computations are required on hose behaviour for different hose-riser configurations, such as the Lazy-S (see Figure 14) and Chinese-lantern configurations (see Figure 15). Some applications with different configurations exist on thermoplastic tubes (Avery and Martins 2003; Picard et al. 2007; Yu et al. 2015, 2017), flexible pipes (Li and Kyriakides 1991; Martins et al. 2003; Lu et al. 2008; Paumier et al.

2009); LNG transfer hoses (Rong-Tai Ho 2008), offloading hoses for CO<sub>2</sub> (Brownsort 2015a, 2015b), slurry simulation in spooled hoses (van Rhee et al. 2013), seawater intake hoses (Antal et al. 2003, 2012), ship-to-ship transfer hoses (Rong-Tai Ho 2008; Conti-Tech 2019), composite risers (Sobrinho et al. 2011; Wang et al., 2016; Amaechi and Ye 2017; Amaechi et al. 2019c, 2019d, 2021a, 2022), flexible risers (Sousa et al. 2009; Liu et al. 2013; Ramos 2016), moorings (Ja'e et al. 2022, ALi et al. 2020), and other types of pipelines have led to more advances on this area.

### 3.2. Mechanical property and test methods on hoses

The mechanical property and test methods on hoses are used in different experimental setups conducted, such as the burst test (OCIMF 2009; Yokohama 2016; Gao et al. 2018). Gao et al. (2018) reported that the structural strength of the hose layers, spring reinforcement, and end fittings as critical components of the hose structure using OCIMF (2009) specified tests. Choi and Choi (2015) reported on optimised design variables for carbon-fiber-reinforced epoxy composite coil springs which had a weight reduction above 55%. Chiu et al. (2007) experimentally investigated the mechanical behaviours of helical composite springs. Similar






Figure 13. State-of-the-art configurations for marine hoses and marine risers (This figure is available in colour online).





**Figure 14.** Typical depiction of underwater marine hoses in Lazy-S (Hose Image adapted with permission of EMSTEC, but sketch was designed by Author 1- C.V.A; Hose Courtesy: EMSTEC) (This figure is available in colour online).



**Figure 15.** Depiction of waves acting upon floating buoy having marine hoses in Chinese-lantern configuration (This figure is available in colour online).


hose spring analysis was carried out numerical on helical spring for high speed valve train and coil collisions (Gu et al. 2020). The study concluded that the FE model can predict the erratic force spikes of the spring at high testing speeds, which cannot be predicted by the conventional analytical model. This is very important in designing hose reinforcements as these offshore hoses are subject to impacts and hose failure modes from high speed boats, tug-boats, offloading FPSOs, and other ancillaries propellers. With recent advances in marine composites, newer conduits are developed like composite risers (Amaechi and Ye 2017, 2021a, 2021b, 2021c), marine bonded composite hoses (MBCH) and Inflatable Offshore Fender Barrier Structures (IOFBS) (Aboshio et al. 2015, 2016, 2021). However, recent reports on inflatable barriers using similar elastomeric hose materials have reinforcements but were not presented in the designs.

Mechanical tests on rubberised hoses, cords and thermoplastics are conducted using different standards like BS 903-5, BS EN 1474-2, ASTM D412-16, ASTM D885, and ASTM E111-04 (BSI 2004, BSI 2008, ASTM 2016, 2014, 2004). From the aspect of mechanical property as tabulated in Tables 5, 6, and 8, different experimental studies on rubber hoses have been carried out on rubber materials (Mars and Fatemi 2001, 2004, 2005; Lassen et al. 2010; Poisson et al. 2011; Zine et al. 2011; Szabó et al. 2017; Milad et al. 2018). Elastomers have been investigated to have different applications in


offshore services (Antal et al. 1998, 2003, 2012; Nagy et al. 1999; Katona et al. 2009). However, they also react to harsh environmental conditions (Schrittener et al. 2016; Balasooriya et al. 2018, 2021). Milad et al. (2018) investigated on the hyperelastic material behaviour of a PVC/nitrile elastomer with woven continuous nylon reinforcement composite sheet. It was conducted under loading cases of uniaxial extension and pure shear achieved via wide strip tension testing using a novel advanced non-contact optical strain measurement technique, on an Imetrum system. It was numerically investigated using ABAQUS hyperelastic materials models for modelling the curve fitting (Ali et al. 2010; Motulsky and Ransnas 1987; Ogden 1972; Yeoh 1993), similar to other methods (Ruiz and Gonzalez, 2006; Potluri and Thammandra 2007; Pan et al., 2009). In another study, Aboshio et al. (2015) investigated the mechanical properties of neoprene coated nylon woven reinforced composites experimentally and used ABAQUS material model in the FEA. Earlier experimental works on offshore hoses involved model and full scale tests. Ziccardi and Robbins (1970) presented selection of hose systems for single point mooring (SPM) systems at Hakozaki and Koshihira terminals in Tokyo Bay, Japan for the U.S military. The next year, Dunlop (1971) specified the first offshore hose manual that prescribed the design of hoses, different hose parameters, such as the minimum bend radius, the end connection for the hoses which led to the current GMPHOM

**Table 8.** Property requirements tests for elastomer and metallic materials according to API (Source: API 17K: 2017).

Materials	Characteristic	Tests	Test methods	Liner	Embedded compound	Cover	Insulation layer	Carcass	Reinforcing layers	Comments
Elastomer	Mechanical / physical properties	Tensile strength/ elongation	ASTM D638	X	X	X	X	-	-	Or ISO 37
		Stress relaxation properties	ASTM E328	X	-	X	-	-	-	Swaged end fitting only
		Hardness	ISO 868, ASTM D2583	X	X	X	-	-	-	Or DIN 53505
		Compression set	ASTM D395	X	X	X	X	-	-	Swaged end fitting only
		Hydrostatic pressure resistance	-	-	-	-	X	-	-	Insulation material only
		Abrasion resistance	ISO 4649	X	-	-	-	-	-	Or DIN 53516. Not required for liner and carcass
		Tearing resistance	ASTM D624	X	X	X	-	-	-	Or ISO 34-2
		Void formation	API 17K	X	X	X	-	-	-	-
		Adhesion	ASTM D413 & ISO 4647	X	X	X	X	-	-	Or BS/ISO 36.
		Density	-	X	X	X	X	-	-	-
	Thermal properties	Coefficient of thermal conductivity	ISO 2781	X	X	X	X	-	-	-
		Brittleness temperature	-	X	X	X	-	-	-	Or ISO 812.
	Permeation characteristics	Fluid permeability	-	X	X	X	X	-	-	At design temperature and pressure, minimum to CH <sub>4</sub> , CO <sub>2</sub> , H <sub>2</sub> S and CH <sub>3</sub> OH.
		Blistering resistance	-	X	X	-	-	-	-	At design conditions, gas service pipes only.
	Compatibility and aging	Fluid compatibility	-	X	X	X	X	-	-	-
		Aging	-	X	X	X	X	-	-	ISO 188
		Ozone resistance	-	-	-	X	X	-	-	-
		Swelling	-	X	-	X	X	-	-	-
		Water absorption	-	X	-	X	X	-	-	Insulation material only.
	Chemical properties	Chemical composition	ASTM A751	-	-	-	-	-	X	X
Chemical resistance		API 17K	-	-	-	-	-	X	X	-
Strength properties	Microstructure	API 17K	-	-	-	-	-	X	X	-
	Erosion resistance	API 17K	-	-	-	-	-	X	-	Carcass only.
	Fatigue resistance	API 17K	-	-	-	-	-	-	X	Resistance armour in dynamic applications only.
	SSC (Sour service static) and HIC testing	API 17K	-	-	-	-	-	-	X	To specified environments; reinforcement armour only.
	Ultimate strength	ISO 6892	-	-	-	-	-	X	X	For this purpose, it is equivalent to ASTM A370
	Yield strength	ISO 6892	-	-	-	-	-	X	X	It is equivalent to ASTM A370
	Elongation	ISO 6892	-	-	-	-	-	X	X	-
Wear resistance	API 17K	-	-	-	-	-	-	X	-	



**Figure 16.** CALM Buoy submarine hoses in Chinese-lantern configurations for SPM showing hose bending moment (Courtesy: Stewart B. 2016) (This figure is available in colour online).



**Figure 17.** Hose configurations showing (a) near hose config., (b) near hose effective tension, (c) near hose normalised curvature, (d) far hose config., (e) far hose effective tension, (f) far hose normalised curvature (Courtesy: Szekely & Peixoto. 2018). (This figure is available in colour online).

**Table 9.** Model tests on CALM buoy offshore hose systems.

CALM Buoy Description	Year	Model test scale	Reference Company
Porto CALM buoy model tests on shallow water	2002, 2004	smaller scale	Single Buoy Moorings Inc.
Erha deepwater CALM buoy large scale model tests	2003	Scale 1:28.75	Single Buoy Moorings (SBM)
Moorings tests on a shallow water CALM buoy	1997	smaller scale	Bluewater,
CALM buoy model test	2002, 2004	Scale 1: 20	MARIN (Bunnik et al. 2002; Cozijn and Bunnik 2004; Cozijn et al. 2005)
Kizomba SPM model tests	2002	Scale 1:60	Single Buoy Moorings Inc.,
CALM buoy large scale model tests,	2001	Scale 1:20	Bluewater Energy Services BV
DOM's CALM buoy model tests	1987	Scale 1:43	DOM, Heriot-Watt University UK (O'Donoghue 1987; O'Donoghue and Halliwell 1988)
Australian North West Shelf CALM	1996	smaller scale	Bluewater,
Bonga SPM model tests	2001	Scale 1:60	Single Buoy Moorings Inc.,
Deep draft export buoy model tests	2002	Scale 1:60	Single Buoy Moorings Inc.,
CALM buoy model tests	1979	Scale 1:15	DOM, Quash & Burgess (Quash and Burgess 1979)
CALM buoy large scale model tests	2004	Scale 1:20	Bluewater Energy Services BV,
CALM buoy model tests	2019, 2021	Scale 1:20	Lancaster University UK (Amaechi et al. 2019a, 2021h, 2021i; Amaechi 2022)

**Table 10.** Fatigue test results on OLL offloading marine bonded hoses (Rampi et al. 2006).

Components	Damage Prediction		Test results
	Mean	Standard Deviation	
Reinforcement steel	0.64	4.9	No failure
cables layers	0.8	5.9	Failure
Longitudinal steel	1.19	20.8	No failure (2 flanges)
cables in flange area	1.09	19.8	No failure (1 flange)
	1.07 (>2) <sup>a</sup>	19.1	Failure <sup>b</sup> (1 flange)

<sup>a</sup>Figures in brackets gives an estimation of the fatigue damage including vibration contributions, as during the last phase of the tests.

<sup>b</sup>A malfunction of an articulation of the test bench created significant vibrations at the flange connection that failed.

OCIMF (2009), API 17K (2017) and ISO 13628-10 (2006) standards as well as other industry specifications (Trelleborg 2016b; EMSTEC 2016; Bluewater 2020; OIL 2020; ContiTech 2020). Details on the recommended tests on offshore hoses are presented in Table 4. Specifications, such as the buoy manifold design angle at which it bisects with the Mean Water Level (MWL), when it slopes into the water may be at 15° angle (Brown 1985b; Amaechi et al. 2019b), depend on the design. At that position, unusual stress effect is minimal on the first hose due to bending, kinking or premature hose failure. Typical numerical models of hose applications can be seen in the CALM buoy hose configured in Chinese-lantern (see Figures 16) and ship-to-ship hose configuration (see Figure 17).

Based on the hose response, Brady et al. (1974) conducted a full scale test using 60.96 cm (24 in.) hoses attached to a CALM buoy off

Nigeria, to measure the forces on the hose at a monobuoy. The authors concluded that the hose problem was due to mainly due to fatigue and less of high stresses. Thus, the need to estimate the strength of hoses to improve hose performance (Saito et al. 1980; Pinkster and Remery 1975; Amaechi et al. 2019a). Saito et al. (1980) studied the external forces that cause kinking on marine hoses was carried out. The study reported measurements by researching on a 50.8 cm (20 in.) floating hose in Tokyo Bay, and observed that the first-off buoy hose resisted fatigue from axial force acting on it, and also resisted kinking due to proper reinforcement. A summarised list of some model CALM buoy tests carried out in various test facilities is presented in Table 5, showing different test models on CALM buoy were carried out in different test facilities using model scales, such as 1:20 for a 20 m diameter buoy at MARIN Wave Tank (Bunnik et al. 2002; Cozijn and Bunnik 2004; Cozijn et al. 2005) and at Lancaster University Wave Tank using scale 1:20 for 10 m diameter buoy (Amaechi et al., 2019a, 2021h, 2021i, Amaechi 2022). The buoy studies included in this review are in Table 9.

### 3.3. Fatigue of marine bonded hoses

In the industry, fatigue calculations for flexible hoses and flexible marine risers have been calculated using different methods like fatigue life estimations, S-N curves and Bending Strength Ratio (BSR) methods (Rampi et al. 2006; Ellis et al. 2008; Lassen et al. 2010; Chibueze et al. 2016). Lassen et al. (2010) carried out a fatigue test and

**Figure 18.** Combined bending fatigue + tension using a test bench (Courtesy: Rampi et al. 2006) (This figure is available in colour online).



**Table 11.** Summary of the reviewed models on marine hoses covering numerical, experimental, fatigue and analytical studies.

Description	Comment	Model	Ref
Submarine hoses attached to CALM buoy, using Chinese-lantern config.	LM_FEM (lumped mass, finite element model, 3D, ANSYS AQWA, Orcaflex, panel model, line theory	Numerical model	Amaechi et al. (2019a, 2021g)
Solid-liquid two-phase flow in slurry pipeline using C4D	two-phase flow velocity measurement, deep-mining pipeline	Experimental model	Yang and Liu (2018)
flexible hose in deep ocean mining application	Fluid–solid interaction of resistance loss, FEM, MSC.MARC/MENTAT software	Numerical model	Wang et al. (2012)
dynamic analysis of flexible hose connected to deep-ocean mining pipeline	3D FEM, ANSYS, towing water tank test	Experimental & Numerical model	Wang et al. (2007)
Dynamic modelling methods for flexible pipe	RecurDyn, SSM, FDM_LM, RISA_EP	Experimental & Numerical model	Lee et al. (2015a)
Numerical modelling of Swagging process for end fitting and stress relaxation	FEM, Stress relaxation, Contact pressure, End fitting of hose, MARC	Experimental & Numerical model	Cho and Song (2007)
Investigation on structural behavior of ring-stiffened composite offshore rubber hose under internal pressure	Experimental, ABAQUS, FEM, burst test on prototype hose, steel helix wire	Numerical & Experimental model	Cao et al. (2017, 2018)
High-Pressure Hydraulic Hoses with Steel Wire Braid	Hose deformation on end fitting, hose wire braid reinforcement	Analytical & Numerical model	Rattensperger et al. (2003)
Fatigue life assessment of fabric braided composite rubber hose	Complicated large deformation cyclic motion,	Fatigue test	Cho et al (2015)
Compressive-tensile fatigue behavior of cords / rubber composites	Experimental test and material testing of rubber hose and cord	Fatigue test	Tonatto et al. (2017)
Composite spirals and rings under flexural loading	Material test of composites spirals, MCT model, cohesive zone,	Experimental & Numerical model	Tonatto et al. (2017)
On the Fatigue of Steel Catenary Risers	Numerical study, Orcaflex,	Fatigue test	Chibueze et al. (2016)
Reinforcement layers in bonded flexible marine hose under internal pressure	theory, parametric study, multilayer composite hose, Mathematica Code	Analytical & Numerical model	Zhou et al. (2018)
Ultimate strength, fatigue durability of steel reinforced rubber loading hose, Load response and finite element modelling	Experimental test and material testing of rubber hose, end fitting steel nipple, FEA, hose reeling, rubber material	Fatigue test, Numerical & Experimental model	Lassen et al. (2010, 2014)
12" 30 m long flexible hoses, ship-to shore LNG transfer	Numerical study, Orcaflex, FEA, Model test, reinforced rubber hose	Numerical & Experimental model	Szekely et al. (2018)
20" LNG Cryoline floating hose, EN1274-2 qualification;	Full scale, fatigue test, burst test, CFD using STAR-CCM+, Hs of 4m	Numerical & Experimental models	Giacosa et al. (2016)
Mathematical Model of a Marine Hose-String at a Buoy	Mathematical model, hose in statics and dynamics.	Analytical model	Brown (1985a, 1985b), Brown and Elliot (1988)
vertical bending moments and axial forces in floating hose-strings	Theory of forces on floating hoses	Numerical	O'Donoghue and Halliwell (1990)
Axial behaviour of 20" bonded flexible marine hose under different loads	Elastomer, REBAR, Steel end fitting, axisymmetric loads	Analytical & Numerical model	Gonzalez et al. (2016)
20" bonded flexible marine hose under bending loads	Elastomer, REBAR, Steel end fitting, axisymmetric loads, ABAQUS	Numerical model	Gonzalez et al. (2014)
Improvement of bonded flexible pipes acc. to new API Standard 17K	Prototype test of 6" pipe for burst, collapse and axial tests	Numerical & Experimental models	Antal et al. (2003).

**Table 12.** Areas of application of marine bonded hoses for transfer, loading and offloading.

Hose Type	Applications	
Marine Bonded Hoses	Oil & Petroleum transfer	Abrasive material transfer
	Painting transfer	Air, breathing air transfer
	Steam transfer	Chemical product transfer
	Drain sewer cleaning	Machinery /Vehicle applications
	Food transfer	Welding applications
	Leisure boat applications	Water applications

the ultimate strength of steel reinforced rubber loading hose according to API 17B (API 2014a). Fatigue test conducted on the rubberised hoses showed complexly high deformations in cyclic motion. Rampi et al. (2006) investigated on the fatigue of Oil offloading Lines (OOL) – a special marine bonded hoses for offloading, as presented in Table 10, and had some good findings with failure, attributed partly to some vibrations from the test bench, as shown in Figure 18. In another investigation summarised in the hose models in Table 11, Lassen et al. (2014) also presented a fatigue life prediction approach and a FEA for bonded loading hoses with severe loading evaluations, and found that burst pressure affected hose fatigue. Using a catenary design for some repeated reeling under high hose tension, the bonded loading hoses were exposed to severe, bending, tension and pressure.

**Figure 19.** Installation of floating hoses for a CALM buoy in offshore Brazil (Courtesy: BR) (This figure is available in colour online).

From the investigation, it was observed that reeling has an underlying effect on the hoses, especially the ones close to the helix. Various studies on the fatigue of marine hoses with highlights on their

**Table 13.** Comparative advantages of Trelleline OOL hose from technical and commercial aspects.

Technical advantage	Commercial advantage
<ul style="list-style-type: none"> <li>Sizes could range to the largest available having practical OOL diameters (smaller winch, smaller horizontal pull, smaller hung weight, smaller SPM buoy, less mooring weight, reduced number of OOL lower Booster Pumping requirement, lower influence on SPM design, etc.)</li> <li>If there is any damage case, the complete OOL does not require to be changed but just the damaged hose section.</li> <li>Lighter spread of installation as it requires lesser pulling capacity.</li> <li>Transport can be done via conventional transportation vessels (liners).</li> </ul>	<ul style="list-style-type: none"> <li>Lower Offloading OPEX cost (e.g. booster pumping system power consumption and maintenance)</li> <li>Significant reduction in Overall Deepwater SPM terminal CAPEX</li> <li>Less Distributed Buoyancy</li> <li>Lower SPM buoy cost</li> <li>Flexibility in project execution (installation in phases if required, flexible installation spread)</li> <li>Lower cost on installation</li> <li>Lower cost for SPM mooring</li> </ul>

findings are given in Table 11. Various studies on the fatigue of marine hoses with highlights on their findings are given in Table 11. Other types of marine hose investigations exist in literature (Cho and Yoon 2016; Tonatto et al. 2016a, 2017a, 2017b, 2018, 2020).

### 3.4. Application of marine bonded hoses

The application of marine bonded hoses have been identified in other areas, as presented in Table 12. It can be seen that these bonded hoses could be manufactured into different sizes and for different pressure ratings, based on the fluid content, environment and operational conditions. There are also smaller marine hoses, industrial hoses and bigger marine hoses. Hose brands include Dunlop hoses, Parker hoses, Trelleborg hoses, Goodyear hoses, etc. (Trelleborg 2014, 2016, 2018, 2020; Goodyear 2015; Contitech 2018). Applications of offshore hoses have also led to advances in different mooring systems used in towed systems (Schram and Reyle 1968; Sanders 1982; Wang and Liu 2005) and buoy-to-ship hose installation (Amaechi et al. 2021g, 2021h, 2021i, 2021j, 2021k, 2021l, 2021m). The design and engineering of buoys are


covered in text (Berteaux, 1976; Berteaux et al. 1977; Harkleroad 1969; O'Donoghue 1987; Irvine 1981; Amaechi 2022). Typical hose installation on a CALM buoy is shown in Figure 19. Some of these hoses require floating hoses and catenary hoses while the others require submarine hoses. However, marine bonded hoses are generally specified according to pressure ratings, like 15bar, 19bar and 21 bars, and standard hose lengths of 9.1, 10.7, and 12.2 m. The application of offshore hoses in the industry have been identified in South China Sea, Bohai Sea, offshore Brazil, offshore Australia, and offshore West Africa, among other seas. It should be noted that waves have been identified to have an effect on these floating structures (Bocconi 2000, 2015; Chakrabarti 1994, 2001, 2002, 2005; Dean and Dalrymple 1991; Holthuijsen 2007; McCormick 2010; Sorensen 1993, 2006). Some investigations on hose applications have also identified different hose behaviour like kinking and snaking phenomena (Bree et al. 1989; Bridgestone 1976, 2017; Piccoli 1976). In this review, the OOL is the particularly chosen hose product for discussing the advantages and technical applications as summarised in Table 13. These application development on the current design of offloading systems have led to advances in various standards like DNV-OS-F101, DNV-OS-FO2, DNV-OS-C201, DNVGL-OS-E403, ABS 2020, ABS 2017 (DNV 2007, DNV 2010, DNV 2014, DNVGL 2015, ABS 2020, ABS 2017).

### 3.5. Patent on marine bonded hoses

Marine hoses can be classified as a type of flexible risers called bonded flexible risers, as flexible risers can either be bonded or unbonded. Despite their typical capacity ratings of 9 and 21 bar, they have a short service life of 5–25 years (Løtveit et al. 2009; Amaechi et al. 2019, 2021a, PSA 2013, 2018), compared to steel marine risers (Young et al. 1980; Sagrilo et al. 2000; Aranha and Pinto 2001; Bai and Bai 2005, 2012). It is noteworthy to state that the service life of marine hoses (like other marine risers) depends on the hose material (Cho et al. 2005, Choi and Choi 2015; Cho and Yoon 2016, the end fitting design (Chen et al. 2016; Pham et al. 2016; Toh et al. 2018), the hose-riser design loads (Chakrabarti and Frampton 1982, Chung et al. 1994a, 1994b, 1981; Chung and Felippa 1981; Dai et al. 2019, Dareing 2012; Sparks 2007), the usage (Amaechi et al. 2021a, 2021b, 2021c), the type of layers -single carcass (SC) or dual carcass (DC) type (Amaechi et al. 2021d, 2021e, 2021f), handling / maintenance (Amaechi et al. 2021g, 2021h,

**Table 14.** Description of different offshore hose ends with the flanges.

Name of Hose End	Description of Hose End
Built-In Nipple Flange (BINF)	During fabrication, a steel nipple is inserted into the hose and connected to the hose body, giving optimum gripping power and an unrestricted transition area. It could be ANSI fixed or floating flanges, but they're best for high-pressure, heavy-duty applications.
Built-In Rubber Flange (BIRF) or Duck & Rubber Flange	When mated to a matching flange, a full-face rubber flange is created from extended plies of rubber and produces a liquid-tight seal. It's perfect for transporting abrasive materials under low pressure. Fabric plies and hose tubing wrap around the flange's face. The rubber flange and the steel back-up flange are moulded together. It's best for mild to medium-duty abrasive applications that require minimal pressure.
Plain End or Enlarged End	The hose end can be used as a plain hose to fit the pipe's outside diameter, or it can be extended to fit the pipe's outside diameter.
Modified Built-In Rubber Flange (Mod BIRF)	Rubber plies and reinforcements from the hose body stretch via the steel nipple and across the surface of the flange, providing a protective barrier against abrasive or corrosive elements. It will provide an unrestricted full flow transition area. It is recommended for full-vacuum servicing and high-pressures.
Specialty Ends Beaded End	Hose ends that have been specifically or custom-designed to meet the demands and standards of designers. Extended rubber plies and reinforcement are used to create a beaded finish. When fastened to a mating flange, split steel back-up rings function as a connecting surface and form a liquid-tight seal.
Split-Lok Flange	The developer can generate assemblies in the field using a two-piece reusable coupling system that is attached externally with compression bolts. This is for material transfer hose with a big bore.
Rota-Lok	A rubber-lined stub end supports a steel floating flange. This is the best choice for abrasive materials and high-pressure applications.
Fixed or Floating Flange	These are drill-bored and ANSI forged steel flanges that are built-in, internally enlarged, or externally swaged.



**Figure 20.** Types of hose ends with the flanges (Source: GoodYear) (This figure is available in colour online).

2021i), environmental factors (Amaechi et al. 2021j, 2021k, 2021l), and motion response from vessel (Amaechi et al. 2021m, 2021n, 2021o, 2021p). The development of marine bonded hoses includes different end-fitting design concepts, as in Table 14 and Figure 20. These have led to design patents developed on marine bonded hoses, as presented in Table 15. It shows the progress made in innovating hose technologies in the offshore/ marine industry (ContiTech 2019, Craig 2016; Bluewater 2009a; Gergely and Eduardo 2018; Gong et al. 2014). Other field applications have led to development of monobuoys (Oliveira 2003; Graber et al. 2000; Sweeney 1977), discus buoy (Carpenter et al. 1994), spherical buoys (Zhu and Suk 2016; Zhu and Yoo 2016), spar buoys (Rey and Calvé 2003; Rudnick 1967; Jiang, Li, et al. 2017; Jiang and Ma 2017; Jiang, Zhang, et al. 2017; Katayama and Hashimoto 2015; Kim et al. 2015a; Maslin 2014; Newman 1963), buoy wave converters (Giorgi et al. 2016; Davidson and Ringwood 2017; Kalogirou and Bokhove 2016; Wang 2015) and unique hose-risers called buoy-supporting risers (BSR) (Gouveia et al. 2015a, 2015b; Cruz et al. 2015a, 2015b; Hiller et al. 2015; van Dieën et al. 2015). Aside field developments, there are records of hose applications such as swaging hoses developments (Cho et al. 2005; Cho and Song 2007; Haid et al. 2013; Hayes and Lemond 2013; Kim and Kim 2003a, 2003b), industrial hoses (Kurt 2021; Kwak and Choi 2009; Longmore and Schlesinger 1991), hydraulic hoses (Bridgestone 2017; Patil et al. 2020; Miller and Chermak 1997; SAE 2001, 2008), marine hoses (Mauriès 2014; Minguez et al. 2020; Nooij 2006; Xiang et al. 2013); hose-pipe deployments (Lee et al. 2011a, 2011b; Li et al. 2007, 2019; Ning et al. 2011); hose design approaches (Huang and Leonard 1989, Hong and Hong 1994; Kim et al. 2015b; Lee et al. 2015a, 2015b; Ricbourg et al.

2006), and mathematical modelling (Lenci and Callegari 2005; Obokata 1987; Obokata and Nakajima 1988; Sao et al. 1987; Davidson and Ringwood 2017; Kalogirou and Bokhove 2016; Oh et al. 2014, 2015). In a nut shell, recorded patent developments cut across flexible hoses (Nakane 1935; Castelbaum et al. 1984; Barnard 1938; Baldwin et al. 2000; Asano et al. 1986; Ambrose 1979; Kaiser 1960), rotary hoses (Feier et al. 1950; Goodall 1940), marine hose (Antal et al. 2001, 1989, 1985; Horvath et al. 1970, 1977; Grepaly et al. 2005; Terashima 1996; Yamada 1987); composite pipe (Friedrich et al. 1998; Goddard 1998; Hattori et al. 1989; Quigley et al. 2000; Salama and Mercier 1987; Salama and Spencer 2010; Sas-Jaworsky 1999; Sas-Jaworsky and Williams 1994; Song and Estep 2006), marine riser (Ahlstone 1973; Gallagher 1995; Humphreys 2006; Mungall et al. 1997; Olufsen et al. 1997; Panicker et al. 1984; Pierce 1987; Shotbolt 1988), end-fitting (Langkjaer 2002; Policelli 1989, 1993; Starita 2005; Winzen et al. 1999; Witz and Cox 2013; Witz et al. 2011), pipe coupling (Zeidler et al. 1993), hose coupling (Muller 1941, 1949; Eisenzimmer 1982, Chevalier et al. 1974; Andrick and Brugnano 1997; Anderson et al. 1998; Fisher et al. 1999; Hefler et al. 1992; Maclachlan 1940; Murphy et al. 1979), tanker loading systems (Busch 1987; De Baan and van Heijst 1994, 1991; De Baan 2007; Brown and Poldervaart 1996), oil terminal transfer devices (Remery 1981; Jansen 1981; Isnard et al. 1999; Joubert et al. 1981; Joubert and Falcimaigne 1989; Morgan and Lilly 1974; Schirtzinger 1969; Urdshals et al. 1994), offshore mooring (Coppens and Poldervaart 1984; Briggs 1990; Flory 1976; Hampton 1991), floating buoy system (Braud et al. 1998; Boatman 2003; Nandakumar et al. 2002) and methods of application (Carter 1985; Blanchard and Anastasio 2016; Goldsworthy and Hardesty 1973; Johansson and Johansson 1991; Simmons 1993).



**Table 15.** Patents on development of marine hoses and flexible pipes.

Patent No.	Reference	Date	Title of Patent
US3,119,415A	Galloway F.M., Kerr R.M., Rittenhouse G.J., Sinnamon R.H.	Jan. 28, 1964	Buoyant hose
US20040012198A1 US4887	Arthur Brotzell, Stewart Fowler, Chanthol Tho Carter J.W.	Jan. 22, 2004 1985.	Composite coiled tubing end connector Method and apparatus for longitudinally reinforcing continuously generated plastic pipe.
US5579809A	William A. Millward, John Dabinett	Dec. 3, 1996	Reinforced composite pipe construction
US6042152A	Baldwin D.D., Reigle J.A., Drey M.D.	Mar. 28, 2000	Interface system between a composite pipe and coupling pieces
US5520422A*	Ralph Friedrich, Ming Kuo, Kevin Smyth	1994-10-24	High-pressure fiber reinforced composite pipe joint
US20140216591A1	Joel Aron Witz, David Charles Cox	2009-06-02	Reinforced Hose
US20090159145A1	Aaron K. Amstutz	2007-12-19	Hose with composite layer
US 8,770,234 B2	Joel Aron Witz	Jul. 8, 2014	Hose
US20060249215A1	Bryant, M.J.,	2006.	Anti-collapse system and method of manufacture.
US4470621A	Joseph H. Irvine	Sep. 11, 1984	Flexible tubular connector
US5654499A	Dardanio Manuli	Aug. 5, 1997	Dual carcass flexible hose
US8439603B2	Joel Aron Witz, David Charles Cox	May 14, 2013	Improvements relating to hose
US3769127A	Goldsworthy W., Hardesty E.	30 Oct., 1973.	Method and apparatus for producing filament reinforced tubular products on a continuous basis.
US7523765B2	Quigley P. A., Feechan M., Wideman T. W.	Apr. 28, 2009	Fiber reinforced spoolable pipe
US3817288A	E Ball	June 18, 1974	Hose pipes
EP0672227B1	Richards S. J., Reza A., Zandiyeh K.	Sept. 20, 1995	Hose end fitting and hose assembly
US6264244B1	Iseknock C.W., Headrick D. C., Berning S. A.	Jul. 24, 2001	End connector for composite coiled tubing
US 2011/0120636A1	Bailey S.L., Miller A.K.,	2011-05-26	Pultruded Arc-Segmented Pipe.
US3,905,398A	Johansen H. A.; Philippi L.R.; Green E.A.	Sept. 16, 1975	Composite reinforced hose wherein the reinforcing material is braided aromatic polyamide filaments
US8656961B2	Chen, B.	2014.	Composite flexible pipe and method of manufacture.
US Patent	Williams, J.G.,	1994.	Dimensional stability.
US5908049A	Williams, J.G., Sas-Jaworsky, A.,	1999-06-01	Spoolable composite tubular member with energy conductors.
US5285008	Sas-Jaworsky A. & Williams J.G.	8 Feb., 1994.	Spoolable composite tubular member with integrated conductors.
US20040012198A1	Arthur Brotzell, Stewart Fowler, Chanthol Tho	Jan. 22, 2004	Composite coiled tubing end connector
US5988702	Sas-Jaworsky A.	23 Nov., 1999.	Composite coiled tubing end connector.
US3531143A	Horvath L. Gundisch G., Arvai M., Antal S.	1970-09-29.	Head-formation of flexible hoses, especially for deep-drilling hoses.
US 4,741,794.	Antal S., Smaroglay P., Lantos E.	May 3, 1988.	Equipment for the manufacture of mainly large-diameter flexible hoses having spiralled reinforcement
US Pat. 4,120, 324	Pahl K. H.	1978-10-17	High pressure hose composed of elastomers and embedded reinforcements
US6315002	Antal S., Gelencsér S., Nagy T., Seregély Z.	2001-11-13	High pressure flexible hose structure and method of manufacture
US Pat. 6, 831, 002			
US8241453B2	Bétéri G., Füstöst I., Katona T., Lantos E., Nagy T.	2009	Method and apparatus for manufacturing fibre-reinforced hoses

**Table 16.** Comparison of offloading line with multi-line solution.

Features	Possible Consequences	Impact on Reliability & Availability
Reduced flow rate / per line	Reduces failure rate	Positive
Two instead of one	Increase probability of impact by external	Negative
	Increase inspection effort	Negative
	Increase probability of presence of a defect	Negative
	Increase probability of damage due to pig run	Slightly negative
Proximity	Interaction between lines	Negative
	Sensitivity to common mode of failure	Neutral
Same type of components	Similar Mean Time to Failure (MTTF)	Neutral or slightly positive

### 3.6. Hazard & risk assessment

Due to the need for safety and to ensure quality compliance, companies like DNVGL and Bureau Veritas (BV) can be contracted to conduct a risk assessment in conjunction with the API 17 K certification programme, as reported by Rampi et al. (2006). A reliability assessment was conducted as presented in Table 16, which shows a rough comparison of a single unloading line against a multi-line solution. A functional examination of the Trelline remote export line system was used to conduct a HAZID (hazard identification) investigation in the first phase. In a second step, an FMECA (Failure

**Table 17.** Types of hose failures assessed.

Type of failure	Effects
Hazardous Failure	It includes the generation or creation of detrimental physical effects such as heat flux, and blasts.
Functional Failure	It is due to the lost of function slightly or completely in a system.
Human Management Failure	It is due to poor supervision of the hose-related processes, or poor maintenance of components like hose valves.

Mode, Effects, and Criticality Analysis) is used to provide a qualitative assessment of the primary hazards. Risks related to process and internal fluid (pig deterioration, internal corrosion, etc.), uncontrolled third-party action (dropped object, ship collisions, etc.), sea water environment (marine growth, external corrosion, etc.), and action from interfaces (CALM buoy / FPSO offset, waves, current, etc.) are then examined. There are different types of failures, as presented in Table 17. Once quality compliance is met, there be any circumstance that should be deemed unsatisfactory (criticality level 3). To manage the highest-ranking risks, recommendations are made and implemented (criticality level 2). In terms of system redundancy in the Trelline project, it was reported that special emphasis was paid to comparing a single OOL to a system with several OOLs, which revealed that the benefit of having many OOLs redundant is not assured (Mayau and Rampi 2006; Rampi et al. 2006). The capacity of a system to provide a component with backup in the event of failure is known as redundancy. In order



**Table 18.** Challenge of marine bonded hose failures and some identified causes.

Cause of Failure	Highlights
Kinking at or around the fittings	Once the fitting's barb cuts through the hose tube, the product being transported can escape into the reinforcement, causing the cover to bubble or blister within a few feet of the end.
Surging or excessive working pressure	Usually a huge burst at the outside of a bend with shredded reinforcement.
Bending a hose past its minimum bend radius	Kinking, crushing, or pushing a hose to bend beyond its minimum bend radius are all examples of this (measured from the inside edge of the hose, not the centreline). This is very prevalent on high-pressure or vacuum pipes.
Tube or cover that is incompatible with fluids or the environment	This causes discolouration, swelling, sponginess, or the hose carcass to break down. Always rotate material handling hoses to maintain even wear of the hose tube.
Poor craftsmanship or lack of support personnel from hose manufacturer during installation	Hose and fittings are built of a unique blend of diverse materials using sophisticated production procedures – flaws or deviations bigger than permissible tolerances can be caused by human error, inconsistent machinery, or poor product quality or raw materials. Ends blowing off assemblies can be caused by poor coupling techniques or the 'mixing and matching' of mismatched hose, couplings, or clamps.
Misapplication	Using a hose, fitting, or clamp for a purpose it was not designed for is one of the most common causes of failure.
Temperature Exposure	As the temperature rises, so does the pressure rating. Excessively hot or cold temperatures will cause discolouration, cracking, or hardening, as well as the accumulation of static electricity if the hose wire is not correctly grounded.
Hose-line length is too short	Too short a length prevents the hose from expanding and contracting in response to variations in pressure or temperature, putting unnecessary strain on the fittings and hose reinforcement.
Defective hose or improperly fitted or selected clamp	Failure from a defective hose, such as pin holes, blow-outs, or tube and cover separation, often occurs in the first few hours of service. The connection can be ejected from the end of the hose due to improperly installed or chosen clamps. Always double-check the manufacturer's recommendations using STAMPED data.
Short service life or age-long hose usage	Hose is a flexible component that will degrade over time, as it has material mechanics dependent on different factors. Depending on the composition, application, and environment, the shelf or service life will range from 1 to 20+ years. At low pressures, older hoses grow discoloured, stiff, or burst.
Transfer of contaminated media	Foreign particles or residue in the fluid or air might flow through the tube, breaking it down or prematurely wearing it out. Always clean hoses before putting them in the field to avoid cross-contamination.
Hose carcass damage from the outside	Kinks, crushed parts, and cover damage that exposes reinforcement will gradually break down the reinforcement, resulting in hose failure.
Twisting hose during installation or service	Twisting a hose instead of bending it normally will shorten its life. When putting a hose in a permanent installation, it is estimated that a 7% twist can shorten hose life by 90%.
Vessel motion during loading or discharge	During a loading or discharge operation, the vessel is weathervaned or dynamically positioned to avoid oil spills and hose failure or early disconnections. Sometimes, tug boats are used to keep the vessel in position or it will be moored in response to the weather condition.

to ensure full and robust redundancy, in addition to duplicating the modules, the following recommendations are made:

- non-interference: the existence of redundant components should have no effect on the main one's operation.
- Elimination of common modes of failure: all modes of failure should be avoided. This usually means that the components are separated to prevent them from being exposed to the same damaging effects of external threats.
- Diversification: This requirement aims to avoid the time to failure being of the same order of magnitude because all the components are nominally equal.

### 3.7. Challenges of marine hoses

Presently, marine bonded hose incidents and flexible riser incidents have been recorded and examined in this study (Løtveit et al. 2009, Løtveit 2018; PSA 2018; SureFlex et al. 2010). On hoses for offloading crude oil, there have been a few recorded failures in service, as well as some oil spill incidents during hose loading and transfers. The application, on the other hand, is in great demand, and innovative engineering solutions which have been proposed to address these problems. Marine bonded hoses do experience material damage, failure modes and proprietary design issues, as earlier presented. Although, the necessary checks are done, qualified and verified hoses still under failure which have been identified to be mostly (48%) from hose leaks. It has been gathered that hose manufacturers have been very supported in industry reports such as the PSA state of the art on bonded flexible pipes (PSA 2008, PSA 2018) and for reviewing the standards such as OCIMF 2009, the GMPHOM guidelines (OCIMF 1995a, 1995b, 2009, 2021) and

API 17 K rev3 (API 2017). However, the industry requires more statistics and data as feedback from PSA and ITOPF, among other research firms that gather data on the industry. Table 18 shows some identified issues that affect bonded hoses and might lead to hose failure. Aside from challenges on the hoses, there are also other related challenges on different oil fields reported in literature which should also be looked into (Camozzato et al. 2015, Charlesworth et al. 2011, Cao et al. 2015; Bridgestone 1976; Padua et al. 2020; Lebon and Remery 2002; Maneschy et al. 2015; Manouchehr 2012; Szekeley et al. 2017). Another challenge in modelling buoy-hose systems include coupling and correctly quantifying hydrodynamic parameters like damping, drag (Le Cunff et al. 2007, Kuiper et al. 2007; Eriksson et al. 2006; Mustoe et al. 1992; Sun et al. 2015). As such, experimental tests, machine learning/trained tests and validation studies are required to improve the design to ascertain the correctness and verify the designs.

### 3.8. Current research gaps & future trends

Different numerical and experimental investigations on marine structures have been a result of collaborations (Graham 1982; Le Cunff et al. 2007; Kang et al. 2014; Duggal and Ryu 2005, Beirão and Malça 2014; Amaechi 2022). These marine structures, particularly the hoses have applications with steel materials. Secondly, these tubulars are multi-layered structures with different material compositions and loads (Fernando et al. 2004; Felippa and Chung 1981; Eggers et al. 2019; Entwistle 1981; Hasegawa et al. 2014; Bernitsas and Kokkinis 1983; De Sousa et al. 2001). Hence, collaborative efforts can be enhanced in this field. One research gap in this subject area is the synergy between academia and the industry, to ensure better research outputs and knowledge exchange on the

technology. However, the industry identifies it as a risk with sharing trade secrets, unless NDAs (Non-Disclosure Agreements) are signed. On the other hand, the industry can extend invitations to the academia during their annual seminars, product exhibitions and trainings. It is noteworthy to state that this review is not sponsored by any hose manufacturer, and no input was directly or indirectly given on their products. One key challenge is that industry is not open to share data with academia. On this project as handled in Lancaster University UK, some contacts were made to the industry manufacturers during this review but no response was received, except permissions to use images. Also, their materials were not tested directly on this review, so it was based on performance reports, the available hose brochures and scholarly publications available. A report by PSA (2018) presented some views by two industry manufacturers on marine bonded hoses -Trelleborg and ContiTech /Dunlop Oil & Marine. According to Trelleborg, their hoses for oil product transfers -*REELINE*, *KLELINE* and *TREELINE* have proved to be sustainable and effective, from a material point of view. However, there is progress recorded from researching its designs with test data, and operational experience. Considering their long track record in the industry for the key players in hose manufacturing, there were no gaps identified, such as in the stability of the material used for hose fabrication. Brindle (2016) and Jonathan Petite (2016) confirmed that the seawater intake hose developed by Trelleborg meets unique demands, and is designed uniquely as it differs from the reeling technology called REELINE and other hose types. Secondly, Trelleborg has a patented nippleless hose end-fitting design which makes its deployment easy to connect and use. Each hose manufacture has a unique design, and mostly patented designs with proprietary materials used in manufacturing the hoses. An example is the unique arrangement of end terminations on Trelleborg products, having compact flange that may include integrated Bending Stiffener when required, as shown in Figure 6. These end-fittings and flanges have passed through rigorous full-scale fatigue tests to predict the behaviour of the end terminations. This happens to be the region that can develop a combination of tension with high bending loads at the domain of the compact flanges. It could also have high pressure zones inside the body based on the hose-riser design or high flow rate of the fluid (Païdoussis 2014; Patel and Seyed 1995; Seyed and Patel 1992; Papusha 2015; Hong and Hong 1994; Amaechi 2022). Hence, it has a gasket that is built-in, to prevent failure with high sealing performance recorded for over 10 years (PSA 2018). One method which is used is to accurately control the pre-tension by torqueing and thus, be able to ascertain any pre-tension during from the composite array of the flanges. Trelleborg also claims never to have reported any bolting failure from their hose products. Good feedback is also necessary as it helps the hose manufacturers to understand the users' preferences. Lagarrigue and Landriere (2017) presented a recent survey report on Trelleborg hoses with focus on preferences of hose users. Such approaches help to attend to the large customer base of these hose manufacturers. Another approach is having Annual Seminars, Quarterly Trainings and User Group Meeting (UGM), which some companies such as Orcina UK – a marine software provide as Orcaflex users support. The software has capability of static and dynamic design of marine hoses, CALM buoys and other floating structures (Orcina 2014, 2019a, 2019b, 2020a, 2020b).

Another issue that could help is sharing information within the industry between hose manufacturers and users. However, it also has risks, due to industry conflicts of interests, trade secret issues, risk of proprietary information and risking manufacturers reputations. Despite that, it would be helpful that there are exchange of information, not necessary trade secret of design knowledge on

the useful art, but on best practices. An example is the use of white papers and conference papers, as in earlier MCS software publications (O'Sullivan 2002, 2003; MSCSoftware 2021). The industry will appreciate always having reliable marine hose products that will have longer service life and good failure indication systems. This will in-turn provide improved reliability, more accurate information on the hose service life as well as extensions for different product ranges of the bonded hoses. On the other hand, manufacturers have contrasting views with industry users on some issues. There are still some issues with manufacturer and industry operators unifying on some test limits, such as reducing the test criteria with GMPHOM guideline (OCIMF 2009) for torsion test on marine hoses from 2 deg./m to 1 deg./m. However, hose manufacturers like ContiTech/Dunlop Oil&Marine (PSA 2018) feel that it would be a backward step, which would affect the quality of the hose and can affect the integrity of hose-lines on the offshore structure, when deployed. Earlier standards on rubberised hoses were developed using some ISO standards (ISO 2006, 1997, 2001). Thus, having a unifying standard on marine bonded hoses that is globally accepted is still an issue in the industry, but hopefully these issues will be collated and an updated version of the OCIMF (2009) standard or an ISO, EN, BS, NIS, DNVGL, NORSOK, API, or ABS standard (ABS 2017, ABS 2020; API 2014a, API 2014b, API 2015, API 2017, API 2020; ARPM 2015; Stanton 2014) on marine bonded hoses will be elaborated and published, in the nearest future. From this review, it was also observed that there were limited studies on marine hoses covering vortex-induced vibration (VIV), stability and bifurcation, compared to VIV of marine risers (Hong and Shah 2018) and cylinders (Wu et al. 2012). Hence, future work should include VIV, control and monitoring systems for marine hoses to ensure safety of the asset when deployed. Generally, risers and hoses are subject to different loads which could lead to failure under excessive pressure loads (Pavlou 2013; Sánchez and Salas 2006; Tang et al. 2016). Additionally, failure studies on flexible pipes show that pressure loads, among other factors, influence their behaviour (Neto and Martins 2010, 2012, 2014, Neto et al. 2013, 2016, 2017; Pesce et al. 2010). The failure modes of flexible risers and flexible pipes are available in literature (Li et al. 2018a, 2018b). In contrast, there are limited failure reports on marine bonded hoses. Among the few studies found report failures related to deployment failure (IMCA 2001), hose kinking (Bridgestone 1976) and corrosion of reinforcement (Krismer 2003). Therefore, future works should include hose installation, more methods for reliability analysis of marine hoses systems and stability of related structures in marine applications. Another advantage of the academia to the industry is development of mathematical models for buoys and marine hoses, as seen in some studies (Brown 1985a, 1985b; O'Donoghue 1987; Raheem 2013; Rahman 1981, 1984; Lighthill 1979, 1986). Hence, the expertise of these academicians has been of immense contribution towards the development of CALM buoy hose systems in the offshore industry.

#### 4. Conclusion

The development of marine bonded hoses is progressing globally, as has been reviewed herein. The excellent resource potential of marine hoses globally can proffer good incentives for competitive advantages, increased synergies, more collaborations, funding supports, further researches and developments on hose technology and related areas for floating offshore structures (FOS), such as shuttle tankers, turret buoys and CALM buoys. It is noteworthy to state that efficient utilisation of marine hoses in the industry, is usually achieved when suppliers or hose manufacturers provide installation

support personnels to ensure the delivery is safe. In this review, the related industry recommendations and standards are examined and evaluated critically. This aids in the identification and provision of the most pertinent verification and validation requirements for the design and manufacture of bonded flexible rubber hoses. This can be employed in a SWIR application if the special requirements of these bonded flexible rubber hoses are taken into account. In addition to transporting untreated seawater, the weights caused by self-weight, vessel motion, and external pressures must be accommodated.

The main highlights of this review are as follows:

- *Overview on offshore industry, sustainable fluid transfer and hose end-fittings.*
- *Historical development, hose design, and manufacturing of bonded marine hoses.*
- *Review on mechanics, hose performance, and assessment of CALM buoy hose systems.*
- *Marine hose configurations, hose modelling, deployment and collaborative synergies.*
- *Application methods for fluid transfer and hose-related sustainable technologies.*

This review avows that the design and manufacture of bonded flexible rubber hoses are governed by some industry regulations and recommendations. While some of these industry rules and recommendations may be implemented, the design and manufacture of bonded flexible rubber hoses for a SWIR application is not particularly covered. It is suggested that it be included in the scope of any future document evaluated or a new SWIR-specific document. As a result of the review, the paper defines the most important criteria and proposes a technique for verifying and validating the design and fabrication of a flexible hose in a SWIR application. Despite the fact that this work presents a set of verification and validation criteria for the design and manufacture of bonded flexible rubber hoses, it does not go into detail about any particular hose type, such as SWIR applications on FPSO vessels. It should also be highlighted that other stakeholders are now considering these technologies for similar purposes. This applies to new Floating Liquefied Natural Gas (FLNG) boats as well as special cylindrical vessels. Although marine bonded hoses have great potentials, the performance reports from scaled tests, and experiments indicate the need for further developments. Competitiveness between hose manufacturer facilities, key performance index (KPI) and product sales competitions between manufacturers has been key indicators that has also driven sales of marine hoses in the industry. Novel devices have been developed to ensure hose monitoring offshore which has also helped in ensuring hose safety, and reduce the recorded incidents of hose failures. Sensitisation is another issue which would help to create synergy between hose users and hose manufacturers. An example is attending industry seminars such as OTC Conferences, ASME/OMAE Conferences, SubseaUK Conferences, Orcaflex User Group meetings and Dunlop Oil&Marine Annual Seminars. This could also help to publicise useful information and share data on user-related information, such as marine hose sales by regions. Lastly, funding researches on marine bonded hoses is another aspect that has affected development of the technology. It was observed that due to the expertise required on hoses, there are very few industry facilities, institutions and research institutes which worked on hoses. This review shows that both the recorded hose manufacturers and academic institutions have research works on marine bonded hoses or related (such as CALM buoys), either in small scale or full scale.

## Acknowledgements

The author acknowledges the support from Lancaster University Engineering Department, UK; Engineering and Physical Sciences Research Council (EPSRC); Standards Organisation of Nigeria (SON); and Niger Delta Development Commission (NDDC), Nigeria on this study. Also, the authors appreciate the permissions received to use images from different sources. We appreciate the permissions, suggestions and feedback of Dr Nagy Tibor of Rubber-Consult Ltd, Szeged, Hungary – an inventor of some marine hose patents and consultant for Continental Dunlop Oil & Marine, Hungary. We acknowledge the permissions of Sina Leswal and Diana Boenning, both of Heuthig -parent media house of Kautschuk und Gummi Kunststoffe (KGK) publications to use image in Figure 4 from KGK papers. We also acknowledge the permission of Germa Hornsby of Continental Dunlop Oil & Marine to use images in Figures 2, 4, and 5. We also acknowledge the permission of Elsevier Publishers and PSA Norway for adapted image in Figure 3. We also appreciate the technical support and permission of Jonathan Petit of Trelleborg to use image in Figure 6. The authors do acknowledge the reviewers and editor whose comments immensely improved the quality of the manuscript.

## Disclosure statement

No potential conflict of interest was reported by the author(s). Neither the funders nor the hose manufacturers had any influence on the outcome of the study in this review, or the discussions and recommendations made.

## Funding

The Department of Engineering, Lancaster University, UK and Engineering and Physical Sciences Research Council (EPSRC)'s Doctoral Training Centre (DTC), UK are highly appreciated for the funding. In addition, the funding of Overseas Scholarships by Niger Delta Development Commission (NDDC), Port Harcourt, Nigeria, Nigeria and TETFUND Nigeria are also appreciated, as well as the support of Standards Organisation of Nigeria (SON), F.C.T Abuja, Nigeria. The funding of National Natural Science Foundation of China (NSFC) for supporting the Projects 51922064 including this study is appreciated.

## Authorship contribution statement

Conceptualisation, C.V.A., F.W., C.A.O., J.Y.; methodology, C.V.A., F.W., C.A.O., J.Y.; software, C.V.A., F.W., I.A.J., A.A., C.A.O., J.Y.; validation, C.V.A., F.W., I.A.J., A.A., C.A.O., J.Y.; formal analysis, C.V.A., F.W., J.Y.; investigation, C.V.A., F.W., I.A.J., A.A., C.A.O., J.Y.; resources, C.V.A., F.W., I.A.J., A.A., C.A.O., J.Y.; data curation, C.V.A., F.W., J.Y.; writing – original draft preparation, C.V.A.; writing – review and editing, C.V.A., F.W., I.A.J., A.A., C.A.O., J.Y.; visualisation, C.V.A., F.W., I.A.J., A.A., C.A.O., J.Y.; supervision, F.W., J.Y.; project administration, C.V.A., F.W., J.Y.; funding acquisition, C.V.A., F.W., J.Y.

## ORCID

Chiemela Victor Amaechi  <http://orcid.org/0000-0001-6712-2086>  
 Facheng Wang  <http://orcid.org/0000-0003-2325-9341>  
 Idris Ahmed Ja'e  <http://orcid.org/0000-0002-9366-9779>  
 Aboshio Aaron  <http://orcid.org/0000-0002-9627-4246>  
 Charles Agbomerie Odijie  <http://orcid.org/0000-0002-4683-0048>  
 Jianqiao Ye  <http://orcid.org/0000-0002-1039-1944>

## References

- Abelanet, M. 2012. Installation of electrical heat trace flowline by reel lay. Presented on 22nd Feb 2012. Subsea 7 Presentation, UK. Available at: <https://www.yumpu.com/en/document/view/26877695/mechanical-lined-pipe-installation-by-reel-lay-subsea-uk> (Accessed on 2<sup>nd</sup> December, 2021).
- Aboshio, A. 2014. Dynamic Study of Inflatable Offshore Barrier Structures under Impact and Environmental Loadings (Ph.D. thesis) Engineering Department, Lancaster University, United Kingdom.
- Aboshio A, Green S, Ye J. 2014a. Dynamic response of Inflatable Offshore Fender Barrier Structures under Impact Loading. Paper 148, Proceedings of the Fourteenth International Conference on Civil, Structural and Environmental Engineering Computing, B.H.V. Topping and P. Iványi,



- (Editors), Civil-Comp Press, Stirlingshire, Scotland. <https://doi.org/10.4203/ccp.102.148>
- Aboshio A, Green S, Ye J. 2014b. New constitutive model for anisotropic hyper-elastic biased woven fibre reinforced composite. *Plastics, Rubber and Composites*, 43(7):225–34. <https://doi.org/10.1179/1743289814Y.0000000097>
- Aboshio A, Green S, Ye J. 2015. Experimental investigation of the mechanical properties of neoprene coated nylon woven reinforced composites. *Compos Struct.* 120:386–393. doi:10.1016/j.compstruct.2014.10.015.
- Aboshio A, Uche AO, Akagwu P, Ye J. 2021. Reliability-based design assessment of offshore inflatable barrier structures made of fibre-reinforced composites. *Ocean Eng.* 233(109016):109016. doi:10.1016/j.oceaneng.2021.109016.
- Aboshio A, Ye J. 2016. Numerical study of the dynamic response of Inflatable Offshore Fender Barrier Structures using the Coupled Eulerian-Lagrangian discretization technique. *Ocean Eng.* 112:265–276. doi:10.1016/j.oceaneng.2015.12.020.
- ABS. 2020. Rules for building and classing - single point moorings, American Bureau of Shipping. Available at: <https://ww2.eagle.org/content/dam/eagle/rules-and-guides/current/offshore/8-single-point-moorings/spm-rules-july20.pdf>
- ABS. 2017. Rules for building and classing – subsea riser systems, American Bureau of Shipping. Available at: [https://ww2.eagle.org/content/dam/eagle/rules-and-guides/current/offshore/123\\_guide\\_building\\_and\\_classing\\_subsea\\_riser\\_systems\\_2017/Riser\\_Guide\\_e-Mar18.pdf](https://ww2.eagle.org/content/dam/eagle/rules-and-guides/current/offshore/123_guide_building_and_classing_subsea_riser_systems_2017/Riser_Guide_e-Mar18.pdf)
- Ahlstone A. 1973. Light weight marine riser pipe. Patent 3768842 A, USA, 30 October 1973.
- Alfagomma. 2016. *Industrial hose & fittings*, Vimercate, Italy: Alphagomma SpA.
- Ali A, Hosseini M, Sahari BB. 2010. A review of constitutive models for rubber-like materials. *Am J Eng Appl Sci.* 3(1):232–239. doi:10.3844/ajeassp.2010.232.239.
- Ali MOA, Ja'e IA, Zhen Hwa MG. 2020. Effects of water depth, mooring line diameter and hydrodynamic coefficients on the behaviour of deepwater FPSOs. *Ain Shams Eng J.* 11(3):727–739. doi:10.1016/j.asej.2019.12.001.
- Amaechi CV, Wang F, Hou X, Ye J. 2019a. Strength of submarine hoses in Chinese-lantern configuration from hydrodynamic loads on CALM buoy. *Ocean Eng.* 171:429–442. doi:10.1016/j.oceaneng.2018.11.010.
- Amaechi CV, Ye J, Hou X, Wang F-C. 2019b. Sensitivity Studies on Offshore Submarine Hoses on CALM Buoy with Comparisons for Chinese-Lantern and Lazy-S Configuration OMAE2019-96755. *38th International Conference on Ocean, Offshore and Arctic Engineering, Glasgow, Scotland, June 9–14, 2019.* <https://doi.org/OMAE2019-96755>.
- Amaechi CV, Ye J. 2017. *A numerical modeling approach of composite risers for deep waters.* ICCS20 20th International Conference on Composite Structures; 2017-09-04 | conference-paper; ISBN 9788893850414., Paris, France.
- Amaechi CV, Gillett N, Odijie AC, Hou X, Ye J. 2019. Composite risers for deep waters using a numerical modelling approach. *Compos Struct.* 210:486–499. doi:10.1016/j.compstruct.2018.11.057.
- Amaechi, CV, Gillett, N, Odijie, AC, Wang, F, Hou X, Ye J. 2019d *Local and Global Design of Composite Risers on Truss SPAR Platform in Deep waters.* In: MECHCOMP2019 5th International Conference on Mechanics of Composites, 2019-07-012019-07-04, Instituto Superior Técnico, Lisbon, Portugal. Available at: <https://eprints.lancs.ac.uk/id/eprint/136431> (Accessed on 2<sup>nd</sup> December, 2021).
- Amaechi CV, Gillett N, Ye J. 2022. Tailoring the local design of deep water composite risers to minimise structural weight. *J. Compos. Sci.* (under review)
- Amaechi CV, Ye J. 2021a. Local tailored design of deep water composite risers subjected to burst, collapse and tension loads. *Ocean Engineering* 2022. Pages 1-28, <https://doi.org/10.1016/j.oceaneng.2021.110196>.
- Amaechi CV, Ye J. 2021b. A review of state-of-the-art and meta-science analysis on composite risers for deep seas. *Ocean Engineering* 2021. (under review).
- Amaechi CV, Ye J. 2021c. Review of composite marine risers for deep-water applications: design, development, and mechanics. *Journal of Composite Science*, 2021. (under review).
- Amaechi CV, Chesterton C, Butler HO, Wang F, Ye J. 2021d. An overview on bonded marine hoses for sustainable fluid transfer and (Un)loading operations via floating offshore structures (FOS). *J Mar Sci Eng.* 9(11):1236. doi:10.3390/jmse9111236.
- Amaechi CV, Chesterton C, Butler HO, Wang F, Ye J. 2021e. Review on the design and mechanics of bonded marine hoses for Catenary Anchor Leg Mooring (CALM) buoys. *Ocean Eng.* 242(110062):110062. doi:10.1016/j.oceaneng.2021.110062.
- Amaechi CV, Wang F, Ye J. 2021f. Mathematical modelling of bonded marine hoses for single point mooring (SPM) systems, with Catenary Anchor Leg Mooring (CALM) buoy application—A review. *J Mar Sci Eng.* 9(11):1179. doi:10.3390/jmse9111179.
- Amaechi CV, Wang F, Ye J. 2021g. Numerical assessment on the dynamic behaviour of submarine hoses attached to CALM buoy configured as Lazy-S under water waves. *J Mar Sci Eng.* 9(10):1130. doi:10.3390/jmse9101130.
- Amaechi Chiemela Victor, Wang F, Ye J. 2021h. Investigation on hydrodynamic characteristics, wave-current interaction and sensitivity analysis of submarine hoses attached to a CALM buoy. *J Mar Sci Eng.* 10(1):120. doi:10.3390/jmse10010120.
- Amaechi C Victor, Wang F, Ye J. 2022b. Numerical studies on CALM buoy motion responses and the effect of buoy geometry cum skirt dimensions with its hydrodynamic waves-current interactions. *Ocean Eng.* 244 (110378):110378. doi:10.1016/j.oceaneng.2021.110378.
- Amaechi CV, Chesterton C, Butler HO, Gu Z, Odijie AC, Wang F, Hou X, Ye J. 2021j. Finite element modelling on the mechanical behaviour of marine bonded composite hose (MBCH) under burst and collapse. *J Mar Sci Eng.* 10(2):151. doi:10.3390/jmse10020151.
- Amaechi CV, Wang F, Ye J. 2021k. Understanding the fluid-structure interaction from wave diffraction forces on CALM buoys: numerical and analytical solutions. *Ships Offshore Structures.*:1–29. doi:10.1080/17445302.2021.2005361.
- Amaechi CV, Wang F, Ye J. 2021l. Experimental study on motion characterization of CALM buoy hose system under water waves. *J. Mar. Sci. Eng.* 2021, 10(2):204. doi:10.3390/jmse10020204.
- Amaechi CV, Wang F, Ye J. 2021m. Numerical assessment of marine hose load response during reeling and free-hanging operations under ocean waves. *Marine Structures* 2021. (under review).
- Amaechi CV, Wang, F, Ye J. 2021n. An investigation on the vortex effect of a CALM Buoy under Water Waves using Computational Fluid Dynamics (CFD). *Inventions* 2022, under review.
- Amaechi CV, Odijie AC, Wang F, Ye J. 2021o. Numerical investigation on mooring line configurations of a Paired Column Semisubmersible for its global performance in deep water condition. *Ocean Engineering.* 2022. <https://doi.org/10.1016/j.oceaneng.2022.110572>
- Amaechi CV, Adefuye EF, Oyetunji AK, Ja'e IA, Adelusi I, Odijie AC, Wang F. 2021p. Numerical study on plastic strain distributions and mechanical behaviour of a tube under bending. *Inventions.* 7(1):9. doi:10.3390/inventions7010009.
- Amaechi CV. 2022. Novel design, hydrodynamics and mechanics of marine hoses in oil/gas applications. *PhD Thesis.* Engineering Department, Lancaster University, Lancaster, UK.
- Ambrose 1979. Flexible hose lines. Patent 4153079, USA, 1979-05-08.
- Anderson JJ, Nance DA, Mickelson CS. 1998. Composite cylinder termination formed using snap ring. Patent 5813467 A, USA, 29 September 1998.
- Andrick, et al. 1997. Symmetrical gasket for a pipe joint. Patent 5687976, USA, 1997-11-18.
- ANSYS. 2016a. *ANSYS Aqwa Theory Manual, Release 17.2*, Canonsburg, USA: ANSYS Inc.
- ANSYS. 2016b. *ANSYS Aqwa User's Manual, Release 17.2*, Canonsburg, USA: ANSYS Inc.
- Antal, et al. 2001. High pressure flexible hose structure and method of manufacture. Patent 6315002, USA, 2001-11-13
- Antal S, Nagy T, Boros A. 2003. Improvement of bonded flexible pipes acc. to new API Standard 17K. In: Offshore Technology Conference, 5-8 May, Houston, Texas, USA. Paper No. OTC-15167-MS. <https://doi.org/10.4043/15167-MS>
- Antal S, Imre D, Gyula B, Katona T. 2012. Finite element analysis of seawater intake hoses. Continental ContiTech Presentation. SIMDAY 2012, Budapest. Available at: <https://docplayer.net/3495153-Finite-element-analysis-of-seawater-intake-hoses.html> Retrieved on 22<sup>nd</sup> January, 2022.
- Antal S, Gelencser S, Nagy T, Seregely Z. 1998. Problems of improving flexible pipes (Hoses) designed for the delivery of high pressure gas and gaseous oil. *Kautschuk und Gummi Kunststoffe.* 51(1):51–57. Available at: <https://www.kgk-rubberpoint.de/en/hefte/> Retrieved on 22<sup>nd</sup> January, 2022.
- Antal S, Gelencser S, Guendisch G, Penzias T, Palotas L, Gyoengyoesi G. 1985. Flexible technical hose mountable from several parts but deforming slightly under the effect of internal overpressure. Patent HU197422B, Hungary
- Antal S, Garai G, Gelencser S, Goergenyi P, Koszo F, Laszlo G. 1988. Equipment for the manufacture of mainly large-diameter flexible hoses having spiralled reinforcement. Published May 3, 1988 US Patent US 4,741,794, USA.
- API. 2014a. API 17J: Specification for Unbonded Flexible Pipe. Fourth Edition. American Petroleum Institute, Texas, USA.
- API 2014b. API RP 17B. Recommended Practice for flexible pipe. Fifth Edition, American Petroleum Institute, Texas, USA.
- API. 2015. API Spec. 7 K. Specification for Drilling and Well Service Equipment. Sixth Edition, American Petroleum Institute, Texas USA.
- API. 2017. API 17K: Specification for Bonded Flexible Pipe. Third Edition. American Petroleum Institute, Texas, USA.

- API. 2020. API list of manufactures for flexible hoses. American Petroleum Institute, Texas, USA. Available at: <https://www.api.org> Retrieved on 22<sup>nd</sup> January, 2022.
- Aranha JAP, Pinto MO. 2001. Dynamic tension in risers and mooring lines: an algebraic approximation for harmonic excitation. *Appl Ocean Res.* 23(2):63–81. doi:10.1016/S0141-1187(01)00008-6.
- ARPM. 2015. *Hose Handbook; IP-2* Ninth., Shadeland Station Way, Indianapolis: Association for Rubber Products Manufacturers.
- Asano, et al. 1986. Hydraulic brake hose. Patent 4617213, USA, 1986-10-14.
- ASTM. 2004. E111-04. Standard test method for young's modulus, tangent modulus, and chord modulus. West Conshohocken, PA: ASTM International.
- ASTM. 2014. D885 / D885M-10A (2014) e1, Standard Test Methods for Tire Cords, Tire Cord Fabrics, and Industrial Filament Yarns Made from Manufactured Organic-Base Fibers, ASTM International, West Conshohocken, PA.
- ASTM. 2016. D412-16, Standard Test Methods for Vulcanized Rubber and Thermoplastic Elastomers-Tension, ASTM International, West Conshohocken, PA.
- Avery A, Martin S. 2003. Reinforced Thermoplastic Pipe: Innovative technology for offshore field developments. In: Volume 3: Materials Technology; Ocean Engineering; Polar and Arctic Sciences and Technology; Workshops. ASMEDC; Cancun, Mexico, June 8-13, 2003, pp. 787-794. <https://doi.org/10.1115/OMAE2003-37041>
- Bai Y, Bai Q. 2005. Subsea pipelines and risers. First Ed. Elsevier, Oxford, UK.
- Bai Y, Bai Q. 2012. *Subsea Engineering Handbook*. Gulf Professional Publishers (Elsevier), Waltham.
- Balasoorya W, Schrittmesser B, Pinter G, Schwarz T. 2018. A fracture mechanical approach to identify the behavior of elastomers in hostile environments. German Rubber Conference (Deutsche Kautschuk-Tagung) 2 - 5 July 2018, Nürnberg, Germany. DOI: 10.13140/RG.2.2.32431.87206
- Balasoorya W, Clute C, Schrittmesser B, Pinter G. 2021. A review on applicability, limitations, and improvements of polymeric materials in high-pressure hydrogen gas atmospheres. *Polym Rev.* DOI: 10.1080/15583724.2021.1897997
- Baldwin DD, Reigle JA, Drey MD. Interface system between composite tubing and end fittings. Patent 6042152 A, USA, 28 March 2000.
- Barnard. 1938. Hose end structure. Patent 2122126, USA, 1938-06-28.
- Bastien SP, et al., 2009. Ocean Wave Energy Harvesting Buoy for Sensors., pp.3718–3725.
- Beirão PJBFN, Malça C. 2014. Design and analysis of buoy geometries for a wave energy converter. *Int J Energy Environ Eng.* 5: Article 91. doi:10.1007/s40095-014-0091-7.
- Bernitsas MM, Kokkinis T. 1983. Buckling of risers in tension due to internal pressure: Nonmovable boundaries. *J Energy Resour Technol.* 105(3):277–281. doi:10.1115/1.3230915.
- Berteaux HO. 1976. *Buoy engineering*, New York, USA: John Wiley and Sons.
- Berteaux HO, Goldsmith RA, Schott III WE. 1977. *Heave and Roll response of free floating bodies of cylindrical shape*, Massachusetts, USA.
- Blanchard CJ, Anastasio FL. 2016. Floating systems and method for storing produced fluids recovered from oil and gas wells. US5885028A, USA, 10 December, 2016.
- Bluewater. 2009a. *Buoyed Up: The future of tanker loading/offloading operations*, Amsterdam, The Netherlands: Bluewater Energy Services. Available at: <https://www.bluewater.com/wp-content/uploads/2013/04/CALM-Buoy-brochure-English.pdf> Retrieved on 30<sup>th</sup> July, 2020.
- Bluewater. 2009b. *Conventional Buoy Mooring Systems*, Amsterdam, The Netherlands: Bluewater Energy Services.
- Bluewater. 2011. *Bluewater Turret Buoy- Technical Description*, Amsterdam, The Netherlands: Bluewater Energy Services.
- Bluewater, 2016. *Turret Buoy*, Amsterdam, The Netherlands: Bluewater Energy Services.
- Bluewater 2020. Comprehensive Experience Overview: Oceans of knowledge. Bluewater, pp. 1-15. Available at: <https://www.bluewater.com/wp-content/uploads/2020/05/Experience-Overview-May-2020.pdf> Retrieved on 30<sup>th</sup> July, 2020.
- Boatman LT. 2003. Flowline termination buoy with counterweight for a single point mooring and fluid transfer system. US6558215B1, USA, 06 May 2003.
- Boccotti P. 2000. *Wave Mechanics for Ocean Engineering*, Amsterdam, The Netherlands: Elsevier B.V.
- Boccotti P. 2015. *Wave Mechanics and Wave Loads on Marine Structures*, Imprint of Butterworth-Heinemann, Oxford, UK: Elsevier B.V. <http://doi.org/10.1016/C2013-0-13663-X>
- Brady I, Williams S, Golby P. 1974. A study of the Forces Acting on Hoses at a Monobuoy Due to Environmental Conditions. In *Offshore Technology Conference Proceeding -OTC 2136*. Dallas, Texas, USA: OnePetro, pp. 1–10.
- Braud J, Brown PA, O'Nion G. 1998. Submerged CALM buoy. US5816183A, USA, 06 October, 1998.
- Bree J, Halliwell AR, O'Donoghue T. 1989. Snaking of floating marine oil hose attached to SPM BUOY. *J Eng Mech.* 115(2):265–284. doi:10.1061/(asce)0733-9399(1989)115:2(265).
- Bridgestone J. 1976. Study of causes of kinking in floating hoses at Petrobras/ Tefran terminal. Report No. 6YMT-0011, Japan.
- Bridgestone J. 2017. *Hydraulic hose: couplings, accessories and equipment*, Bensheim, Germany: Bridgestone Company.
- Briggs. 1990. Graduated friction anchor. Patent 4950001, USA, 1990-08-21.
- Brown MJ. 1985a. Mathematical Model of a Marine Hose-String at a Buoy- Part 1 - Static Problem. In P. Dyke, A. O. Moscardini, & E. H. Robson, eds. *Offshore and Coastal Modelling*: Springer, pp. 251–277. New York, NY. [https://doi.org/10.1007/978-1-4684-8001-6\\_13](https://doi.org/10.1007/978-1-4684-8001-6_13)
- Brown MJ. 1985b. Mathematical Model of a Marine Hose-String at a Buoy- Part 2 - Dynamic Problem. In P. Dyke, A. O. Moscardini, & E. H. Robson, eds. *Offshore and Coastal Modelling*: Springer, pp. 279–301. New York, NY. [https://doi.org/10.1007/978-1-4684-8001-6\\_14](https://doi.org/10.1007/978-1-4684-8001-6_14)
- Brown MJ, Elliott L. 1988. Two-dimensional dynamic analysis of a floating hose string. *Appl Ocean Res.* 10(1):20–34. doi:10.1016/S0141-1187(88)80021-x.
- Brown PA, Poldervaart L. 1996 Fluid transfer system for an offshore moored floating unit. US5505560A, USA, 09 April, 1996.
- Brownsort P. 2015a Ship Transport of CO2 for Enhanced Oil Recovery: Literature Survey; SCCS (Scottish Carbon Capture and Storage): Edinburgh, UK, 2015; pp. 1–43. Available online: <http://www.sccs.org.uk/images/expertise/reports/co2-eor-jip/SCCS-CO2-EOR-JIP-WP15-Shipping.pdf> (accessed on 29 July 2021).
- Brownsort P. 2015b. Offshore offloading of CO<sub>2</sub>: Review of single point mooring types and suitability. Scottish Carbon Capture & Storage (SCCS). Available at: <https://era.ed.ac.uk/bitstream/handle/1842/15712/SCCS-CO2-EOR-JIP-Offshore-offloading.pdf?sequence=1&isAllowed=y> (accessed on 22 January 2022).
- BSI. 2004. BS 903-5:2004 Physical testing of rubber. Guide to the application of rubber testing to finite element analysis. 2004 BSI, London.
- BSI. 2008. BS EN 1474-2: 2008. European Standard 1474: Installation and equipment for liquefied natural gas – Design and testing of marine transfer systems. Part 2: Design and testing of transfer hoses. British Standards Institution.
- Bunnik, THJ, de Boer, G, Cozijn, JL, van der Cammen, J, van Haften, E, & ter Brake, E. “Coupled Mooring Analysis and Large Scale Model Tests on a Deepwater Calm Buoy in Mild Wave Conditions.” *Proceedings of the ASME 2002 21st International Conference on Offshore Mechanics and Arctic Engineering. 21st International Conference on Offshore Mechanics and Arctic Engineering, Volume 1*. Oslo, Norway. June 23–28, 2002. pp. 65-76. ASME. <https://doi.org/10.1115/OMAE2002-28056>
- Busch RA. 1987. Spar buoy fluid transfer system. US4648848A, USA, 10 March, 1987.
- Camozzato G, Poirier N, Hiller D, Acheritobehere A, Xavier M, Romeu NB, Seize E, Silva AL. 2015. Execution challenges for a first of its kind project in Santos basin Brazil. In: Offshore Technology Conference, 04-07 May, Houston, Texas, USA. <https://doi.org/10.4043/25843-MS>
- Cao P, Xiang S, He J, Kibbee S, Bian S. 2015. Advancing Cold Water Intake Riser design through model test. In: Offshore Technology Conference, 04-07 May, Houston, Texas, USA. <https://doi.org/10.4043/25917-MS>
- Cao Q, et al. 2017. Analysis of multi-layered fiber-wound offshore rubber hose under internal pressure. ICCS17 Conference, Paris, France.
- Carpenter EB, Idris K, Leonard JW, Yim SCS. 1994. Behaviour of a moored Discus Buoy in an Ochi-Hubble Wave Spectrum -OMAE1994. In: *Offshore Technology Conference Proceeding*. ASME, pp. 347–354. Available at: [https://web.engr.oregonstate.edu/~yims/publications/OMAE1994\\_DiscusBuoy.pdf](https://web.engr.oregonstate.edu/~yims/publications/OMAE1994_DiscusBuoy.pdf) (accessed on: 15<sup>th</sup> January, 2022).
- Carter JW. 1985. Method and apparatus for longitudinally reinforcing continuously generated plastic pipe. Patent 4887, Editor, USA, 1985.
- Castelbaum, et al. 1984. Flexible hose having an end connection fitting. Patent 4477108, USA, 1984-10-16.
- Chakrabarti SK. 1994. Offshore Structure Modeling -Advanced Series on Ocean Engineering -Volume 9, Singapore: World Scientific.
- Chakrabarti SK. 2001. *Hydrodynamics of offshore structures* Reprint., Southampton, UK: WIT Press.
- Chakrabarti SK. 2002. The Theory and Practice of Hydrodynamics and Vibration -Advanced Series on Ocean Engineering -Volume 20, Singapore: World Scientific.
- Chakrabarti SK. 2005. Handbook of Offshore Engineering. Volume 1-2, Elsevier, Oxford, UK.
- Chakrabarti SK, Frampton RE. 1982. Review of riser analysis techniques. *Appl. Ocean Res.* 4(2):73–90. [https://doi.org/10.1016/S0141-1187\(82\)80002-3](https://doi.org/10.1016/S0141-1187(82)80002-3)
- Charlesworth D, D'All B, Zimmerlin C, Remita E, Langhelle N, Wang T. 2011. Operational experience of the fatigue performance of a flexible riser with a flooded annulus. In: Paper OTC 22398 presented at the OTC Brasil, Rio de Janeiro, Brazil, October 2011. <https://doi.org/10.4043/22398-MS>



- Chen Y, Seemann R, Krause D, Tay T-E, Tan VBC. 2016. Prototyping and testing of composite riser joints for deepwater application. *J Reinf Plast Compos.* 35(2):95–110. doi:10.1177/0731684415607392.
- Chesterton C. 2020. A global and local analysis of offshore composite material reeling pipeline hose, with FPSO mounted reel drum. BEng Dissertation. Lancaster University, Engineering Department.
- Chevalier, et al. 1974. Couplings of reduced size and capable of transmitting high mechanical stresses between an armoured flexible member and a rigid element. Patent 3799587, USA, 1974-03-26.
- Chibueze NO, Ossia CV, Okoli JU. 2016. On the fatigue of steel catenary risers. *Strojniski Vestn.* 62(12):751–756. doi:10.5545/sv-jme.2015.3060.
- Chiu C-H, Hwan C-L, Tsai H-S, Lee W-P. 2007. An experimental investigation into the mechanical behaviors of helical composite springs. *Compos Struct.* 77(3):331–340. doi:10.1016/j.compstruct.2005.07.022.
- Cho J-R, Yoon Y-H. 2016. Large deformation analysis of anisotropic rubber hose along cyclic path by homogenization and path interpolation methods. *J Mech Sci Technol.* 30(2):789–795. doi:10.1007/s12206-016-0134-5.
- Cho JR, Song JI. 2007. Swaging process of power steering hose: Its finite element analysis considering the stress relaxation. *J Mater Process Technol.* 187–188:497–501. doi:10.1016/j.jmatprotec.2006.11.113.
- Cho JR, Yoon YH, Seo CW, Kim YG. 2015. Fatigue life assessment of fabric braided composite rubber hose in complicated large deformation cyclic motion. *Finite Elem Anal Des.* 100:65–76. doi:10.1016/j.finel.2015.03.002.
- Cho JR, Song JI, Noh KT, Jeon DH. 2005. Nonlinear finite element analysis of swaging process for automobile power steering hose. *J Mater Process Technol.* 170(1–2):50–57. doi:10.1016/j.jmatprotec.2005.04.077.
- Choi B-L, Choi B-H. 2015. Numerical method for optimizing design variables of carbon-fiber-reinforced epoxy composite coil springs. *Compos B Eng.* 82:42–49. doi:10.1016/j.compositesb.2015.08.005.
- Chung JS, Whitney AK, Loden WA. 1981. Nonlinear transient motion of deep ocean mining pipe. *J Energy Resour Technol.* 103(1):2–10. doi:10.1115/1.3230811.
- Chung JS, Cheng BR, Huttelmaier HP. 1994a. Three-dimensional coupled responses of a vertical deep-ocean pipe: Part I. Excitation at pipe ends and external torsion. *International Journal of Offshore and Polar Engineering.* 4(4):320–330.
- Chung JS, Cheng BR, Huttelmaier HP. 1994b. Three-dimensional coupled responses of a vertical deep-ocean pipe: Part II. Excitation at pipe top and external torsion. *International Journal of Offshore and Polar Engineering.* 4(4):331–339.
- Chung JS, Felippa CA. 1981. Nonlinear static analysis of deep ocean mining pipe—part II: Numerical studies. *J Energy Resour Technol.* 103(1):16–25. doi:10.1115/1.3230808.
- Cristescu N. 1964. Rapid motions of extensible strings. *Journal of the Mechanics and Physics of Solids.* 12(5):90025–90025. doi:10.1016/0022-5096.
- Continental. 2021. Welcome to Continental (History 1871). Continental Corporation. Available at: [www.continental.com/en/](http://www.continental.com/en/) (Accessed on 2<sup>nd</sup> November, 2021).
- ContiTech. 2014. Hose Data Tables: GMPHOM 2009 hoses. Continental ContiTech and Dunlop Oil & Marine, Grimsby, UK.
- ContiTech. 2017. Marine Hoses - Offshore Fluid Transfer. *Contitech Oil & Gas.* Available at: [http://www.contitech-oil-gas.com/pages/marine-hoses/marine-hoses\\_en.html](http://www.contitech-oil-gas.com/pages/marine-hoses/marine-hoses_en.html) [Accessed September 30, 2017].
- ContiTech. 2018. 2H Offshore Lunch & Learn - API 17 K Production Hoses. Dunlop Oil & Marine - ContiTech. Available at: <https://aosoffshore.com/wp-content/uploads/2020/02/Contitech-API-17K-production-hose.pdf> Retrieved on: 7th August 2021
- ContiTech. 2019. Dunlop Oil & Marine - ContiTech Marine Hose Brochure. Available at: [https://aosoffshore.com/wp-content/uploads/2020/02/ContiTech\\_Marine-Brochure.pdf](https://aosoffshore.com/wp-content/uploads/2020/02/ContiTech_Marine-Brochure.pdf) Retrieved on: 9<sup>th</sup> April 2020
- ContiTech. 2020a. Dunlop Oil & Marine - ContiTech Offshore Product Catalogue: GMPHOM 2009 Hoses Brochure. Available at: <https://www.jst-group.com/wp-content/uploads/2020/01/Brochure-Dunlop-Oil-and-Marine-GMPHOM.pdf> Retrieved on: 9<sup>th</sup> April 2021
- ContiTech. 2020b. Marine Hose Brochure. Available online: [https://aosoffshore.com/wp-content/uploads/2020/02/ContiTech\\_Marine-Brochure.pdf](https://aosoffshore.com/wp-content/uploads/2020/02/ContiTech_Marine-Brochure.pdf) (accessed on 17 February 2021).
- Coppens A., Poldervaart L. 1984. Mooring system. 25 December, 1984.
- Costa A.P.S. 2007. *Estudo de uma nova concepção de linha de mangotes para transferência de óleo no mar.* (A Study of a New Conception of Offloading Hose Lines for Transferring Oil Offshore). Master Dissertation, COPPE—UFRJ (In Portuguese), Rio de Janeiro, 2007. Available at: <https://docplayer.com.br/79575829-Estudo-de-uma-nova-concepcao-de-linha-de-mangotes-para-transferencia-de-oleo-no-mar-ana-paula-dos-santos-costa.html> (accessed on 17 February 2021).
- Cozijn JL, Bunnik THJ. 2004. Coupled mooring analysis for a deep water CALM buoy. Proceedings of the ASME 2004 23rd International Conference on Offshore Mechanics and Arctic Engineering, 23rd International Conference on Offshore Mechanics and Arctic Engineering, Volume 1, Parts A and B. Vancouver, British Columbia, Canada. June 20–25, 2004. pp. 663–673. ASME. <https://doi.org/10.1115/OMAE2004-51370>.
- Cozijn H, Uittenbogaard R, Brake ET. 2005. Heave, roll and pitch damping of a deepwater CALM buoy with a skirt. International Society of Offshore and Polar Engineering Conference Proceedings; Seoul, Korea (ISOPE), June 19–24, 2005, Seoul, Korea; p. 388–395. [accessed 2021 December 22]. Available at: [https://www.researchgate.net/publication/267364857\\_Heave\\_Roll\\_and\\_Pitch\\_Damping\\_of\\_a\\_Deepwater\\_CALM\\_Buoy\\_with\\_a\\_Skirt](https://www.researchgate.net/publication/267364857_Heave_Roll_and_Pitch_Damping_of_a_Deepwater_CALM_Buoy_with_a_Skirt).
- Craig I. 2016. Review of bonded rubber flexible hose design codes and guidelines in relation to Sea Water Intake Risers on FPSO vessels. In: Paper presented at the Offshore Technology Conference Asia, Kuala Lumpur, Malaysia, March 2016. <https://doi.org/10.4043/26648-MS>
- Cruz I, Claro C, Gouveia J, Lemos L, Câmara M, Pereira L, Mair JA, de Paula MTR, Escudero CC. 2015. The new technology enablers developed and deployed on a live project. In: Offshore Technology Conference, 04–07 May, Houston, Texas, USA. <https://doi.org/10.4043/25832-MS>
- Cruz I, Claro C, Sahonero D, Otani L, Pagot J. 2015. The Buoy Supporting Risers (BSR) system: A novel riser solution for ultra-Deep Water Subsea developments in harsh environments. In: Offshore Technology Conference, OTC Brasil, 27–29 October, Rio de Janeiro, Brazil. <https://doi.org/10.4043/26330-MS>
- Cruz Ivan, Hepner G, Karunakaran D, Claro C, Nicoletti F, Fontaine E, Hesar M, de Paula MTR, Trovado LC. 2015. The Buoy Supporting Risers (BSR) system: Engineering a solution for ultra-Deep Water Subsea developments in harsh environments. In: Offshore Technology Conference, 04–07 May, Houston, Texas, USA. <https://doi.org/10.4043/25865-MS>
- Dahl CS, Andersen BAM, Gronne M. 2012. Developments in managing flexible risers and pipelines, A suppliers perspective. In: Paper OTC 21844. Presented at the Offshore Technology Conference, Houston, Texas, USA, May 2011. <https://doi.org/10.4043/21844-MS>
- Dai Y, Li X, Yin W, Huang Z, Xie Y. 2021. Dynamics analysis of deep-sea mining pipeline system considering both internal and external flow. *Mar Georesour Geotechnol.* 39(4):408–418. doi:10.1080/1064119x.2019.1708517.
- Dareing D.W. 2012. Mechanics of drillstrings and marine risers. First Edition. ASME Press, New York, USA. <https://doi.org/10.1115/1.859995>
- Davidson J, Ringwood J. 2017. Mathematical modelling of mooring systems for wave energy converters—A review. *Energies.* 10(5):666. doi:10.3390/en10050666.
- De Baan J, van Heijst WJ. 1991. Disconnectable mooring system for deep water. US5044297A, USA, 03 September, 1991.
- De Baan J, van Heijst WJ. 1994. Offshore tanker loading system. US5275510A, USA, 04 January 1994.
- De Baan J. 2007. Off-shore mooring and fluid transfer system. Patent US7179144B2, USA. 2007-02-20.
- De Sousa JRM, Lima ECP, Ellwanger GB, Papaleo A. 2001. Local mechanical behavior of flexible pipes subjected to installation loads. In Proceedings of the 20th International Conference on Offshore Mechanics and Arctic Engineering.
- Dean RG, Dalrymple RA. 1991. Water wave mechanics for engineers and scientists - Advanced Series on Ocean Engineering, Volume 2, Singapore: World Scientific.
- DNV. 2014. DNV-OS-C201 Structural Design of Offshore Units (WSD Method) -Offshore Standard, Norway: Det Norske Veritas.
- DNV 2007. DNV-OS-F101 Offshore Standard. Submarine pipeline systems. Det Norske Veritas, Oslo, Norway.
- DNV 2010. DNV-OS-F201 Dynamic Risers: offshore standard. Det Norske Veritas, Oslo.
- DNVGL 2015. DNVGL-OS-E403. Flexible hoses - Rules and standards. Available at: <https://rules.dnv.com/docs/pdf/DNV/CP/2015-12/DNVGL-CP-0183.pdf>
- Doyle S, Aggidis GA. 2019. Development of multi-oscillating water columns as wave energy converters. *Renew Sustain Energy Rev.* 107:75–86. doi:10.1016/j.rser.2019.02.021.
- Drumond GP, Pasqualino IP, Pinheiro BC, Estefen SF. 2018. Pipelines, risers and umbilicals failures: A literature review. *Ocean Eng.* 148:412–425. doi:10.1016/j.oceaneng.2017.11.035.
- DSMA. 2019 Continental / ContiTech: Eddelbüttel + Schneider GmbH. Deep Sea Mining Alliance (DSMA), Hamburg, Germany. Available at: <https://www.deepsea-mining-alliance.com/en-gb/continental>
- Duggal A, Ryu S. 2005. The dynamics of deepwater offloading buoys. In *WIT Transactions on The Built Environment.* Vol. 84, Paper FSI05026FU. WIT Press, Southampton, UK. Available at: <https://www.witpress.com/Secure/elibrary/papers/FSI05/FSI05026FU.pdf>, 5<sup>th</sup> January, 2022.
- Dunlop 2015. Dunlop History- Where it all began. Dunlop Europe. Available at: [www.dunlop.eu/dunlop\\_be/\\_header/about\\_us/history/](http://www.dunlop.eu/dunlop_be/_header/about_us/history/) (Accessed on 2<sup>nd</sup> November, 2021).
- Dunlop. 1971. *Dunlop Offshore hose manual*, Grimsby, England: Dunlop Oil and Marine Division.



- Eggers F, Almeida JHS Jr, Azevedo CB, Amico SC. 2019. Mechanical response of filament wound composite rings under tension and compression. *Polym Test*. 78(105951):105951. doi:10.1016/j.polymertesting.2019.105951.
- Eisenzimmer. 1982. Hose coupling. Patent 4353581, USA, 1982-10-12.
- Ellis SE, Wadsworth TM, Lee K, Gerdes M, Altizer S. 2008. Connection Fatigue Index (CFI): An engineered solution for connection selection and a replacement for BSR. In: Society of Petroleum Engineers, IADC/SPE Drilling Conference, 4-6 March, Orlando, Florida, USA. <https://doi.org/10.2118/112105-MS>
- EMSTEC. 2016. *EMSTEC Loading & Discharge Hoses for Offshore Moorings*, Rosengarten: EMSTEC. Available at: [https://www.emstec.net/fileadmin/files/product/downloads/EMSTEC\\_Loading\\_and\\_Discharge\\_HOM\\_2009\\_\\_5th\\_Edition-open-file\\_10.pdf](https://www.emstec.net/fileadmin/files/product/downloads/EMSTEC_Loading_and_Discharge_HOM_2009__5th_Edition-open-file_10.pdf)
- EMSTEC. 2021. EMSTEC -About us. Available at: [www.emstec.net/about/](http://www.emstec.net/about/) (Accessed on 2<sup>nd</sup> November, 2021).
- Entwistle KM. 1981. The behaviour of braided hydraulic hose reinforced with steel wires. *Int J Mech Sci*. 23(4):229–241. doi:10.1016/0020-7403(81)90048-5.
- Eriksson M, Isberg J, Leijon M. 2006. Theory and experiment on an elastically moored cylindrical buoy. *IEEE J Ocean Eng*. 31(4):959–963. doi:10.1109/joe.2006.880387.
- Fantuzzi N, Borgia F, Formenti M, Righini R. 2019. Mechanical optimization of an innovative overboarding chute for floating umbilical systems. *Ocean Eng*. 180:144–161. doi:10.1016/j.oceaneng.2019.04.004.
- Feiler, et al. 1950. Coupling assembly for rotary drill hose. Patent 2506494, USA, 1950-05-02.
- Felippa CA, Chung JS. 1981. Nonlinear static analysis of deep ocean mining pipe—Part I: Modeling and formulation. *J Energy Resour Technol*. 103(1):11–15. doi:10.1115/1.3230807.
- Fernando US, Tan Z, Sheldrake T, Clements R. 2004 The stress analysis and residual stress evaluation of pressure armour layers in flexible pipes using 3D finite element models. In: 23rd International Conference on Offshore Mechanics and Arctic Engineering, Volume 3. ASME. <https://doi.org/10.1115/OMAEE2004-51200>
- Fisher, et al. 1999. Gasket assembly with elastomer expansion area. Patent 5947533, USA, 1999-09-07.
- Flexomarine. 2013. Product Catalogue—Hoses for Offshore Loading and Discharge Operations. Available at: [www.flexomarine.com.br](http://www.flexomarine.com.br)
- FluidTec. 2015. *Anflex Industrial hose*, Singapore: Fluid-Tec Engineering & Trading. Available at: <https://fluid-tec.net> (Accessed on 2<sup>nd</sup> November, 2021).
- Fluiconnecto. 2021. Fluiconnecto—Our History. Available at: [www.fluiconnecto.com/about-us/history](http://www.fluiconnecto.com/about-us/history) (Accessed on 2<sup>nd</sup> November, 2021).
- Flory JF. 1976. Combined catenary and single anchor leg mooring system. US3979785A, USA, 14 September 1976.
- Francesca Brindle. 2016. Trelleborg launches new seawater intake hoses for FLNG. Available at: <https://www.hydrocarbonengineering.com/product-news/22032016/trelleborg-launches-new-seawater-intake-hoses-for-flng-applications-2835/> Retrieved on 19<sup>th</sup> July, 2020.
- Friedrich R, Kuo M, Smyth K. 1998. High-pressure fiber reinforced composite pipe joint. Patent 5785092 A, USA, 28 July 1998.
- Gallagher WP. 1995. Marine riser. Patent 5474132 A, USA, 12 December 1995.
- Gao P, Gao Q, An C, Zeng J. 2021. Analytical modeling for offshore composite rubber hose with spiral stiffeners under internal pressure. *Journal of Reinforced Plastics and Composites*. 40(9-10):352–364. <https://doi.org/10.1177/0731684420962577>
- Gao Q, Zhang P, Duan M, Yang X, Shi W, An C, Li Z. 2018. Investigation on structural behavior of ring-stiffened composite offshore rubber hose under internal pressure. *Appl Ocean Res*. 79:7–19. doi:10.1016/j.apor.2018.07.007.
- Giacosa A., Mauriès B., Lagarrigue V. 2016. Joining forces to unlock LNG tandem offloading using 20" LNG floating hoses: An example of industrial collaboration. Presented at the Offshore Technology Conference, Houston, 2-5 May 2016. OTC-27132-MS.
- Giorgi G, Penalba M, Ringwood J. 2016. Nonlinear Hydrodynamic Models for Heaving Buoy Wave Energy Converters. AWTEC Asian Wave and Tidal Energy Conference, Singapore. Available at: <http://www.eeng.nuim.ie/jringwood/Respubs/C264AWTm.pdf>. Retrieved on 26<sup>th</sup> June, 2020.
- Goddard. 1998. Pipe coupler. Patent 5765880, USA, 1998-06-16.
- Goff R, Kay J. 2015. Investigations into the immediate and underlying causes of failures of offshore riser emergency shutdown valves. Prepared by the Health and Safety Laboratory for the Health and Safety Executive 2015. Research Report RR1072, HSE Books. Available at: <https://www.hse.gov.uk/research/rrpdf/rr1072.pdf>
- Goldsworthy W, Hardesty E. 1973. Method and apparatus for producing filament reinforced tubular products on a continuous basis. Patent 3769127 A, USA, 30 October 1973.
- Gong S, Xu P, Bao S, Zhong W, He N, Yan H. 2014. Numerical modelling on dynamic behaviour of deepwater S-lay pipeline. *Ocean Eng*. 88:393–408. doi:10.1016/j.oceaneng.2014.07.016.
- Gonzalez GM, de Sousa JRM, Sagrilo LVS. 2014. Behavior of offloading marine hose submitted to bending. Ibero-Latin American Congress on Computational Methods in Engineering Conference (CILAM2014), November 23-26, 2014. Fortaleza- Ceara, Brazil. Pages 1-15. Available at: [https://www.researchgate.net/publication/301493289\\_BEHAVIOR\\_OF\\_OFFLOADING\\_MARINE\\_HOSE\\_SUBMITTED\\_TO\\_BENDING](https://www.researchgate.net/publication/301493289_BEHAVIOR_OF_OFFLOADING_MARINE_HOSE_SUBMITTED_TO_BENDING) Retrieved on 24<sup>th</sup> January, 2022.
- Gonzalez GM, de Sousa JRM, Sagrilo LVS. 2016. A study on the axial behavior of bonded flexible marine hoses. *Mar syst ocean technol*. 11(3-4):31–43. doi:10.1007/s40868-016-0015-x.
- Goodall. 1940. Rotary hose coupling construction. Patent 2220785, USA, 1940-11-05.
- Goodyear. 2015. Parker Hose. Good year Rubber Products. Available at: <https://www.goodyearrubberproducts.com/top-100-products/Parker-Hose/Parker-Hose.asp> Accessed on 8<sup>th</sup> September, 2021.
- Goodyear. 2021. Goodyear's Beginnings. Available at: [www.corporate.goodyear.com/us/en/about/history/beginnings.html](http://www.corporate.goodyear.com/us/en/about/history/beginnings.html) (Accessed on 2<sup>nd</sup> November, 2021).
- Gouveia J, Sriskandarajah T, Karunakaran D, Manso D, Chiodo M, Zhou D, Cao L, Rao V, Vargas T, Escudero C. 2015a. Steel catenary risers (SCRs): From design to installation of the first reeled CRA lined pipes. Part I - risers design. In: OTC-25839-MS. In *Offshore Technology Conference Proceeding*. Houston, Texas, USA: OnePetro. <https://doi.org/10.4043/25839-MS>
- Gouveia J, Sriskandarajah T, Karunakaran D, Manso D, Chiodo M, Maneschy R, Pedrosa J, Cruz I. 2015b. The Buoy Supporting Risers (BSR) system: Steel catenary risers (SCRs) from design to installation of the first Reel CRA lined pipes. In: Offshore Technology Conference, OTC Brasil, 27-29 October, Rio de Janeiro, Brazil. <https://doi.org/10.4043/26332-MS>
- Graber HC, Terray EA, Donelan MA, Drennan WM, Van Leer JC, Peters DB. 2000. ASIS—A new air-sea interaction spar buoy: Design and performance at sea. *J Atmos Ocean Technol*. 17(5):708–720. doi:10.1175/1520-0426(2000)017<0708:aanasi>2.0.co;2.
- Graham H. 1982. *Newcastle model hose tests*, Grimsby, England.
- Grepaly, Istvan et al. 2005. High-pressure hose with adhesively bonded hose coupling which can be post-assembled. United States Patent 6938932, USA, 9<sup>th</sup> June, 2005.
- Gu Z, Hou X, Keating E, Ye J. 2020. Non-linear finite element model for dynamic analysis of high-speed valve train and coil collisions. *Int J Mech Sci*. 173(105476):105476. doi:10.1016/j.ijmecsci.2020.105476.
- Han SR, Choi JH, Kwak JS. 2012. New metal fitting geometry and optimization of the swaging parameters for an automobile power steering hose. *International Journal of Automotive Technology*. 13(4):637–644. doi:10.1007/s12239-012-0062-z.
- Harkleroad WI. 1969. Basic Principles of Hose Design. *Rubber Chemistry and Technology* 42 (3): 666–674. <https://doi.org/10.5254/1.3539247>
- Hayes G, Lemond J. 2013. Reducing noise in hydraulic systems. Parker Hannifin Corporation. Available at: <https://pdfs.semanticscholar.org/4632/3432ab9d101393f6ae7beea7e01f86f09d0f.pdf>
- Hiller D, Karunakaran D, Cruz I, Tadeu M. 2015. Developing an innovative Deepwater riser system: From concept to the full production of Buoy Supporting Risers (BSR). In: Offshore Technology Conference, 04-07 May, Houston, Texas, USA. <https://doi.org/10.4043/25850-MS>
- Haid L, Stewart G, Jonkman J, Robertson A, Lackner M, Matha D. 2013. Simulation-length requirements in the loads analysis of offshore floating wind turbines. In: *32nd International Conference on Ocean, Offshore and Arctic Engineering*. Nantes, France: ASME.
- Hampton JE. 1991. Mooring system. US5065687A, USA, 19 November, 1991.
- Hasegawa K, Li Y, Osakabe K. 2014. Collapse loads for circumferentially through-wall cracked pipes subjected to combined torsion and bending moments. *Eng Fract Mech*. 123:77–85. doi:10.1016/j.engfracmech.2013.12.013.
- Hasselmann K, Barnett TP, Bouws E, Carlson H, Cartwright DE, Enke K, Ewing JA, Gienapp H, Hasselmann DE, Kruseman P, et al. 1973. Measurements of wind-wave growth and swell decay during the Joint North Sea Wave Project (JONSWAP). *Ergänzungsheft zur Deutsche Hydrographische Zeitschrift; Ergänzungsheft; Reihe A*, 12(8 0).
- Hattori, et al. 1989. Corrugated plastic pipe coupling. Patent 4871198, USA, 1989-10-03.
- Hefler, et al. 1992. Flexible coupling device for use in an engine manifold system. Patent 5159811, USA, 1992-11-03.
- Ho R-T. 2008. Engineering considerations for offshore FSRU LNG receiving terminals. In: Offshore Technology Conference (OTC), 5-8 May, Houston, Texas, USA. Paper OTC 19439. <https://doi.org/10.4043/19439-MS>
- Holthuijsen LH. 2007. *Waves in oceanic and coastal waters* 1st ed., New York, USA: Cambridge University Press.
- Hong S, Hong SW. 1994. A three-dimensional dynamic analysis of towed system, Part 1. A Mathematical Formulation. *Journal of Ocean Engineering and Technology*. 8(1):16-22. Available at: <https://www.koreascience.or.kr/article/JAKO199411920577005.pdf>

- Hong K-S, Shah UH. 2018. Vortex-induced vibrations and control of marine risers: A review. *Ocean Eng.* 152:300–315. doi:10.1016/j.oceaneng.2018.01.086.
- Horvath, et al. 1970. Head-formation of flexible hoses, especially for deep-drilling hoses. Patent 3531143, USA, 1970-09-29.
- Horvath, et al. 1977. Coupling for reinforced flexible hoses. Patent 4000920, USA, 1977-01-04.
- HoseCo. 2017. *HoseCo Oil, Gas & Marine solutions*, Canning Vale, Australia: HoseCo Oil.
- Huang TS, Leonard JW. 1989. *Lateral Stability of a flexible submarine hose line*, Port Hueneme, California, USA.
- Humphreys G. 2006. Composite marine riser. Patent 7144048A1, USA, 25 December 2006.
- Hursa A, Rolich T, Ražić SE. 2009. Determining pseudo Poisson's ratio of woven fabric with a digital image correlation method. *Textile Research Journal*; 79 (17): 1588–1598. <https://doi.org/10.1177/0040517509104316>.
- IEA. 2017. World Energy Outlook 2017 (WEO17). International Energy Agency (IEA). Pages 1-782. Available at: <https://www.iea.org/reports/world-energy-outlook-2017> Accessed on: 24th January, 2022
- Irvine H. Max. 1981. *Cable Structures*. MIT Press, Cambridge, Massachusetts, USA.
- IMCA. 2001. Failure of cable socks (chinese fingers) on subsea rigging. IMCA SF 12/01 Report. Available at: <https://www.imca-int.com/alert/136/failure-of-cable-socks-chinese-fingers-on-subsea-rigging/>
- Irvine HM. 1981. *Cable structures*. Cambridge (MA): MIT Press.
- Isnard J-L, Ducouso P, Perraton R. 1999. Vessel with a disconnectable riser supporting buoy. US5941746A, USA, 24 August, 1999.
- ISO. 2006. ISO 13628-10: Petroleum and natural gas industries-Design and operation of subsea production systems-Part 10: Specification for bonded flexible pipe. International Standard Organisation, Geneva, Switzerland.
- ISO. 1991. ISO 1436: Rubber Hose and Hose Assemblies-Wire-Reinforced Hydraulic Type-Specification, International Standard Organisation, Geneva, Switzerland.
- ISO. 1997. ISO 8032: Rubber and Plastics Hose Assemblies Flexing Combined Hydraulic Impulse Test Half-Omega Test," International Standard Organisation, Geneva, Switzerland.
- Jae-Won Oh, Chang-Ho Lee, Sup Hong, Dae-Sung Bae, Hui-Je Cho, Hyung-Woo Kim. 2014. A study of the kinematic characteristic of a coupling device between the buffer system and the flexible pipe of a deep-seabed mining system. *International Journal of Naval Architecture and Ocean Engineering*, Volume 6, Issue 3, September 2014, Pages 652-669. <https://doi.org/10.2478/IJNAOE-2013-0203>
- Ja'e IA, Ali MOA, Yenduri A, Nizamani Z, Nakayama A. (2022). Optimisation of mooring line parameters for offshore floating structures: A review paper. *Ocean Engineering*, Volume 247, 1 March 2022, 110644. <https://doi.org/10.1016/j.oceaneng.2022.110644>.
- Jansen MB. 1985. Fixed turret subsea hydrocarbon production terminal. US4301840A, USA, 24 November, 1981.
- Jiang D, Ma L. 2017. Design and analysis of a wave-piercing buoy. In *Automotive, Mechanical and Electrical Engineering*. CRC Press. p. 69–73. Available at: <https://doi.org/10.1201/9781315210445-16>.
- Jiang D, Zhang J. 2017. Effect of heave plate on wave piercing buoy. In: *Automotive, Mechanical and Electrical Engineering*. CRC Press. p. 367–370.
- Jiang, D, Li, W, et al., 2017. The strength analysis of the wave piercing buoy. In *AIP Conference Proceedings*.
- Johansson, et al. 1991. Method of joining tubes having a corrugated wall of plastic material. Patent 5053097, USA, 1991-10-01.
- Jonathan Petit. 2016. Trelleborg seawater intake hoses meet unique demands of FLNG applications. Available at: <https://news.cision.com/trelleborg/r-trelleborg-seawater-intake-hoses-meet-unique-demands-of-flng-applications,c9939506> and <https://mb.cision.com/Main/584/9939506/491456.pdf> Retrieved on 19<sup>th</sup> July, 2020.
- Joubert P, Falcimaigne J. 1989. Device for preventing a flexible line from twisting. US4820217A, USA, 11 April, 1989.
- Joubert P, Loupias M, Durando P. 1981. Device for transferring a fluid through a liquid body by means of a flexible pipe. US4263004A, USA, 21 April, 1981.
- Kaiser. 1960. Fitting for a large-diameter rubber or plastic hose subjected to high loads. Patent 2940778, USA, 1960-06-14.
- Kalogirou A, Bokhove O. 2016. Mathematical and numerical modelling of wave impact on wave-energy buoys; OMAE2016-54937. In *Proceedings of the ASME 2016 35th International Conference on Ocean, Offshore and Arctic Engineering*. Volume 7: *Ocean Engineering*. Busan, South Korea. June 19–24, 2016. V007T06A067. ASME, pp. 1–8. <https://doi.org/10.1115/OMAE2016-54937>.
- Kang Y, Sun L, Kang Z, Chai S. 2014. Coupled analysis of FPSO and CALM buoy offloading system in West Africa. In: *Proceedings of the International Conference on Offshore Mechanics and Arctic Engineering - OMAE2014-23118*. California, USA: ASME.
- Katayama T, Hashimoto K, Asou H, Komori S. 2015. Development of a motion stabilizer for a shallow-sea-area spar buoy in wind, tidal current and waves. *J Ocean Wind Energy*. 2(3):182–192. doi:10.17736/jowe.2015.jcr40.
- Katona T, Nagy T, Zandiyeh ARK, Prinz M, Boros A. 2009. High performance flexible lines for the Oil industry. Presented at the IRC 2009, in Nuremberg, Germany, June 29- July 02, 2009. Published on: Kautschuk und Gummi Kunststoffe KGK, Issue November 2009, pages 589-592. Available at: [https://www.kgk-rubberpoint.de/wp-content/uploads/migrated/paid\\_content/artikel/910.pdf](https://www.kgk-rubberpoint.de/wp-content/uploads/migrated/paid_content/artikel/910.pdf)
- Kenwell. 2021. Seaflex Offshore Loading & Discharge Hoses - Super Stream Hose. Available at: [http://www.kenwell.com.sg/products/seaflex\\_offshore\\_loading\\_&\\_discharge\\_hoses/super\\_stream\\_hose](http://www.kenwell.com.sg/products/seaflex_offshore_loading_&_discharge_hoses/super_stream_hose) Accessed on: 19<sup>th</sup> July, 2021.
- Kim J, Kweon H-M, Jeong W-M, Cho I-H, Cho H-Y. 2015. Design of the dual-buoy wave energy converter based on actual wave data of East Sea. *Int J Nav Archit Ocean Eng*. 7(4):739–749. doi:10.1515/ijnaoe-2015-0052.
- Kim S-S, Yun H-S, Lee C-H, Kim H-W, Hong S. 2015. Efficient analysis of a deep-seabed integrated mining system using a subsystem synthesis method. In: *Proceedings of the ASME 2015 International Design Engineering Technical Conferences and Computers and Information in Engineering Conference*. Volume 6: *11th International Conference on Multibody Systems, Nonlinear Dynamics, and Control*. Boston, Massachusetts, USA. August 2–5, 2015. V006T10A014. ASME. <https://doi.org/10.1115/DETC2015-46700>
- Kim BT, Kim HJ. 2003. A study on the deformation characteristics of a high-pressure hose with respect to the swaging strokes. *J. Korea Society for Power System Engineering* 17(4): 37–42. [in Korean Language]. Available at: <https://www.joet.org/journal/view.php?number=1664> (Accessed on 2<sup>nd</sup> November, 2021).
- Kim BT, Kim HJ. 2003. Nonlinear finite element analysis for the swaging of a high-pressure hose. *J. Korea Society for Power System Engineering* 7(2):44–50.
- KLAW. 2021. Reducing stress on Hose Reel transfer systems when using Marine Breakaway Couplings. Klaw Whitepaper. Available at: <https://www.klawproducts.com/klaw/reports-and-papers/reducing-stress-hose-reels/>
- Knapp RH. 1979. Derivation of a new stiffness matrix for helically armoured cables considering tension and torsion. *Int J Numer Methods Eng*. 14 (4):515–529. doi:10.1002/nme.1620140405.
- Krismser S. 2003. Hydraulic hose failures caused by corrosion of the reinforcing strands. *Pr Fail Anal*. 3(2):33–39. doi:10.1007/bf02717420.
- Kurt. 2021. Marine Hydraulics: Marine Hose Products. Kurt Hydraulics. Available at: [www.kurthydraulics.com/industry-solutions/marine/](http://www.kurthydraulics.com/industry-solutions/marine/) (Accessed on 2<sup>nd</sup> November, 2021).
- Kwak S-B, Choi N-S. 2009. Micro-damage formation of a rubber hose assembly for automotive hydraulic brakes under a durability test. *Eng Fail Anal*. 16 (4):1262–1269. doi:10.1016/j.engfailanal.2008.08.009.
- Kwong AHM, Edge KA. 1998. A method to reduce noise in hydraulic systems by optimizing pipe clamp locations. *Proc Inst Mech Eng Part IJ Syst Control Eng*. 212(4):267–280. doi:10.1243/0959651981539451.
- Kuiper GL, Metrikine AV, Battjes JA. 2007. A new time-domain drag description and its influence on the dynamic behaviour of a cantilever pipe conveying fluid. *J Fluids Struct*. 23(3):429–445. doi:10.1016/j.jfluidstruct.2006.09.007.
- Lagarigue V, Hermay J, Mauriès B. 2014. Qualification Of A Cryogenic Floating Flexible Hose Enabling Safe And Reliable Offshore LNG Transfer For Tandem FLNG Offloading Systems. Presented at the Offshore Technology Conference, Houston, 5-8 May 2014. Paper No. OTC-25413-MS. DOI: 10.4043/25413-MS.
- Lagarigue V, Landriere N. 2017. Trelleborg Survey report 2017; In: *Trelleborg Report*; Ed: Louise Smyth. Trelleborg, France. Available at: <https://www.engineerlive.com/content/fluid-dynamics>
- Langkjaer. 2002. Assembly of an end-fitting and a flexible pipe. Patent 6412825, USA, 2002-07-02.
- Lassen T, Eide AL, Meling TS. 2010. Ultimate Strength and Fatigue Durability of Steel Reinforced Rubber Loading Hoses. *Proceedings of 29th International Conference on Ocean, Offshore and Arctic Engineering: Volume 5, Parts A and B*. DOI:10.1115/omae2010-20236
- Lassen T, Lem AI, Imingen G. 2014. Load Response and Finite Element Modelling of Bonded Loading Hoses. *Proceedings of ASME 2014 33rd International Conference on Ocean, Offshore and Arctic Engineering*, June 8–13, 2014, San Francisco, California, USA. Volume 6A, Paper No: OMAE2014-23545, V06AT04A034; pp. 1-17, <https://doi.org/10.1115/OMAE2014-23545>
- Le Cunff C, Ryu S, Duggal A, Ricbourg C, Heurtier J-M, Heyl C, Liu Y, Beauclair O. 2007. "Derivation of CALM Buoy Coupled Motion RAOs In Frequency Domain And Experimental Validation." Paper presented at the The Seventeenth International Offshore and Polar Engineering Conference, Paper Number: ISOPE-I-07-402, Accession Number: 2007-JSC-594, pp.1–8; Lisbon, Portugal, July 1-6, 2007. Available at: [https://www.sofec.com/wp-content/uploads/white\\_papers/2007-ISOPE-Derivation-of-CALM-Buoy-](https://www.sofec.com/wp-content/uploads/white_papers/2007-ISOPE-Derivation-of-CALM-Buoy-)



- Coupled-Motion-RAOs-in-Frequency-Domain.pdf Accessed on: 22nd January, 2022.
- Lebon L, Remery J. 2002. Bonga: Oil Off-loading System using Flexible Pipe. In: *Offshore Technology Conference Proceeding -OTC 14307*. May 6–9, 2002, Houston, Texas, USA: OnePetro, pp. 1–12. <https://doi.org/10.4043/14307-MS>
- Lee CH, Kim HW, Oh JW, Hong S. 2015a. A Study of Dynamic Analysis for Deep-seabed Integrated Mining System using Subsystem Synthesis Method. ECCOMAS Thematic Conference on Multibody Dynamics June 29 - July 2, 2015, Barcelona, Catalonia, Spain. Available at: <http://congress.cimne.com/multibody2015/admin/files/fileabstract/a211.pdf>
- Lee C-H, Hong S, Kim H-W, Kim S-S. 2015b. A comparative study on effective dynamic modeling methods for flexible pipe. *J Mech Sci Technol*. 29(7):2721–2727. doi:10.1007/s12206-015-0520-4.
- Lee G-C, Kim E, Cho H, Sim B, Jae-Hoon K. 2011a. A Study of the Life Characteristic of Hydraulic Hose Assembly by Adopting Temperature-Nonthermal Acceleration Model. *Journal of Applied Reliability*, 11(3):235–244. Available at: <https://www.koreascience.or.kr/article/JAKO201136151483093.pdf>
- Lee G-C, Kim H-E, Park J-W, Jin H-L, Lee Y-S, Kim J-H. 2011b. An experimental study and finite element analysis for finding leakage path in high pressure hose assembly. *Int J Precis Eng Manuf*. 12(3):537–542. doi:10.1007/s12541-011-0067-y.
- Longmore DK, Schlesinger A. 1991. Transmission of vibration and pressure fluctuations through hydraulic hoses. *Proc Inst Mech Eng Part I J Syst Control Eng*. 205(2):97–104. doi:10.1243/pime\_proc\_1991\_205\_319\_02.
- Lotveit SA, Muren J, Nilsen-Aas C. 2009. Bonded Flexibles—State of the Art Bonded Flexible Pipes; Report Number 26583U-1161480945-354, Revision 2.0, Approved on 17.12.2018; PSA: Asker, Norway, 2018; pp. 1–75. Available online: <https://www.ptil.no/contentassets/cc69bb9245ca41dfab2e3e635f2f258b/report-on-bonded-flexible-pipes2009.pdf> Retrieved on 21st December, 2021.
- Lotveit SA. 2018. State of the art Bonded Flexible Pipes 2018: 1255 PSA Norway-Bonded flexibles. 4Subsea AS, Asker, Norway. Report Number 26583U-1161480945-354, Revision 2.0. Available at: [https://www.4subsea.com/wp-content/uploads/2019/01/PSA-Norway-State-of-the-art-Bonded-Flexible-Pipes-2018\\_4Subsea.pdf](https://www.4subsea.com/wp-content/uploads/2019/01/PSA-Norway-State-of-the-art-Bonded-Flexible-Pipes-2018_4Subsea.pdf) Retrieved on 21st December, 2021.
- Lenci S, Callegari M. 2005. Simple analytical models for the J-lay problem. *Acta Mech*. 178(1–2):23–39. doi:10.1007/s00707-005-0239-x.
- Li X, Jiang X, Hopman H. 2018a. A review on predicting critical collapse pressure of flexible risers for ultra-deep oil and gas production. *Applied Ocean Research* 80 (2018), 1–10. <https://doi.org/10.1016/j.apor.2018.08.013>
- Li X, Jiang X, Hopman H. 2018b. Prediction of the critical collapse pressure of ultra-deep water flexible risers - a literature review. *FME Transactions*, Vol 46 (3), 306–312. <https://doi.org/10.5937/fmet1803306L>
- Li Y, Shaojun L, Xiaozhou H. 2019. Research on reflux in deep-sea mining pump based on DEM-CFD. *Mar Georesour Geotechnol*. 38(6):744–752. doi:10.1080/1064119x.2019.1632995.
- Li Y, Liu SJ, Li L. 2007. Dynamic Analysis of Deep-Ocean Mining Pipe System by Discrete Element Method. *China Ocean Engineering*. 21(1):175–185.
- Li F-S, Kyriakides S. 1991. On the response and stability of two concentric, contacting rings under external pressure. *Int J Solids Struct*. 27(1):1–14. doi:10.1016/0020-7683(91)90141-2.
- Lighthill J. 1979. waves and hydrodynamic loading. In *Proc. 2nd. Int. Conf. Behavior of Offshore Structures (BOSS '79)*. London, pp. 1–40.
- Lighthill J. 1986. Fundamentals concerning wave loading on offshore structures. *J Fluid Mech*. 173(1):667–681. doi:10.1017/s0022112086001313.
- Lipski W. 2011. Mechanical Lined Pipe - Installation by Reel-Lay. Subsea 7 Presentation, UK. Available at: <https://www.yumpu.com/en/document/view/26877695/mechanical-lined-pipe-installation-by-reel-lay-subsea-uk> (Accessed on 2<sup>nd</sup> November, 2021).
- Liu Y, Huang H, Gao H, Wu X. 2013. Modeling and boundary control of a flexible marine riser coupled with internal fluid dynamics. *J Control Theory Appl*. 11(2):316–323. doi:10.1007/s11768-013-1245-5.
- Lu J, Ma F, Tan Z, Sheldrake T. 2008. Bent collapse of an unbonded rough bore flexible pipe. Proceedings of the 27th International Conference on Offshore Mechanics and Arctic Engineering. Paper No: OMAE2008-57063, pp. 27–31; <https://doi.org/10.1115/OMAE2008-57063>
- Maclachlan. 1940. Hose and coupling structure. Patent 2219047, USA, 1940-10-22.
- Maneschy R, Romanelli B, Butterworth C, Pedrosa J, Escudero C, Vargas T. 2015. Steel Catenary Risers (SCRs): From design to installation of the first Reel CRA lined pipes. Part II: Fabrication and installation. In: *Offshore Technology Conference Proceeding*. Houston, Texas, USA: OnePetro. <https://doi.org/10.4043/25857-MS>
- Manouchehr S. 2012. A discussion of practical aspects of reeled flowline installation. Proceedings of the ASME 2012 31st International Conference on Ocean, Offshore and Arctic Engineering, OMAE2012, July 1–6, 2012, Rio de Janeiro, Brazil. Paper No. OMAE2012-83649.
- ManuliRubber. 2021. Manuli Rubber Industries (MRI)- Mission and Overview. Manuli Rubber, Italy Available at: [www.manulirubber.com](http://www.manulirubber.com) (Accessed on 2<sup>nd</sup> November, 2021).
- Mars WV, Fatemi A. 2001. “Experimental Investigation of Multiaxial Fatigue in Rubber”, 6th International Conference on Biaxial/Multiaxial Fatigue and Fracture, Lisboa.
- Mars WV, Fatemi A. 2004. Observations of the constitutive response and characterization of filled natural rubber under monotonic and cyclic multiaxial stress states. *J Eng Mater Technol*. 126(1):19–28. doi:10.1115/1.1631432.
- Mars WV, Fatemi A. 2005. Multiaxial fatigue of rubber: Part II: experimental observations and life predictions. *Fatigue Fract Eng Mater Struct*. 28 (6):523–538. doi:10.1111/j.1460-2695.2005.00895.x.
- Martins CA, Pesce CP, Aranha JAP. 2003. “Structural Behavior of Flexible Pipe Carcass During Launching,” ASME Paper No. OMAE2003- 37053.
- Maslin E. 2014. Unmanned buoy concepts grow. *Offshore Engineer*, 1(05). Available at: <http://www.oedigital.com/component/k2/item/5621-unmanned-buoy-concepts-grow>.
- Mauriès B. 2014. Development of an LNG Tandem Offloading System Using Floating Cryogenic Hoses - Breaking the Boundaries of LNG Transfer in Open Seas. Presented at the Offshore Technology Conference, 5–8 May 2014, Houston, USA. Paper No. OTC-25342-MS. <https://doi.org/10.4043/25342-MS>
- Mayau D, Rampi L. 2006. Trelline— a New Flexible Deepwater Offloading Line (OLL). Paper presented at the The Sixteenth International Offshore and Polar Engineering Conference, San Francisco, California, USA, May 2006. Paper Number: ISOPE-I-06-127. Published: May 28 2006
- McCormick, ME. 2010. *Ocean Engineering Mechanics with applications*, New York, USA: Cambridge University Press.
- Milad M, Green S, Ye J. 2018. Mechanical properties of reinforced composite materials under uniaxial and planar tension loading regimes measured using a non-contact optical method. *Compos Struct*. 202:1145–1154. doi:10.1016/j.compstruct.2018.05.070.
- Miller J, Chermak MA. 1997. Wire braid angle response characteristics in hydraulic hose. SAE Technical Paper 972706, SAE Trans. 106, 2, 107–126 <https://doi.org/10.4271/972706>
- Mills D. 2000. Using rubber hose to enhance your pneumatic conveying process. *Powder and Bulk Engineering*, Issue 3, March 2000. Pages 79–97. Available at: [https://www.powderbulk.com/wp-content/uploads/pdf/pbe\\_20000301\\_79.pdf](https://www.powderbulk.com/wp-content/uploads/pdf/pbe_20000301_79.pdf)
- Minguez M, Clergue S, Van Kessel J, Bessière L, Pattedoie S, Renaud M, Skledar M, Lange F, Miller E, Masterton S. 2020. Water Intake Riser WIR – from design to installation, an example of complex structure requiring multi-disciplinary approach. In: *Offshore Technology Conference*, 04–07 May, Houston, Texas, USA. <https://doi.org/10.4043/30708-MS>
- Morgan G, Lilly H. 1974. Transfer system for suboceanic oil production. US3834432A, USA, 10 September, 1974.
- Morison JR, Johnson JW, Schaaf SA. 1950. The force exerted by surface waves on piles. *J Pet Technol*. 2(05):149–154. doi:10.2118/950149-g.
- Motulsky HJ, Ransnas LA. 1987. Fitting curves to data using nonlinear regression: a practical and nonmathematical review. *FASEB J* 1(5):365–74.
- MSCSoftware. 2021. Marc- Advanced Nonlinear Simulation Software. MSC Software, USA. Available at [www.msccsoftware.com](http://www.msccsoftware.com)
- Muller. 1941. Hose and coupling structure. Patent 2234350, USA, 1941-03-11.
- Muller. 1949. Hose coupling. Patent 2473441, USA, 1949-06-14.
- Mungall JCH, Garrett DL, Alexander CH. 1997. Marine steel catenary riser system. US5639187A, USA, 17 June, 1997.
- Muren J. 2007. Failure modes, inspection, testing and monitoring. PSA Norway Report. Report Number D5996-RPT01-REV02. Available at: [https://www.ptil.no/contentassets/a4c8365164094826a24499ef9f22742b/p5996rpt01rev02ceaflex\\_janmuren.pdf](https://www.ptil.no/contentassets/a4c8365164094826a24499ef9f22742b/p5996rpt01rev02ceaflex_janmuren.pdf) (Accessed on 2<sup>nd</sup> November, 2021).
- Murphy, et al. 1979. Hose coupling. Patent 4143892, USA, 1979-03-13.
- Mustoe GG, Hettelmaier HP, Chung JS. 1992. Assessment of dynamic coupled bending-axial effects for two-dimensional deep-ocean pipes by the discrete element method. *International Journal of Offshore and Polar Engineering*. 2 (4):289–296.
- Nagy T, Antal S, Boros A, Sergely ZI. 1999. High pressure hoses for the offshore oil industry. ‘Hochdruckschläuche in der Offshore Ölindustrie’. Presented at the DKG-Fachtagung ‘98, in Fulda. Kautschuk und Gummi Kunststoffe. 52 (7):482–485. [In German Language]. Available at: [https://www.researchgate.net/publication/291532602\\_High\\_pressure\\_hoses\\_for\\_the\\_offshore\\_oil\\_industry](https://www.researchgate.net/publication/291532602_High_pressure_hoses_for_the_offshore_oil_industry) (Accessed on 2<sup>nd</sup> November, 2021).
- Nakane. 1935. Flexible hose. Patent 1994587, USA, 1935-03-19.
- Nandakumar BN, Hooper A, Hvide HJ. 2002. Catenary anchor leg mooring buoy. US5651709A, USA, 20 June, 2002.
- NationalArchives. 2021. Dunlop Ruber Company Limited. The National Archives, Vol. 74, London Metropolitan Archives: City of London. Available at: [www.discovery.nationalarchives.gov.uk/details/r/ea550246-a341-4f78-9f52-cba3aa5bd69b](http://www.discovery.nationalarchives.gov.uk/details/r/ea550246-a341-4f78-9f52-cba3aa5bd69b) (Accessed on 2<sup>nd</sup> November, 2021).



- Neto AG, Martins C de A, Malta ER, Tanaka RL, Godinho CAF. 2016. Simplified finite element models to study the dry collapse of straight and curved flexible pipes. *J Offshore Mech Arct Eng Trans ASME*. 138(2):021701. doi:10.1115/1.4032156.
- Neto AG, Martins CA, Malta ER, Tanaka RL, Godinho CAF. 2017. Simplified Finite Element Models to Study the Wet Collapse of Straight and Curved Flexible Pipes. *ASME J Offshore Mech Arct Eng*. 139(6):1–9.
- Neto AG, Martins CA. 2014. Flexible pipes: influence of the pressure armor in the wet collapse resistance. *J Offshore Mech. Arct. Eng*. 136 031401-1-8. Paper No: OMAE-11-1085 <https://doi.org/10.1115/1.4027476>
- Neto AG, Martins CA. 2010. “Burst Prediction of Flexible Pipes,” Proceedings of the 29th International Conference on Offshore Mechanics and Arctic Engineering, 2010.
- Neto AG, Martins CA. 2012. A Comparative Wet Collapse Buckling Study for the Carcass Layer of Flexible Pipes. *ASME J Offshore Mech Arct Eng*. 134 (3):031701.
- Neto AG, Martins C de A, Pesce CP, Meirelles COC, Malta ER, Neto TFB, Godinho CAF. 2013. Prediction of burst in flexible pipes. *J Offshore Mech Arct Eng Trans ASME*. 135(1):011401. doi:10.1115/1.4007046.
- Newman JN. 1963. The motions of a spar buoy in regular waves, Report No. 1499, Virginia, USA.
- Ning Y, Guang-Guo C, Da-Sheng T. 2011. Behavior of single particle and group particles in vertical lifting pipe in china. In: Proceedings of the Ninth ISOPE Ocean Mining Symposium. Maui, Hawaii, USA. p. 153–157.
- Nooij S. 2006. *Feasibility of IGW technology in offloading hoses*. Delft University of Technology.
- O’Brien P., et al. 2012. “Outcomes from the SureFlex Joint Industry Project—An International Initiative on Flexible Pipe Integrity Assurance”. Paper No. OTC 21524. Presented at: *Offshore Technology Conference*, Houston, USA.
- O’Donoghe T, Halliwell AR. 1988. Floating Hose-Strings Attached to a CALM Buoy. In *Offshore Technology Conference Proceeding - OTC 5717*. Houston, Texas, USA: OnePetro, pp. 313–320
- O’Donoghue T. 1987. The dynamic behaviour of a surface hose attached to a CALM buoy. PhD Thesis. *Heriot-Watt University, Edinburgh. Offshore Engineering Department*, UK, pp. 1-197. Available at: <https://www.ros.hw.ac.uk/handle/10399/1045?show=full> (Accessed on 22<sup>nd</sup> January, 2022).
- O’Donoghue T, Halliwell AR. 1990. Vertical bending moments and axial forces in a floating marine hose-string. *Eng Struct*. 12(2):124–133. doi:10.1016/0141-0296(90)90018-n
- O’Sullivan M. 2002. West of Africa CALM Buoy Offloading Systems. *MCS Kenny Offshore Article*. Technical Note for Flexcom-3D Version 5.5.2, MCS International, February 2002. Pages 1-3. Available at: <https://pdf4pro.com/amp/cdn/west-of-africa-calm-buoy-offloading-systems-1c6034.pdf>. (Accessed on 22<sup>nd</sup> January, 2022).
- O’Sullivan M. 2003. Predicting interactive effects of CALM buoys with deep-water offloading systems. *Offshore Magazine*, 63(1): 16755731. Available at: <https://www.offshore-mag.com/production/article/16755731/predicting-interactive-effects-of-calm-buoys-with-deepwater-offloading-systems> (Accessed on 22<sup>nd</sup> January, 2022).
- Obokata, J. 1987. On the basic design of single point mooring (1st Report)- Applications of the Dynamic Stability Analysis to the Primary Planning of the System. *Journal of the Society of Naval Architects of Japan*, 1987(161), pp.183–195.
- Obokata J, Nakajima T. 1988. On the basic design of single point mooring system (2nd report) - Estimation of the Mooring Force. *Journal of the Society of Naval Architects of Japan*. (163):252–260.
- OCIMF. 2009. *Guide to Manufacturing and Purchasing Hoses for Offshore Moorings (GMPHOM)*. 5<sup>th</sup> Edition. Oil Companies International Marine Forum, Witherby Seamanship International Ltd, Livingstone, UK. Available at: <https://www.ocimf.org/publications-advocacy/publications/books/guide-to-manufacturing-and-purchasing-hoses-for-offshore-moorings-gmphom>
- OCIMF. 2021. *Guideline for the Handling, Storage, Use, Maintenance and Testing of the Hose*, 1st Ed. London, UK: Witherby & Co. Ltd. Available at: <https://ocimf.org/document-library/359-guidelines-for-the-handling-storage-use-maintenance-and-testing-of-sts-hoses/file> (Accessed on 22<sup>nd</sup> January, 2022).
- OCIMF. 1995a. *Guideline for the Handling, Storage, Inspection and Testing of the Hose*, 2nd Ed. London, UK: Witherby & Co. Ltd.
- OCIMF. 1995b. *Single Point Mooring Maintenance and Operations Guide (SMOG)*. London, UK: Witherby & Co. Ltd.
- Odijie AC. 2016. Design of Paired Column Semisubmersible Hull. PhD Thesis Lancaster University, Lancaster, UK Available at: <https://doi.org/10.17635/lancaster/thesis/39>.
- Odijie AC, Wang F, Ye J. 2017a. A review of floating semisubmersible hull systems: Column stabilized unit. *Ocean Eng*. 144:191–202. doi:10.1016/j.oceaneng.2017.08.020.
- Odijie AC, Quayle S, Ye J. 2017b. Wave induced stress profile on a paired column semisubmersible hull formation for column reinforcement. *Eng Struct*. 143:77–90. doi:10.1016/j.engstruct.2017.04.013.
- Ogden RW. 1972. Large deformation isotropic elasticity – on the correlation of theory and experiment for incompressible rubberlike solids. *Proc. R. Soc. Lond*. A326565–584. <http://doi.org/10.1098/rspa.1972.0026>
- Oh JW, et al. 2015. A study of integration framework for co-simulation with optimization design and multi-body dynamics. ECCOMAS Thematic Conference on Multibody Dynamics June 29 - July 2, 2015, Barcelona, Catalonia, Spain. Available at: <http://congress.cimne.com/multibody2015/admin/files/fileabstract/a145.pdf>
- Oh J-W, Lee C-H, Hong S, Bae D-S, Cho H-J, Kim H-W. 2014. A study of the kinematic characteristic of a coupling device between the buffer system and the flexible pipe of a deep-seabed mining system. *Int j nav archit ocean eng*. 6 (3):652–669. doi:10.2478/ijnaoe-2013-0203.
- OIL. 2014. *Floating & submarine hoses (EMSTEC)- OIL hoses brochure*, Dudley, UK: Offspring International Limited.
- OIL. 2015. *Mooring and Offloading Systems*, Dudley, UK: Offspring International Limited.
- OIL. 2020. *OIL Offloading Hoses Brochure*. Offspring International Limited. Dudley, UK. Available at: <https://www.offspringinternational.com/wp-content/uploads/2020/06/OIL-Offloading-Hoses-Brochure-2020-W.pdf>
- Oliveira MC. 2003. Ultradeepwater Monobuoys, OMAE2003-37103. In *International Conference on Offshore Mechanics & Arctic Engineering*. Cancun, Mexico: ASME, pp. 1–10.
- Olufsen A, Nordsve NT, Karunakaran D. 1997. Riser. WO1997006341A1, USA, 20 February, 1997.
- Orcina. 2014. *OrcaFlex Manual, Version 9.8a*, Ulverton, Cumbria, UK.
- Orcina. 2019a. *OrcaFlex version 10.3d. Software Technical Specification*. Orcina Ltd, Ulverton, Cumbria.
- Orcina. 2019b. *OrcaFlex Version 10.3d Documentation*, Orcina Ltd, Ulverton, Cumbria, UK. Available at: <https://www.orcina.com/SoftwareProducts/OrcaFlex/Documentation/index.php>.
- Orcina. 2020a. *Orcina Orcaflex*, Retrieved from: <http://www.orcina.com/SoftwareProducts/OrcaFlex/index.php>, Accessed on 2019-12-22.
- Orcina. 2020b. *Vessel theory: RAOs and phases*. Available at: <https://www.orcina.com/webhelp/OrcaFlex10.3d> Accessed 21st Mar. 2020
- Padua MM, Goulart MP, Mastrangelo CF, Loureiro RR, Castro GAV, João LV, Maddalena MA. 2020. A journey of floating production systems in Brazil. In: *Offshore Technology Conference*, 4-7 May, Houston, Texas, USA. <https://doi.org/10.4043/30554-MS>
- Paidoussis MP. 2014. *Fluid-Structure Interactions: Slender Structures and Axial Flow* 2nd Ed., Oxford, UK: Elsevier Ltd.
- Panicker NN, Gentry LL, Moss HH. 1984. Marine compliant riser system. 03 January, 1984.
- Pan B, Qian K, Xie H, Asundi A. 2009. Two-dimensional digital image correlation for in-plane displacement and strain measurement: a review. *Meas Sci Technol*. 20(6):062001. doi:10.1088/0957-0233/20/6/062001.
- Papusha AN. 2015. *Beam Theory for Subsea Pipelines: Analysis and Practical Applications*, 1<sup>st</sup> Edition, Wiley-Scrivener and John Wiley & Sons, Inc., New Jersey, USA.
- Patel MH, Seyed FB. 1995. Review of flexible riser modelling and analysis techniques. *Eng Struct*. 17(4):293–304. doi:10.1016/0141-0296(95)00027-5.
- Paumier L, Averbuch D, Felix-Henry A. 2009, “Flexible Pipe Curved Collapse Resistance Calculation,” ASME Paper No. OMAE2009-79117 <https://doi.org/10.1115/OMAE2009-79117>
- Patil S, Bagade R, Tamboli J. 2020. The effect of thermostatic test environment on the flexural fatigue performance of hydraulic hose assemblies. *IOP Conf Ser Mater Sci Eng*. 804(1):012001. doi:10.1088/1757-899x/804/1/012001.
- Pavlou GD. 2013. *Composite materials in piping applications*. DEStech Publications Inc., Lancaster, Pennsylvania, USA. ISBN: 978-1-60595-0297
- Pesce CP, Martins CA, Gay Neto A, Fajarra ALC, Takafuji FCM, Franzini GR, Barbosa T, Godinho CA. 2010. Crushing and wet collapse of flowline carcasses: A theoretical-experimental approach. In: 29th International Conference on Ocean, Offshore and Arctic Engineering: Volume 5, Parts A and B. ASMEDC. p. 521–529.
- Pham D-C, Sridhar N, Qian X, Sobey AJ, Achintha M, Shenoi A. 2016. A review on design, manufacture and mechanics of composite risers. *Ocean Eng*. 112:82–96. doi:10.1016/j.oceaneng.2015.12.004.
- Pham DC, Sridhar N, Qian X, Zhang W, Sobey A, Achinta M, Shenoi RA. 2015. Composite riser design and development – a review. In book: *Analysis and Design of Marine Structures V*, Chapter: 72. Publisher: CRC Press; Editors: Carlos Guedes Soares; R. Ajit Shenoi. March 2015 DOI: 10.1201/b18179-84
- Picard D, Hudson W, Bouquier L, Dupupet G, Zivanovic I. 2007. Composite Carbon Thermoplastic Tubes for Deepwater Applications. In: *OTC 19111. Offshore Technology Conference*, 1–9.
- Piccoli DE. 1976. Hose design for unusual hose applications. *J Elastomers Plast*. 8 (4):403–413. doi:10.1177/009524437600800404.
- Pierce RH. 1987. Composite marine riser system. Patent 4634314 A, USA, 6 January 1987.

- Pierson WJ Jr., Moskowitz L. 1964. A proposed spectral form for fully developed wind seas based on the similarity theory of S. A. Kitaigorodskii. *J Geophys Res.* 69(24):5181–5190. doi:10.1029/jz069i024p05181.
- Pinkster JA, Remery GFM. 1975. The role of Model Tests in the design of Single Point Mooring Terminals. In *Offshore Technology Conference Proceeding -OTC 2212*. Dallas, Texas, USA: OnePetro, pp. 679–702.
- Poisson J-L, Lacroix F, Meo S, Berton G, Ranganathan N. 2011. Biaxial fatigue behavior of a polychloroprene rubber. *Int J Fatigue.* 33(8):1151–1157. doi:10.1016/j.jfatigue.2011.01.014.
- Policelli FJ. 1989. End connectors for filament wound tubes. Patent 4813715 A, USA, 21 March 1989.
- Policelli FJ. 1993. Filament wound threaded tube connection. Patent 5233737 A, USA, 10 August 1993.
- Potluri P, Thammandra VS. 2007. Influence of uniaxial and biaxial tension on meso-scale geometry and strain fields in a woven composite. *Compos Struct.* 77(3):405–18.
- Prischi N, Mazuet F, Frichou A, Lagarrigue V. 2012. SS-offshore offloading systems and operations bonded flexible Oil Offloading Lines, A cost effective alternative to traditional Oil Offloading Lines. In: Paper presented at the Offshore Technology Conference, Houston, Texas, USA, April 2012. <https://doi.org/10.4043/23617-MS>
- PSA. 2013. Un-bonded Flexible Risers – Recent Field Experience and Actions for Increased Robustness. 0389-26583-U-0032, Revision 5, Prepared by 4Subsea For PSA Norway. Available at: <https://www.ptil.no/contentassets/c2a5bd00e8214411ad5c4966009d6ade/un-bonded-flexible-risers-recent-field-experience-and-actions-for-increased-robustness.pdf> [Last accessed 17th June 2021.]
- PSA. 2018. Bonded Flexibles – State of the art bonded flexible pipes. 0389-26583-U-0032, Revision 5, Prepared By 4Subsea For PSA Norway. Available at: [https://www.4subsea.com/wp-content/uploads/2019/01/PSA-Norway-State-of-the-art-Bonded-Flexible-Pipes-2018\\_4Subsea.pdf](https://www.4subsea.com/wp-content/uploads/2019/01/PSA-Norway-State-of-the-art-Bonded-Flexible-Pipes-2018_4Subsea.pdf) [Last accessed 17th June 2021].
- Quash JE, Brgess S. 1979. Improving underbuoy hose system design using relaxed storm design criteria. In *Offshore Technology Conference Proceeding*. pp. 1827–1836.
- Quigley PA, Nolet SC, Williams JG. 2000. Composite spoolable tube. Patent 6016845, USA, 25 January 2000.
- Ramos R Jr, Pesce CP. 2016. A consistent analytical model to predict the structural behavior of flexible risers subjected to combined loads. *J Offshore Mech Arct Eng Trans ASME.* 126(2):141–146. doi:10.1115/1.1710869.
- Raheem SEA. 2013. Nonlinear response of fixed jacket offshore platform under structural and wave loads., 2(1):111–126.
- Rahman M. 1981. Non-linear wave loads on large circular cylinders: a perturbation technique. *Advances in Water Resources.* 4(1):9–19.
- Rahman M. 1984. Second order wave interaction with large structures. In: Rogers TBMC, editor. *Wave Phenomena: Modern Theory and Applications*. Holland: Elsevier B.V. p. 49–69.
- Rampi L, Lavagna P, Mayau D. 2006. TRELLINE? A cost-effective alternative for oil offloading lines (OOLs). In: Paper presented at the Offshore Technology Conference, Houston, Texas, USA, May 2006. <https://doi.org/10.4043/18065-MS>
- Rattensperger H, Eberhardsteiner J, Mang HA. 2003. Numerical investigation of high-pressure hydraulic hoses with steel wire braid. In: IUTAM Symposium on Computational Mechanics of Solid Materials at Large Strains. Dordrecht: Springer Netherlands. p. 407–416. [https://doi.org/10.1007/978-94-017-0297-3\\_37](https://doi.org/10.1007/978-94-017-0297-3_37)
- Remery GFM. 1981. Device for conveying a medium from means provided in a fixed position on a bottom below the water surface to a buoy body. US4279543A, USA, 21 July, 1981.
- RenewablesUK. 2021. Wind energy statistics. Available at: <https://www.renewableuk.com/page/UKWEDhome> Accessed on: 9<sup>th</sup> May, 2021.
- Rey V, Calvé OL. 2003. Experimental survey of the hydrodynamic performance of a small spar buoy. *Appl Ocean Res.* 24(6):309–320. doi:10.1016/s0141-1187(03)00026-9.
- Ricbourg C, Berhault C, Camhi A, Lécuyer B, Marcer R. 2006. Numerical and experimental investigations on Deepwater CALM buoys hydrodynamics loads. In: *Offshore Technology Conference Proceeding -OTC 18254 -PP*. Houston, Texas, USA: OnePetro, pp. 1–8.
- Richardson S. 2004. Big bore rubber hoses for marine and offshore applications. 2004. *World Dredging, Mining and Construction*, 40(8), August 2004, Pages 16. ISSN: 1045-0343
- Roveri FE, Volnei L, Sagrilo S, Cicilia FB. 2002. A Case Study on the Evaluation of Floating Hose Forces in a CALM System. *International Offshore and Polar Engineering Conference.* 3:190–197.
- Rudnick BP. 1967. Motion of a Large Spar Buoy in Sea Waves. *J Sh Res.* p. 257–267.
- Ruiz MJG, Gonzalez LYS. 2006. Comparison of hyperelastic material models in the analysis of fabrics. *Int J Cloth Sci Technol.* 18:314–25.
- Rychlik I. 1987. A new definition of the rainflow cycle counting method. *Int J Fatigue.* 9(2):119–121. doi:10.1016/0142-1123(87)90054-5.
- Ryu S, Duggal AS, Heyl CN, Liu Y. 2006. Prediction of deepwater oil offloading buoy response and experimental validation. *Int J Offshore Polar Eng.* 16(3):1–7.
- SAE. 2001. “Test and Test Procedures for SAE100R Series Hydraulic Hose and Hose Assemblies SAE J343,” SAE Standard REV Jul 2001.
- SAE. 2008. “Hydraulic Hose,” SAE J517. Society of Automotive Engineers.
- Sagrilo LVS, Siqueira MQ, Ellwanger GB, Lima ECP, Ferreira MDAS, Mourelle MM. 2000. A coupled approach for dynamic analysis of CALM systems. *Appl Ocean Res.* 24(1):47–58. doi:10.1016/s0141-1187(02)00008-1.
- Saito H, Mochizuki T, Fukai T, Okui K. 1980. Actual measurement of external forces on marine hoses for SPM. In: *Offshore Technology Conference Proceeding -OTC 3803*. Houston, Texas, USA: OnePetro, pp. 89–97.
- Salama MM., Mercier JA. 1987. Aramid composite well riser for deep water offshore structures. Patent 0244048A2, USA, 4 November 1987.
- Salama MM, Spencer BE. 2010. Method of manufacturing composite riser. Patent 7662251B2, USA, 16 February 2010.
- Sánchez SHA, Salas CC. 2006. “Risers Stability under External Pressure, Axial Compression and Bending Moment Considering the Welded as Geometrical Imperfection,” Proceedings of the 25th International Conference on Offshore Mechanics and Arctic Engineering, 2006.
- Sanders JV. 1982. A three-dimensional dynamic analysis of a towed system. *Ocean Eng.* 9(5):483–499. doi:10.1016/0029-8018(82)90038-5.
- Sao K, Member SK, Numata T. 1987. Basic Equation and SALM Buoy Motion - Analysis Method for Single Point Mooring (Report 1). *Journal of the Society of Naval Architects of Japan*, 1987(182), pp.257–266.
- Sarpkaya T. 2014. *Wave forces on offshore structures* 1st ed., New York, USA: Cambridge University Press.
- Sas-Jaworsky A. 1999. Composite coiled tubing end connector. Patent 5988702, USA, 23 November 1999.
- Sas-Jaworsky A, Williams JG. 1994. Spoolable composite tubular member with integrated conductors. Patent 5285008, USA, 8 February 1994.
- Saunders C, O’Sullivan T. 2007. Integrity management and life extension of flexible pipe. In: Offshore Europe, Society of Petroleum Engineers (SPE). Paper presented at the SPE Offshore Europe Oil and Gas Conference and Exhibition, Aberdeen, Scotland, U.K., September 4-7, 2007. <https://doi.org/10.2118/108982-MS>
- SBMO. 2012. *SBMO CALM Brochure*, Amsterdam, The Netherlands: SBM Offshore. Available at: [https://www.sbmooffshore.com/wp-content/uploads/2013/09/SBMO-CALM\\_Original\\_2048.pdf](https://www.sbmooffshore.com/wp-content/uploads/2013/09/SBMO-CALM_Original_2048.pdf)
- SBMOffshore. 2011. SBM Offshore’s COOLTM LNG Marine Transfer Hose System externally certified for first application in the industry. Press release-SBM Offshore N.V., 22nd March, 2011. Available at: [https://www.sbmooffshore.com/wp-content/uploads/2013/05/PressRelease-20110322\\_Original\\_541.pdf](https://www.sbmooffshore.com/wp-content/uploads/2013/05/PressRelease-20110322_Original_541.pdf)
- Schirtzinger JF. 1969. Apparatus for loading and unloading offshore vessels. US3466680A, USA, 16 September, 1969.
- Schrittesser B, Pinter G, Schwarz T, Kadar Z, Nagy T. 2016. Rapid Gas Decompression Performance of elastomers – A study of influencing testing parameters. *Procedia struct integr.* 2:1746–1754. doi:10.1016/j.prostr.2016.06.220.
- Schram JW, Reyle SP. 1968. A three-dimensional dynamic analysis of a towed system. *J hydronautics.* 2(4):213–220. doi:10.2514/3.62793.
- Selvadurai A. 2006. Deflections of a rubber membrane. *J Mech Phys Solids*;54(6):1093–119.
- Serene CY, Chze LP. 2015. Subsea Condition Monitoring: Does Effective Diagnosis Increase Availability? *Journal of Petroleum Technology (JPT)*. Published on November 30, 2015. Available at: <https://jpt.spe.org/subsea-condition-monitoring-does-effective-diagnosis-increase-availability>
- Seyed FB, Patel MH. 1992. Mathematics of flexible risers including pressure and internal flow effects. *Mar Struct.* 5(2–3):121–150. doi:10.1016/0951-8339(92)90025-k.
- Shabana AA, Yakoub RY. 2001. Three dimensional absolute nodal coordinate formulation for beam elements: Theory. *J Mech Des N Y.* 123(4):606–613. doi:10.1115/1.1410100.
- Sherry Xiang, Peimin Cao, Richard Erwin and Steven Kibbee, OTEC Cold Water Pipe Global Dynamic Design For Ship-Shaped Vessels. OMAE2013-10927, Nantes, France, 2013.
- Shotbolt K. 1988. Flexible riser system. US4793737A, USA, 27 December, 1988.
- Simmons P. 1993. Composite threaded pipe connectors and method. Patent 5233737 A, USA, 10 August 1993.
- Simonsen A. 2014. Inspection and monitoring techniques for unbonded flexible risers and pipelines. Masters Thesis, University of Stavanger, Norway.
- Smyth L. 2017. Fluid dynamics. Lagarrigue & Landriere (2017). Engineer Live Magazine. Published on 1<sup>st</sup> Aug. 2017. Available at: <https://www.engineerlive.com/content/fluid-dynamics>
- Sobrinho LL, Bastian FL, Materiais EDe, Cariri C, Janeiro RDe, Janeiro RDe. 2011. *Composite tubes for riser application in deep water † t.* 1–17.



- SOFEC. 2021. About SOFEC mooring solutions & Fluid Transfer systems. Available at: [www.sofec.com/about-sofec/](http://www.sofec.com/about-sofec/) (Accessed on 2<sup>nd</sup> November, 2021).
- SolentUniversity. 2021. Offshore oil and gas renewables. Solent University, Southampton, UK. Available at: <https://maritime.solent.ac.uk/maritime-industry/offshore-renewable> Accessed on 30th August, 2021.
- Song H, Estep JW. 2006. Spoolable composite coiled tubing connector. Patent 7059881 B2, USA, 13 July 2006.
- Sorensen RM. 2006. *Basic Coastal Engineering* 3rd ed., New York, USA: Springer.
- Sorensen RM. 1993. *Basic Wave Mechanics: For Coastal and Ocean Engineers*, John Wiley and Sons.
- Sousa JRM de, Magluta C, Roitman N, Ellwanger GB, Lima ECP, Papaleo A. 2009. On the response of flexible risers to loads imposed by hydraulic collars. *Appl Ocean Res.* 31(3):157–170. doi:10.1016/j.apor.2009.07.005.
- Sparks CP. 2007. *Fundamentals of Marine Riser Mechanics: Basic principles and simplified analyses*. First Edition. PennWell Corporation, Tulsa, Oklahoma, USA.
- Sparks CP. 2018. *Fundamentals of Marine Riser Mechanics: Basic principles and simplified analyses*. Second Edition. PennWell Corporation, Tulsa, Oklahoma, USA.
- Stanton P. 2014. *Dynamic Risers for Floating Production Systems API Standard 2RD* Second Edition, September 2013.
- Starita JM. 2005. Corrugated plastic pipe sections having flanged ends and structurally tight joints thereof. United States Patent 6938933, USA. 09/06/2005.
- Stearns T de B. 1975. *Computer simulation of underbuoy hoses*. California State University, Northridge, USA; Thesis.
- Stewart B. (2016). Single Point Mooring Global Dynamic Analysis OrcaFlex. Stewart Technologies Associates, STA, Houston, USA. Available at: <https://www.youtube.com/watch?v=QY6gth4ryJM> or <https://stewart-usa.com/wp-content/uploads/2016/08/Single-Point-Mooring-Global-Dynamic-Analysis-OrcaFlex.pptx.mp4> (Accessed on: 26th February March, 2022).
- Sun L, Zhang X, Kang Y, Chai S. 2015. Motion response analysis of FPSO's CALM buoy offloading system. In: Volume 11: Robert F. Beck Prof. *Honoring Symposium on Marine Hydrodynamics*. American Society of Mechanical Engineers.
- Sure Flex, et al. 2010. "State of the Art Report on Flexible Pipe Integrity and Guidance Note on Monitoring Methods and Integrity Assurance for Unbonded Flexible Pipes. Joint Industry Project - SureFlex, WGIM, MCS Kenny. Publisher: Oil and Gas UK. Available at [www.oilandgasuk.co.uk](http://www.oilandgasuk.co.uk), publications code: OP010.
- Sweeney TE. 1977. The concept of an unmanned transatlantic sailing buoy (NOAA's Ark), AMS Report No. 1358, New Jersey, USA.
- Szabó G, Váradi K, Felhős D. 2017. Finite element model of a filament-wound composite tube subjected to uniaxial tension. *Mod Mech Eng.* 07(04):91–112. doi:10.4236/mme.2017.74007.
- Szekely G, Peixoto E. 2018. Flexible hose technology benefits for ship-to-shore high pressure natural gas transfer. In: Offshore Technology Conference, 30 April - 3 May, Houston, Texas, USA. Paper OTC-28893-MS. <https://doi.org/10.4043/28893-MS>
- Szekely G, Peixoto E, Czovek Z, Mezo T. 2017. Managed pressure drilling flexible mud return line advances. Society of Petroleum Engineers, IADC/SPE Managed Pressure Drilling & Underbalanced Operations Conference & Exhibition, 28-29 March, Rio de Janeiro, Brazil. <https://doi.org/10.2118/185280-MS>
- Tang M, Lu Q, Yan J, Yue Q. 2016. Buckling collapse study for the carcass layer of flexible pipes using a strain energy equivalence method. *Ocean Eng.* 111:209–217. doi:10.1016/j.oceaneng.2015.10.057.
- Technip. 2006. Coflexip® Flexible Steel Pipes for Drilling and Service Applications: User's Guide, Paris, France: Technip.
- Terashima, et al. 1996. Reinforced rubber hose, Patent 5526848, USA, 1996-06-18.
- ThomasNet. 2021. Durham Rubber & Belting Corp.- Company Profile. Available at: [www.thomasnet.com/profile/00120500](http://www.thomasnet.com/profile/00120500) (Accessed on 2<sup>nd</sup> November, 2021).
- Timoshenko SP, Gere JM. 1961. *Theory of Elastic Stability*, McGraw Hill International Book Company, Inc., New York, USA.
- Toh W, Tan LB, Jaiman RK, Tay TE, Tan VBC. 2018. A comprehensive study on composite risers: Material solution, local end fitting design and global response. *Mar Struct.* 61:155–169. doi:10.1016/j.marstruc.2018.05.005.
- Tonatto MLP, Tita V, Amico SC. 2020. Composite spirals and rings under flexural loading: Experimental and numerical analysis. *J Compos Mater.* 54(20):2697–2705. doi:10.1177/0021998320902504.
- Tonatto MLP, Tita V, Forte MMC, Amico SC. 2018. Multi-scale analyses of a floating marine hose with hybrid polyaramid/polyamide reinforcement cords. *Mar Struct.* 60:279–292. doi:10.1016/j.marstruc.2018.04.005.
- Tonatto MLP, Roese PB, Tita V, et al. 2019. Offloading marine hoses: computational and experimental analyses. In book: *Marine Composites*, pp. 389–416. DOI: 10.1016/B978-0-08-102264-1.00014-5
- Tonatto MLP, Tita V, Araujo RT, Forte MMC, Amico SC. 2017. Parametric analysis of an offloading hose under internal pressure via computational modeling. *Mar Struct.* 51:174–187. doi:10.1016/j.marstruc.2016.10.008.
- Tonatto MLP, Forte MMC, Tita V, Amico SC. 2016a. Progressive damage modeling of spiral and ring composite structures for offloading hoses. *Mater Des.* 108:374–382. doi:10.1016/j.matdes.2016.06.124.
- Tonatto MLP, Forte MMC, Amico SC. 2016b. Compressive-tensile fatigue behavior of cords/rubber composites. *Polym Test.* 61:185–190. doi:10.1016/j.polymertesting.2017.05.024.
- Trelleborg. 2012. Reeline hoses Catalogue 2012. Available at: [http://www2.trelleborg.com/Global/WorldOfTrelleborg/Fluid%20handling/REELINE\\_catalogue.pdf](http://www2.trelleborg.com/Global/WorldOfTrelleborg/Fluid%20handling/REELINE_catalogue.pdf) (Accessed on 2<sup>nd</sup> November, 2021).
- Trelleborg. 2014. Trelline hoses Catalogue 2012. Available at: <http://www2.trelleborg.com/Global/WorldOfTrelleborg/Fluid%20handling/TRELLINE%20Catalogue.pdf> or <http://www.irpc.com.co/docs/TRELLEBORG/TRELLEBORG%20TRELLINE%20HOSES%202012.pdf> (Accessed on 2<sup>nd</sup> November, 2021).
- Trelleborg. 2016. *Oil & Gas Solutions: Oil & Gas Hoses for enhanced fluid transfer solutions*, Clemont-Ferrand, France: Trelleborg.
- Trelleborg. 2018. *Oil & Marine Hoses: Innovation and Safety for Oil & Gas Transfer Systems*. Trelleborg Brochure, Pages 1-30. Clemont-Ferrand, France: Trelleborg.
- Trelleborg. 2020. Hose Design. Available at: <https://www.trelleborg.com/en/fluidhandling/products-and-solutions/oil-and-marine/hose-design> (Accessed on 2<sup>nd</sup> November, 2021).
- Trelleborg. 2021. History- The Trelleborg Story. Trelleborg AB. Available at: [www.trelleborg.com/en/about-us/history](http://www.trelleborg.com/en/about-us/history) (Accessed on 2<sup>nd</sup> November, 2021).
- Tschoepe EC, Wolfe GK. 1981. SPM Hose Test Program. In *Offshore Technology Conference Proceeding - OTC* 4015. Houston, Texas, USA: OnePetro, pp. 71–80.
- Urdshals KAB, Hvide JH, Hooper A. 1994. Single point mooring system employing a submerged buoy and a vessel mounted fluid swivel. US5288253A, USA, 22 February, 1994.
- van Diemen JG, Saint-Marcoux J-F, Otani L, Sahonero D, Trovoado LC. 2015. Displacing 10,000t of water to install 2,500t of steel buoy at 250m below sea level. In: Paper OTC-25887-MS presented at the Offshore Technology Conference, Houston, 4–7 May.
- van Rhee C, Munts E, van den Bosch J, Lotman R, Heeren J. 2013. New developments in the simulation of slurry behaviour in spooled hoses for offshore mining applications. In: Offshore Technology Conference, 6–9 May, Houston, Texas, USA. Paper Number OTC-24082-MS. <https://doi.org/10.4043/24082-MS>
- VHMarineTech. 2021. VH MarineTech- About Us. Available at: [www.marine-floatinghoses.com/about/](http://www.marine-floatinghoses.com/about/) (Accessed on 2<sup>nd</sup> November, 2021).
- Wang F, Lang Y, Li J, Luo Y. 2019. Innovations in a submarine piggyback pipeline project in the East China Sea. *Proc Inst Civ Eng Civ Eng.* 172(2):69–75. doi:10.1680/jcien.18.00010.
- Wang Gang, Liu Shao-jun. 2005. Dynamic analysis on 3-D motions of deep-ocean mining pipe system for 1000-m sea trial [C]// Proceedings of the Sixth ISOPE Ocean Mining Symposium. Changsha, China, pp. 81–87.
- Wang Zhi, Rao Qiu-hua, Liu Shao-jun. 2009. Interaction of fluid-solid coupled flexible hose and mining machine in deep-ocean mining system [C]// Proceedings of the Eighth ISOPE Ocean Mining Symposium. Chennai, India, pp. 263–269.
- Wang Zhi, RAO Qiu-hua, Liu Shao-jun. 2011. Analysis of seabed-mining machine-flexible hose coupling in deep sea mining [C]// Proceedings of the Ninth ISOPE Ocean Mining Symposium. Maui, Hawaii, USA, pp. 143–148.
- Wang G, Liu S-J, Li L. 2007. FEM modeling for 3D dynamic analysis of deep-ocean mining pipeline and its experimental verification. *J Cent S Univ Technol.* 14(6):808–813. doi:10.1007/s11771-007-0154-5.
- Wang Y, Tuo H, Li L, Zhao Y, Qin H, An C. 2018. Dynamic simulation of installation of the subsea cluster manifold by drilling pipe in deep water based on OrcaFlex. *J Pet Sci Eng.* 163:67–78. doi:10.1016/j.petrol.2017.12.049.
- Wang Z, Rao Q-H, Liu S-J. 2012. Fluid-solid interaction of resistance loss of flexible hose in deep ocean mining. *J Cent S Univ.* 19(11):3188–3193. doi:10.1007/s11771-012-1394-6.
- Wang Y-L. 2015. Design of a cylindrical buoy for a wave energy converter. *Ocean Eng.* 108:350–355. doi:10.1016/j.oceaneng.2015.08.012.
- Wang C, Shankar K, Ashraf MA, Morozov EV, Ray T. 2016. Surrogate-assisted optimisation design of composite riser. *Proc Inst Mech Eng L J Mater Des Appl.* 230(1):18–34. doi:10.1177/1464420714539304.
- Wichers IJ. 2013. *Guide to Single Point Moorings*, Houston, USA: WMooring Inc.



- Wilde. 2016. Structural analysis of new offloading reel design for FPSO vessels. Wilde Analysis & ContiTech Bettie. Available at: <https://wildeanalysis.co.uk/resource/structural-analysis-new-offloading-reel-design-fpsv-vessels/> [Last accessed 17th June 2021.]
- Wilson JF. 2003. *Dynamics of offshore structures*. 2nd ed., New Jersey, USA: John Wiley and Sons.
- WindEurope. 2021. Wind Energy Today. Available at: <https://windeurope.org/> Accessed on: 31<sup>st</sup> August, 2021.
- Winzen, et al. 1999. Connection between a building component and a pipe-shaped line element. Patent 5865475, USA, 1999-02-02.
- Witz AJ, Cox DC, Hall GA, Ridolfi MV, Wort AJ, Smith RJA. 2011. Hose end fitting. Patent US8079619B2, USA.
- Witz AJ, Cox DC. 2013. Improvements relating to hose. Patent US20100183371A1, USA.
- Wu X, Ge F, Hong Y. 2012. A review of recent studies on vortex-induced vibrations of long slender cylinders. *J Fluids Struct.* 28:292–308. doi:10.1016/j.jfluidstruct.2011.11.010.
- Xiangqian ZHU, Wan-Suk YOO. 2016. Numerical modeling of a spherical buoy moored by a cable in three dimensions. 29:588–597.
- Yamada K. 1987. Submarine conduit connection apparatus. GB2153332B, UK, 04 March, 1987.
- Yang H, Liu S. 2018. Measuring method of solid-liquid two-phase flow in slurry pipeline for deep-sea mining. *Thalassas: An International Journal of Marine Sciences*. 34(2):459–469. doi:10.1007/s41208-018-0093-y.
- Yeoh OH. 1993. Some forms of the strain energy function for rubber. *Rubber Chemistry and Technology* 66 (5): 754–771. <https://doi.org/10.5254/1.3538343>
- Yokohama. 2016. *Seaflex Yokohama Offshore loading & discharge hose*, Hiratsuka City, Japan: The Yokohama Rubber Co. Ltd. Available at: <https://www.y-yokohama.com/global/product/mb/pdf/resource/seaflex.pdf> Accessed on: 31<sup>st</sup> August, 2021.
- Yoon CH, Park YC, Park J. 2009. Solid-liquid flow experiment with real and artificial manganese nodules in flexible hoses [J]. *International Journal of Offshore and Polar Engineering*, 19(1): 77–79.
- Young RA, Brogren EE, Chakrabarti SK. 1980. Behavior of loading hose models in laboratory waves and currents. In: *Offshore Technology Conference*; May 5-8; Houston, TX; p. 421-428. <https://doi.org/10.4043/3842-MS>
- Yu K, Morozova EV, Ashrafa MA, Shankar K. 2015. Numerical analysis of the mechanical behaviour of reinforced thermoplastic pipes under combined external pressure and bending. *Composite Structures*. 131:453–461.
- Yu K, Morozov EV, Ashraf MA, Shankar K. 2017. A review of the design and analysis of reinforced thermoplastic pipes for offshore applications. *J Reinf Plast Compos*. 36(20):1514–1530. doi:10.1177/0731684417713666.
- Yun H-S, Kim S-S, Lee CH, Kim H-W. 2015. A study on the efficient flexible multibody dynamics modeling of deep seabed integrated mining system with subsystem synthesis method. *Trans Korean Soc Mech Eng A*. 39 (12):1213–1220. doi:10.3795/ksme-a.2015.39.12.1213
- Zeidler, et al. 1993. Pipe coupling. Patent 5257834, USA, 1993-11-02.
- Zhang S-F, Chen C, Zhang Q-X, Zhang D-M, Zhang F. 2015. Wave loads computation for offshore floating hose based on partially immersed cylinder model of improved Morison formula. *Open Pet Eng J*. 8(1):130–137. doi:10.2174/1874834101508010130.
- Zhi W. 2011. Analysis of seabed-mining machine-flexible hose coupling in deep sea mining // In: *Proceedings of the Ninth ISOPE Ocean Mining Symposium*. Maui, Hawaii, USA. p. 143–148.
- Zhu X, Yoo WS. 2016. Dynamic analysis of a floating spherical buoy fastened by mooring cables. *Ocean Eng*. 121:462–471. doi:10.1016/j.oceaneng.2016.06.009.
- Zhou Y, Duan M, Ma J, Sun G. 2018. Theoretical analysis of reinforcement layers in bonded flexible marine hose under internal pressure. *Eng Struct*. 168:384–398. doi:10.1016/j.engstruct.2018.04.061.
- Ziccardi JJ, Robbins HJ. 1970. Selection of Hose Systems for SPM Tanker Terminals. In: *Offshore Technology Conference Proceeding -OTC 1152*. Dallas (TX): OnePetro. p. 83–94.
- Zine A, Benseddig N, Nait Abdelaziz M. 2011. Rubber fatigue life under multi-axial loading: Numerical and experimental investigations. *International Journal of Fatigue*. 33(10):1360–1368. doi:10.1016/j.ijfatigue.2011.05.005.
- Zhang D, Shi J, Si Y, Li T. 2019. Multi-grating triboelectric nanogenerator for harvesting low-frequency ocean wave energy. *Nano Energy*. 61:132–140. doi:10.1016/j.nanoen.2019.04.046.