CityHub: A cloud based IoT platform for Smart Cities

Rodger Lea^{*}

School of Computing and Communications Lancaster University, Lancaster, UK rodgerl@ece.ubc.ca

Abstract—Cloud based Smart City hubs are an attractive approach to addressing some of the complex issues faced when deploying PaaS infrastructure for Smart Cities. In this paper we introduce the general notion of IoT hubs and then discusses our work to generalize our IoT hub as a Smart City PaaS. Two key issues are identified, support for hybrid public/private cloud and interoperability. We briefly describe our approach to these issues and discuss our experiences deploying two cloud-based Smart City hubs, one in the UK and the other in Canada.

Keywords-component; Cloud based IoT, Data Hubs, Smart Cities, Hybrid Cloud

I. INTRODUCTION

Significant research into the technologies needed to support Smart Cities has been carried out over the last decade, with a focus on using information and communications technologies to manage city infrastructures like transportation, traffic control, building management, energy monitoring, and pollution monitoring. Within this broad set of research, some researchers have focused on the specification and development of platforms that have sought to exploit the Internet Of Things (IoT) paradigm as the basis for Smart Cities. This has included work by partnerships between local public authorities and private companies e.g. IBM, Cisco and Living PlanIT [21], reference initiatives like the IoT-A [22], and large-scale urban testbeds e.g. [14,15,16].

One area that we feel offers a promising approach is the use of cloud-based IoT "hubs" that provide an easy-to-use service access point to the emerging data infrastructure of a city. By providing a cloud-based hub, urban data, including static assets and inventories, real time information sensed directly from city infrastructure, and data contributed by community groups and crowd-sourced from citizens, can be made available in an easy-to-use manner for application developers. In this paper, we detail our hub-centric approach to the IoT and discuss our own experiences in building an IoT hub for two Smart City projects, one in the UK and the other in Canada. We describe the architecture of our cloudbased Hub and discuss our use of Hybrid public/private cloud and application partitioning to support Hybrid Cloud infrastructure. Finally we describe our future work that looks

* Also with University of British Columbia, Canada

Michael Blackstock Human Communication Technologies Laboratory University of British Columbia Vancouver, Canada mblackst@magic.ubc.ca

to extend the notions of Hybrid cloud partitioning to end points, i.e. IoT devices, and outline some of the technical issues we face.

II. BACKGROUND

The use of IoT solutions for Smart Cities is a broad topic, covering a variety of research ranging from sensor networks through to open-data portals. Some specific examples include work that has sought to use IoT technologies to address specific city infrastructure issues, for example, the use of traffic sensing technologies such as magnetic sensors and wifi scanners to assist traffic operators [11]. Experiments with large-scale sensor networks enable real-time monitoring of critical infrastructure such as the urban water supply [6]; defining key interfaces to buildings allows smart-grid managers to interactively manage energy use for the city [12]. Augmenting this traditional infrastructure sensing has been work on crowdsensing, via social networks [2,8] and mobile phones[1,19].

It is expected that both the variety and quality of data streams generated by city infrastructure and citizens will continue to increase as additional solutions come online to address efficiency in urban sub-systems. Understanding that it is not enough to create different sub-systems that don't 'talk' to each other, researchers have begun to address interoperability with unified urban-scale sensor networks and large-scale architectures toward unifying Smart City systems to create open innovation platforms [17] and explore cloud technologies as the basis for open platforms [25, 28].

In our work we have focused on how to build and scale a cloud-based IoT middleware that can be used across a broad range of Smart City research and in particular, the use of Smart City data hubs as a central approach to building urbanscale IoT systems.

A. IoT Hubs for Smart Cities

Cloud-based hubs offer a promising approach to developing an IoT centric framework for smart cities and address two of the key issues identified above. Firstly, they offer a consistent and easy-to-use interface for emerging IoT infrastructure within the city that systems integrators and application developers can use.

Secondly, they support the system-of-systems approach to smart cities whereby a cloud-based hub can integrate a number of sub-systems that collectively make up the complete smart city software infrastructures [5].

In addition to infrastructure management, cloud based hubs also offer a framework to integrate both static and real time urban data sets from government, community groups and participatory sensing systems. To manage and deliver these diverse data sets, hubs can act as a curated portal for end users and an easy-to-use service access point for




Figure 1. An IoT hub acts as a portal for Smart City Infrastructure as well as other hubs.

developers. Applications accessing these hubs can use this data to adapt themselves to current or expected conditions, addressing needs in areas such as multi-modal transportation, environment waste management, and load management, driven by the needs of urban authorities, or by local entrepreneurs and citizen groups.

By aggregating many systems under a hub, efforts toward interoperability or federation of Smart City functionality can focus on hub integration, rather than the integration of individual city sub-systems. Through the use of interoperable data hubs, application developers can more easily create reusable applications that work in multiple cities.

B. Cloud considerations

While Smart City hubs will offer the promise of a centralized and easy-to-use access point for Smart City data, there are a number of complexities driven by the realities of Smart City infrastructure and services.

1. Hybrid-Cloud requirements. It is unrealistic to expect that future Smart City Hubs will be built as single stand-alone cloud-based hubs. Rather, they will need to address the reality of existing private infrastructure. Today, most cities run their own infrastructure software managing a variety of areas such as traffic management, licensing, water and sewerage, 311, citizen engagement etc. This infrastructure is unlikely to completely migrate to public cloud infrastructure and so any eventual Smart City hub will have to address hybrid public-private cloud.

2. Cloud-Cloud or Integrated Cloud. As Smart City infrastructure evolves, it will need to address the issue of federated cloud services, or integrated clouds. City infrastructure is generally a system-of-systems approach with a number of self contained services supporting different aspects of a smart city, e.g. water, transport etc. While it is possible that in some cases, such sub-systems can be supported by a single cloud framework - as multiple services in a multi-tenant environment, it is also likely that a number of PaaS platforms will exist catering to different aspects of the smart city. There is a need therefore, to support integrated clouds to ensure new services can leverage across city infrastructure.

3. Hub-to-Hub interoperability. Given that multiple (often cloud based) Smart City services will co-exist, there is a need for some degree of standardization. This is likely to be based on common approaches and models to certain implementation issues such as concrete representations, URLs and schema for describing and querying data from Smart City hubs. This will include support for security mechanisms, so that hubs can control access to hubs and offer some guarantees over who is providing 'things' and their data.

SMART CITY DATA HUBS Ш

Since 2012 we have developed and deployed a number of cloud based Smart City technologies that leverage our underlying IoT platform. Two of the most significant are one in the UK, focusing on road and highway infrastructure (Smart Streets²) and the other in Canada (Urban Opus³) focused more generally on Smart Cities.

A. Smart Streets

In early 2013, the UK's Technology Strategy Board (TSB) invested in a project called the Internet of Things Ecosystem Demonstrator to stimulate the development of an open application and services ecosystem in the IoT. In this project, eight industry-led projects were funded to deliver IoT clusters in the spring of 2014. These projects all explored the use of an IoT hub to represent clusters of things from different aspects of smart cities and smart infrastructure. These clusters covered a range of areas including smart schools, urban transportation, airports, smart homes and critical infrastructure such as roads and highways.

As developers of the Smart Streets IoT Hub, our focus was the Highways maintenance sector (a \$6B sector in the UK), which gathered data from a variety of sources related to the UK's national and regional road network. This effort was led by InTouch Ltd., a UK-based SME that provides data solutions for many companies that maintain the UK's highways infrastructure. Partners included three large engineering companies, Amey, Balfour Beatty, and Carillion that build and manage public infrastructure, Sense Tecnic Systems Inc. that provides IoT hubs, and the University of Lancaster as a research partner. Data included real-time traffic flows, incidents that affected traffic flows, road works, flood and rain data, all of which were made available

http://www.urbanopus.net

² http://smartstreets.senstecnic.com 3

via the Smart Streets Hub. A particular focus of the programme was establishing interoperability between the 8 hubs, which resulted in the specification of a lightweight interoperability protocol for IoT hubs, known as HyperCat [20]

B. Urban Opus

The Urban Opus Society is a non-profit corporation established in Vancouver, Canada, to foster the development of innovative Smart City applications, involving a mix of citizen, government, private sector, and infrastructure data. To support this effort, the Urban Opus Hub provides data storage and federates existing data sources to provide a single on-line presence and point of access to these data sets. The system shares the same basic architecture as Smart Streets with support for both real time and static data, and an easy to use API for developers.

C. Core IoT services and city centric data flows

In both projects, a critical challenge that surfaced early was the need to collect and manage a diverse set of existing data sources, ranging from real-time data on traffic flow or water levels in roadside drains, to soft real-time data, such as roadwork schedules, through to relatively static data, such as asset lists of highway signs, bridges, markings etc. in our IoT hub and provide a uniform APIs to this data. This requirement extended the traditional scope of an IoT platform which generally focuses on real-time systems and control of infrastructure nodes (things) embedded in the physical world. A mundane but illustrative example from our work would be planning application data. In most cities, such data is of significant importance to planners and citizens alike, but is generally not a real time data feed. Usually, applications are captured in static files created by developers and city officials. Any smart city platform needs to be able to handle these and make them available in some form to developers.

To address this need we extended our core IoT platform called the Web of Things Tool Kit (WoTKit) [3] with an open data system called CKAN [10] designed to support static data and metadata storage as illustrated in Figure 2.

Managing Real-time Sensor Data

The WoTKit, under development since 2009, is a webcentric IoT toolkit, focused on managing 'things' that exhibit real-time behaviour. Its APIs offer developers a comprehensive set of IoT services making it easy to develop web applications and services for the IoT. Users can create 'sensors' with the UI or API that represent 'things', can receive data from those things, and can send control commands. Sensor data can include any mix of text and scalar values, and sensors can be grouped, tagged, and associated with metadata to facilitate search. The platform is sensor or data feed agnostic and treats data from roadside traffic sensors in the same way as data from social network feeds such as Twitter. The WoTKit includes a UI for viewing sensor data using customizable dashboards,




Figure 2. The core IoT infrastructure supports access to realtime and non-real time urban data streams.

managing alerts, and creating real-time sensor data mashups.

Managing Static Datasets

CKAN [10] is a data management system and portal that allows data publishers like governments, companies and other organizations to make their data available to others and is a critical part of the Open Data movement. It allows data publishers to easily upload and publish new datasets containing one or more data resources, providing versioning and support for multiple formats. Datasets can be associated with organizations for access control. CKAN provides an API allowing developers to search for, download and, in some cases, query for data within relevant datasets. In both hubs we used the CKAN system to store data sets that are static or do not change often (e.g. monthly or annually).

IV. CITYHUB

CityHub extends our initial work on the use of data hubs for Smart Cities by formalizing our IoT framework as a Smart City PaaS framework. The goal of CityHub is to provide a framework that makes it easy for 3rd parties to develop and deploy Smart City applications. These 3rd parties can be citizen groups aiming to provide a service for fellow citizens, local companies offering hyper local services, or even national companies offering new services to citizens. The framework leverages cloud infrastructure and offers a core IoT capability to manage and interface with Smart City infrastructure. As discussed above, the core of the CityHub is the IoT Data Hub that provides a common API for access to and management of Smart City data streams. As can be seen in Fig 3, the core Hub API provides a common set of capabilities for access and control of infrastructure as well as 'softer' data such as citizen contributed data and open data. The CityHub cloud infrastructure layers a cloud service layer on the IoT framework making this available to application developers. This offers multi-tenant support allowing multiple application providers to instantiate services and manages resources associated with those services. Lifecycle management supports the creation of new services and their use of platform and IoT resources to meet service requests (and constraints). Lastly, a resource usage




Figure 3. An IoT centric PaaS framework for Smart Cities

and billing capability is provided to ensure efficient usage of resources and appropriate charge out to service providers – and eventually their end customers.

Service developers use the Cloud infrastructure (PaaS) to instantiate new services that sit within the framework, accessing the common IoT APIs as well as other service PaaS components and providing service end points.

A simple example of a Smart City service could be a citizen focused traffic/transportation app that aimed to provide to end users (citizens) comprehensive information on the status of the city's road, rail and bus network offering information on best routes, problems etc. Such an application would use data from a variety of city sources including public updates from transportation services, citizen reported information, information gathered from social media feeds and even perhaps, if available, sensed information from the city traffic monitoring facilities. Using this wide range of data the Transport App would be able to update citizens on status of the transportation network, offer real-time advice on routes (and re-routing) and even give advice on ride sharing, or sustainable transportation choices. In CityHub, this application would be instantiated within the cloud framework using the PaaS capabilities, would use the core data hub to gather data from a variety of registered data feeds and would be managed and billed via the multi-tenant facilities of CityHub.

A more complex example of a city service is a citizen reporting application that allows citizen to report issues to the City. Examples of these include popular mobile apps such as SeeClickFix or FixMyStreet. These applications are more complex in that they can be provided by 3rd parties as a managed application within the CityHub, but they will interact with city services running on City IT infrastructure. For example, a citizen report of a pothole in a local street would be reported from their mobile device to the CityHub. but then, once classified, would need to be sent on to the city for acknowledgement and action. One approach to this exploits the fact that in N. America, many cities are moving towards an open 311 framework that provides a single interface to city services. Users access the 311 service through phone or a web browser and their service request is routed depending on its nature, e.g. garbage complaint versus development permit. Open 311 offers a well-defined API for web based provisioning of 311 related services offering a common service API. One way to exploit this open 311 API is for the CityHub to provide, as part of its PaaS, a proxy API for applications that forwards API requests from CityHub application through to the appropriate city server. Interestingly, in cities that have not implemented their own open311 API, it would be possible to host the open311 front end entirely in the CityHub, thus distributing the implementation of a city service between the public cloud (CityHub) and private premises, ie the City IT servers.

V. CITYHUB IN THE CLOUD

In section II.B we indicated three key research areas when utilizing cloud infrastructure in support of Smart City data hubs; hybrid cloud, cloud-to-cloud and general hub interoperability. Of these, we have actively explored Hybrid Cloud support via work on application partitioning and developed an approach to interoperability that exploits our PaaS based framework. Integrated or federated cloud issues remain an area for future work.

A. Hybrid cloud and application partitioning

As discussed above, it is clear that any cloud platform designed to support smart cities will need to address the complex set of existing services that any city infrastructure




Fig 4. Applying cross-tier partitioning to a monolithic web application (process flows from left to right). The top of the figure shows the process of application partitioning through code dependency analysis and generating the application-tier IP. The bottom of the figure shows data partitioning through analyzing data access patterns and creating objective functions and dependency constraints. The two IP models are then combined and passed to an off-the-shelf IP solver to provide the solution to the optimization problem.

entails. While it is possible to design and build a 'greenfield' cloud-based hub for smart city management, in reality any such hub will have to contend with significant legacy software systems. As such it is necessary to ensure that our hub architecture is able to support Hybrid cloud situations where smart city applications and services reside on both public cloud infrastructure and private (eg city) infrastructure. An example of this would be a 311 service where the core web portal is migrated to the public cloud – for cost and performance reasons, but the core backend services remained on City IT premises for security and management reasons.

To support this scenario we have explored application partitioning for hybrid cloud [13,18] with a particular focus on combining code (application) and data partitioning. To address partitioning, we follow the methodology shown in Fig 4. The application is initially profiled by measuring execution time on a reference machine and collecting the data exchanges between software functions and data entities. Using this profile information, a dependency graph is developed which can then be analyzed to examine the effects of applying different cost models and placement constraints. Finally, the dependency graph can be converted into an optimization problem and solved using binary integer linear programming (BIP) to partition the application.

Of particular note within the context of Smart Cities has been our interest in developing partitioning algorithms that exploit cost models offered by public cloud infrastructure. Specifically, we have developed a flexible approach that allows City IT planners to explore the cost implications of moving service and application code from private onpremises to public cloud which often has significantly lower costs. One aspect of many public cloud providers is that they adopt an asymmetric charging model for data, ie. data pushed to the cloud is either not charged for, or charged at a lower rate than data pulled from the cloud. Our partitioning algorithms allow for the exploitation of this and other aspects of cloud cost models as developers search for the correct trade-off between performance and cost that their application needs. As City IT departments face increased cost constraints, this approach allows them to balance the need to




Fig. 5. HyperCat catalogues consist of a list of resources annotated with relationships and values.



Fig. 6. Example HyperCat catalogue.

maintain legacy or privacy constrained code within their private infrastructure but exploit, where appropriate, the lower costs of public cloud infrastructure. In our initial experiments, we have seen cost savings of upto 40% for typical 3 tier applications as we have deployed across public and private cloud. Full details of our approach to Hybrid Cloud partitioning can be found in [18].

B. Interoperability issues

The other main area noted earlier is the need for some degree of interoperability amongst Smart City PaaS providers, and in particular, as it relates to the data and control (or IoT) aspects of their platform. A use case for this type of interoperability, and one that grew out of our experiences with the Urban Opus hub, was the need for applications to make use of multiple regional hubs that collectively make up a metropolitan area. In our case, metropolitan Vancouver is actually made up of over 20 distinct municipal jurisdictions all with their own local government, IT departments and set of municipal services. For both services that wished to span multiple municipalities, or wished to access data from another municipality, a degree of commonality or interoperability is needed.

While it is unlikely that a common PaaS API will be developed that is adopted by all municipalities, it is possible to define a subset of the API, focused on the IoT resources managed by a Smart City Hub, which can be supported by all municipalities. This subset would focus on allowing a hub to expose the IoT resources it managed through a well defined catalogue and then provide sufficient information to allow other hubs, or external applications, to query and search for data managed by a hub in a common way.

To achieve this, we leveraged the HyperCat specification [20], developed by the 8 consortia involved in the UK's IoT projects. HyperCat specifies a lightweight hypermedia catalogue for querying and representing catalogues of resources (URIs) on the web. Exposed resources are described by a list of RDF-like triple statements to provide information about the format and semantics of the URI (Fig. 5). This enables applications to search for suitable resources

and understand the data when they retrieve it. Because of its simplicity, developers can easily publish descriptions of the resources they expose; applications can easily query for the things they are interested in. More details are available in [29].

We developed an *API Proxy* which provided a unified HyperCat catalogue and query API to both static and real time data sources in the hub and exposed this as part of the CityHub PaaS. An example of the result of a call to the API is shown in Fig. 6. showing a single catalogue that has two resources.

VI. DEPLOYMENT EXPERIENCES

Both Smart City hubs have been deployed and used for a variety of applications. The hubs are deployed on different cloud services, with the UK hub running in the Amazon EU (Ireland) region and the Canadian hub running in academic cloud infrastructure. Of the two hubs. Smart Streets has been operational for slightly longer, approximately 18 months, and currently manages over 64,000 time-series sensor feeds and a wide variety of static datasets. It includes a diverse set of both open and private data about transportation, road traffic, and highways, ranging from real time traffic data, to road asset condition, planned roadwork, air quality, weather and flooding information. These data sources have been pushed into the hub either via tools that harvest data from the web, by end users uploading data sets, or from physical devices, explicitly sending information to the Hub via its REST APIs. At a recent hackathon, 50+ participants from Switzerland, Germany and the UK developed a series of apps, and over a two day period generated more than 300K Hub API calls transferring over 9 GB of data. In addition to these hackathon apps, our group and others have built a variety of web and mobile IoT applications and experimented with both the abstractions and the Hub APIs.

To make it easy to find and install hub applications, both systems include 'app store' functionality to list featured applications and provide a way of rating and searching for applications that make use of the hub.

Applications developed for the Smart Streets Hub have included a "Catalogue Explorer" to browse not only our hub catalogue, but that of the other seven hubs. Other roadwork related applications include one to visualize correlations between drain blockage and road works called "Roadwork Gully Correlator". This application leveraged physical drain condition sensor data (silt and water levels) and data provided by work crews related to road repairs and gully levels. It correlates the two and allows city managers to understand the impact of roadwork on city drains and the need for adaptive street cleaning. Other apps include, a predictive application called "Pothole Predication" for road pothole analysis, and "Cycle Spot", an app to allow cyclists to avoid road hazards, including roadwork, poor road conditions and winter issues such as ice. The Urban Opus hub includes several applications, e.g. a 311 visualization application allowing citizens to explore data about citizen requests and complaints, 'Bike Racks' to find and report on the condition of bike parking in the city, and 'Street Trees' to access and contribute data to a database about Metro Vancouver's urban forest.

The Urban Opus 'Bike Rack' Application leverages the bike rack inventory of the city to display locations where cyclists can safely lock up their bikes. Users can report problems with these locations such as vandalism or full bike racks. The Hub logs interaction with the application, including where and when users search for bike racks. Using this data, authorities in the region can prioritize investments in maintaining and purchasing more bike racks for cyclists.

VII. RELATED WORK

Platforms for unifying IoT resources for a Smart City have been the focus of several Smart City testbeds [7] [28]. IoT hubs and large-scale sensor networks have been used for making a variety of data streams from the physical environment available to application developers [23,24].

The SmartSantander testbed includes a platform for experimenting with a variety of IoT technologies. One of the goals of the system is to address the inherent heterogeneity of IoT resources [16]. The testbed deployed in Oulo, Finland [15], aimed to provide systems infrastructure support for application developers of public space services via a set of middleware tools. The CitySense testbed provided a citywide platform to enable large-scale sensor and wireless networking research in a real-world urban setting [14]. While all of these systems provide centralized platforms, they did not aim to provide a cloud-based hub acting as a centralized access point for accessing both real-time sensor streams and static datasets and were not focused on offering a city focused PaaS.

Large-scale IoT hubs allow web developers to integrate 'things' across a wide variety of domains. Our own work, the WoTKit [3], as well as Xively [23] aggregate collections of data streams called feeds to store information about sensors and the data they emit over time. Similarly, ThingSpeak [24] supports a data model of channels similar to Xively and WoTKit feeds. All three include applications for processing, visualization and integration and offer the ability to find and share sensors and data, allowing others to take advantage of the integration work of others. Each of these platforms offer a 'hub' model to provide a repository for 'things' (data and metadata) and a set of APIs for accessing and using 'things'. These hubs do not focus on supporting Smart City applications per se., and while they do support real time data streams typically do not support static data set management.

The Internet of Things Architecture project (IoT-A) is proposing an architectural reference model for IoT interoperability together with key components of the future IoT to enable search, discovery and interaction as one coherent network [22]. This work offers a comprehensive approach to building IoT platforms, potentially at city scale, rather than providing a single focal point for accessing the data of a Smart City. Work on Cloud based IoT platforms – in some cases focused on Smart Cities – includes the work of the OpenIoT project [26] as well as Li et al [25] and ClouT [27]. While these projects have some commonality with our work, none has explored hybrid cloud deployment and interoperability issues to the extent we have and they generally lack the long term deployment experience our work benefits from.

VIII. LESSONS

While developing applications using our hub, we have identified a number of issues relating to our hybrid cloud partitioning as well as the hub architectural model and APIs.

Hybrid Cloud: The area of application partitioning for Hybrid Cloud is both a complex problem and an active research area. In our work we have explored fine grained partitioning with a focus on multi-tier web applications. Our initial results show significant promise and offer an approach that allows city IT departments to trade-off cost and security. However, we have noted two areas where our work could be extended to adapt to current practices in city IT departments. Firstly we have seen that typically City IT typically departments don't have the resources or sometime the skills to exploit the fine grained partitioning that our approach offers. A coarser grained partitioning, perhaps at the level of servers might be more appropriate. Fortunately, there is nothing inherently fine grained in our approach and so we are confident that we can adapt our tools to this need. Secondly, our work has focused on web applications that follow a standard transactional model. While this covers some City IT applications, not all. Again our approach is generalizable to a wide variety of application patterns, but our current tools are not.

Hub architecture and APIs: Making a diverse set of data sets and IoT resources available on a hub using a common catalogue was our initial focus in creating Smart City hubs. Even within the limited scope of the HyperCat specification we found that integrating the CKAN and WoTKit systems was difficult. Some of the challenges included, the need to resolve different access control mechanisms, different query semantics, and dealing with large datasets and data catalogues. Based on our experience with HyperCat, our hub containing both CKAN and WoTKit data feeds, and the diverse data already available on the web, we believe that it may be more practical to agree on how to describe domain-specific data formats rather than agreeing on one format for all IoT resources. Using a data format agnostic catalogue like HyperCat with a flexible metadata facility for describing both static data sets and IoT resources will allow application developers to decide whether they can consume the data exposed by a given resource.

IX. CONCLUSIONS & FUTURE WORK

The use of a Cloud-based Hub as a basis for developing Smart City infrastructure is a promising one. In our work we have focused on the IoT and Smart Cities and used our IoT hub as a platform and testbed for two deployments, one in the UK and one in Canada. Our architectural approach, whereby the core IoT infrastructure is exposed as a data hub via a PaaS framework, addresses some of the core technical issues in building cloud-based IoT frameworks for smart cities. One significant advantage of this approach is that multiple hubs can be connected, or federated to build up a system of systems that can represent significant parts of the IoT ecosystem – for example the components of a Smart City. We have demonstrated some of the advantages of this approach through our deployments both in the UK and Canada, and through the large number of applications and services developed for the hubs.

There are two areas that we feel require further work, firstly the area of integrated or federated cloud and secondly the area of application development.

Federated Cloud: With respect federated cloud, our initial experiences have shown that we need to accept the reality of existing city infrastructure that is currently managed by City IT departments. Our work on application partitioning for hybrid cloud is aimed at addressing this constraint. A second constraint, which we have not yet addressed is the fact that as new cloud infrastructure becomes more frequently used, we will see an increasing number of smart city cloud offerings. It will be necessary to ensure that our cloud based smart city hub is able to accommodate a number of peer PaaS services and that we can offer application developers a framework that allows them to exploit services and functionality resident in other clouds.

IoT application development tools: A second area of work that we feel is critical for widespread adoption of cloud based smart city hubs is the complex issue of IoT application development. In contrast to typical web based applications, IoT applications, by necessity, often require code to run at infrastructure end points, i.e. in city infrastructure. To accommodate this, we need an application framework that not only supports Hybrid public/private cloud but extends to end devices. To address this issue we have begun extending our application development tool, the WoTKit processor [3]. This tool provides a visual programming tool that allows IoT application developers to 'wire-up' data sources with processing logic and outputs (in a similar manner to LabVIEW or Yahoo pipes). We plan to extend our tool to allow code components to be migrated not only to private cloud, but also to end nodes. Our approach looks to combine some of the benefits of our own processor with Node-RED⁴, an open source processor focused on IoT edge nodes from IBM.

Clearly, we still have many issues to resolve as we explore this approach to Smart Cities. However we feel a cloud-based hub approach to providing a Smart City PaaS is a valid one and that some of the issues we have uncovered, and the lessons we have learned, will help others in the Cloud and IoT communities as we collectively develop a truly global Internet of Things.

⁴ www.nodered.org

X. ACKNOWLEDGEMENTS

We are indebted to our colleagues in the Smart Streets IoT project team, especially those at In Touch Ltd and Lancaster University. The HyperCat work is the result of collaboration by the 8 IoT hub projects who participated in the interoperability working group and we acknowledge the contribution of Nima Kaviani for his work on Hybrid Cloud computing. Partial funding for this work was provided by the TSB and NSERC.

REFERENCES

- Benouaret, K., Valliyur-Ramalingam, R., and Charoy, F. CrowdSC: Building Smart Cities with Large-Scale Citizen Participation. *IEEE Internet Computing* 17, 6 (2013), 57–63.
- [2] Blackstock, M., Lea, R., and Friday, A. Uniting online social networks with places and things. *Workshop on the Web of Things (WoT 2011)*, ACM (2011), 5:1–5:6.
- [3] Blackstock, M. and Lea, R. IoT mashups with the WoTKit. Internet of Things (IOT), 2012 3rd International Conference on the, IEEE (2012), 159– 166.
- [4] Blackstock, M. and Lea, R. Toward Interoperability in a Web of Things. ACM Pervasive and Ubiquitous Computing Adjunct Publication, ACM (2013), 1565– 1574.
- [5] Boyle, D.E., Yates, D.C., and Yeatman, E.M. Urban Sensor Data Streams: London 2013. *IEEE Internet Computing* 17, 6 (2013), 12–20.
- [6] Difallah, D.E., Cudre-Mauroux, P., and McKenna, S.A. Scalable Anomaly Detection for Smart City Infrastructure Networks. *IEEE Internet Computing* 17, 6 (2013), 39–47.
- [7] Gluhak, A., Krco, S., Nati, M., Pfisterer, D., Mitton, N., and Razafindralambo, T. A survey on facilities for experimental internet of things research. *IEEE Communications Magazine 49*, 11 (2011), 58–67.
- [8] Guinard, D., Fischer, M., and Trifa, V. Sharing using social networks in a composable Web of Things. 2010 8th IEEE Pervasive Computing and Communications Workshops (PERCOM Workshops), IEEE (2010), 702– 707.
- [9] Guinard, D., Trifa, V., Mattern, F., and Wilde, E. From the Internet of Things to the Web of Things: Resource Oriented Architecture and Best Practices. In D. Uckelmann, M. Harrison and F. Michahelles, eds., *Architecting the Internet of Things*. Springer, London, 2011, 97–129.
- [10] Josh Winn. Open data and the academy: An evaluation of CKAN for research data management. <u>http://eprints.lincoln.ac.uk/9778/1/CKANEvaluation.pdf</u>.
- [11] Kostakos, V., Ojala, T., and Juntunen, T. Traffic in the Smart City: Exploring City-Wide Sensing for Traffic Control Center Augmentation. *IEEE Internet Computing* 17, 6 (2013), 22–29.
- [12] Lee, E.-K., Chu, P., and Gadh, R. Fine-Grained Access to Smart Building Energy Resources. *IEEE Internet Computing* 17, 6 (2013), 48–56.
- [13] Kaviani, N.; Wohlstadter, E.; Lea, R., "MANTICORE: A framework for partitioning software services for hybrid cloud," Cloud Computing Technology and Science (CloudCom), 2012 IEEE 4th International Conference on , vol., no., pp.333,340, 3-6 Dec. 2012.

- [14] Murty, R.N., Mainland, G., Rose, I., et al. CitySense: An Urban-Scale Wireless Sensor Network and Testbed. 2008 IEEE Conference on Technologies for Homeland Security, (2008), 583–588.
- [15] Ojala, T. Open Urban Testbed for Ubiquitous Computing. 2010 International Conference on Communications and Mobile Computing (CMC), (2010), 442–447.
- [16] Sanchez, L., Muñoz, L., Galache, J.A., et al. SmartSantander: IoT experimentation over a smart city testbed. *Computer Networks* 61, (2014), 217–238.
- [17] Schaffers, H., Komninos, N., Pallot, M., Trousse, B., Nilsson, M., and Oliveira, A. Smart Cities and the Future Internet: Towards Cooperation Frameworks for Open Innovation. In J. Domingue, A. Galis, A. Gavras, et al., eds., *The Future Internet*. Springer, 2011, 431– 446.
- [18] Kaviani, N, Wohlstadter, E & Lea, R 2013, 'Cross-tier application and data partitioning of web applications for hybrid cloud deployment'. in D Eyers & K Schwan (eds), Middleware 2013: ACM/IFIP/USENIX 14th International Middleware Conference, Beijing, China, December 9-13, 2013,
- [19] Zambonelli, F. Pervasive urban crowdsourcing: Visions and challenges. 2011 IEEE International Conference on Pervasive Computing and Communications Workshops (PERCOM Workshops), (2011), 578–583.
- [20] HyperCat: an IoT interoperability specification. 2013. http://www.research.lancs.ac.uk/portal/services/downlo adRegister/53462399/Interoperability_Action_Plan_1v 1_spec_only.pdf.
- [21] Living PlanIT, Robert G. Eccles, Amy C. Edmondson, Susan Thyne, Tiona Zuzul Source: Harvard Business School, 29 pages. Publication Date: Feb 08, 2010. Prod. #: 410081-PDF-ENG
- [22] Internet of Things Architecture IOT-A: Internet of Things Architecture. <u>http://www.iot-a.eu/public</u>.
- [23] Xively by LogMeIn. <u>https://xively.com/</u>.
- [24] The Internet of Things ThingSpeak. https://thingspeak.com/
- [25] Fei Li, Michael Voegler, Markus Claessens, and Schahram Dustdar. 2013. Efficient and Scalable IoT Service Delivery on Cloud. In Proceedings of the 2013 IEEE Sixth International Conference on Cloud Computing (CLOUD '13). IEEE, USA, 740-747.
- [26] Soldatos, J.; Serrano, M.; Hauswirth, M., "Convergence of Utility Computing with the Internet-of-Things," Innovative Mobile and Internet Services in Ubiquitous Computing (IMIS), 2012 Sixth International Conference on , vol., no., pp.874,879, 4-6 July 2012
- [27] Kenji Tei; Gurgen, L., "ClouT : Cloud of things for empowering the citizen clout in smart cities," Internet of Things (WF-IoT), 2014 IEEE World Forum on , vol., no., pp.369,370, 6-8 March 2014
- [28] Zanella, A; Bui, N.; Castellani, A; Vangelista, L.; Zorzi, M., "Internet of Things for Smart Cities," Internet of Things Journal, IEEE, vol.1, no.1, pp.22,32, Feb. 2014.
- [29] Blackstock, M. and Lea, R. IoT Interoperability: A Hub based. *Internet of Things (IoT), 2014 4th International Conference on the*, IEEE (2014)
- [30] Blackstock, M. and Lea, R. Towards a distributed dataflow platform for the web of things. *Web of Things* (*WoT*), 2014 5th International Workshop on the, ACM (2014).